





LOWER MOUNTING SCREW (4x).
(NOT INCLUDED IN DELIVERY.
DIMENSION: SEE OUTLINE DRAWING)



OPTION
OVERLOAD PROTECTION,
SEE DRAWING 3-6858

PARTS LIST ZINC PLATED	PARTS LIST STAINLESS	WITH LOAD CELL TYPE	Q (Nm)	C (mm)
4-6913-A/B	4-6914-A/B	SB4/SB5-5/10/20 kN	90	105
4-6915-A/B	4-6916-A/B	SB4/SB5-50 kN	400	133
4-6917-A/B	4-6918-A/B	SB4-100 kN	700	188
4-6919-A/B	4-6920-A/B	SB14/SLB-1/2.5 kN	90	105
		SB14/SLB-5kN	120	105
4-6921-A/B	4-6922-A/B	SB14/SLB-10kN	400	128

PARTS LIST GROUP -A WITHOUT LIFT OFF PROTECTION
PARTS LIST GROUP -B WITH LIFT OFF PROTECTION



INSTALLATION SEQUENCE

1. Block the load carrier at a height of dimension "C" + ca 2 mm.
2. Insert the weigh module and first install the four lower mounting screws for the base plate.
3. Install the upper two mounting screws including the large washers (21) and torque while making sure the rubber element is not subjected to any sideforces.
4. Remove blocking and lower the load carrier onto the cells.

OUTLINE DRAWING: 2-6925

Qty	Group	Item	Description	Material/dwg no	Remarks					
D	C	B	A	NA	NA	KN	99-03-08	-		
WEIGH MODULE TYPE 52-05 (W. RUBBER ELEM.)										
WITH LOAD CELL TYPE SB4 / SB5 / SB14 / SLB										
ASSEMBLY DRAWING										
Tolerances, unless otherwise specified, acc. to ISO 1101										
Hole tol. acc to ISO tol. H12										
Drawing No. 2-6923										
Rev. No. 1										