



HUNTWOOD CABINETS

Product Selection Guide



Built to a higher standard.

Superior craftsmanship is the Huntwood standard. We use quality materials and components that many manufacturers offer only as upgrades.



Mortise & Tenon Doors


Five-piece doors feature solid wood frames that are glued and pinned for extra strength.



106° Soft-Close Hinges

Provides wide accessibility and are 6-way adjustable

Note: Hinge shown is used on II or III Overlay.



1/2" Cabinet Sides & Back

Rabbeted together for extra strength. Dadoed to receive base stabilizer and bottom.

Basic Dimensions

Wall Cabinets 12" Deep

Base Cabinets 34 1/2" High x 24" Deep

Vanity Cabinets 34 1/2" High x 21" Deep

Desk Cabinets 28 1/2" High x 24" Deep



3/4" Adjustable Shelves

Full-depth 3/4" shelves are 20% thicker than standard shelves.




Concealed Guides

Reinforced steel guides are smooth operating, self-aligning and feature Soft-Close.



Dovetail Drawers

Extra-strong solid wood dovetail drawers with captive bottoms.



Lasting Touch® Finish

The toughest finish in the cabinet industry. Four cycles of oven baking.



3/4" Solid Wood Face Frame

With joints fully glued and secured by angle-drilled locking screws.

Built to order. Built to last.

At Huntwood, no two kitchens are alike, so each and every kitchen is built to order with your individual specifications, requirements, accessories, etc. Experience the Huntwood difference; quality you'll enjoy for years to come.

Table of Contents

wall

- 1** Standard Wall / Corner Cabinets
- 5** Wall Drawer Door Cabinets
- 6** Wall Specialty Cabinets
- 10** Wall Convenience Cabinets
- 13** Wall Hood Cabinets

base

- 15** Standard Base / Drawer / Roll-outs
- 19** Base Sink Cabinets
- 20** Base Corner Cabinets
- 25** Base Specialty Cabinets
- 28** Base Convenience Cabinets

tall

- 29** Broom / Pantry Cabinets
- 32** Tall Appliance Cabinets

vanity

- 37** Vanity Sink / Vanity Combo Cabinets
- 41** Vanity High Cabinets
- 43** Vanity Wall Cabinets
- 43** Specialty / Convenience Cabinets
- 44** Vanity Pantry / Vanity Linen Cabinets

furniture

- 47** Desk Cabinets
- 50** Bookcase Cabinets
- 51** Specialty Cabinets

accessories

- 53** Fillers / Pilasters Panels
- 60** Trim / Mouldings Corbels / Ornamental
- 65** Columns / Legs / Feet
- 66** Convenience / Shelving
- 71** Blowers / Liners Replacements
- 73** Hardware / Touch-up

wall cabinets



HOW TO WRITE A PRODUCT CODE:

Code Width Height
W3D **36** **48**
 Product Code
 = **W3D3648**

Depth 12" * Doors

- 6"- 24"W Single Door; (*specify L or R*)
- 24"- 39"W Split Doors
- 39"- 48"W Split Doors w/ Mullion
- 42"- 60"W 3 Door (*Add a -3 at end of product code*)


Ends Unfinished * Shelves

- 12"-21"H No shelves
- 24"H 1 Adj. Shelf
- 30"-39"H 2 Adj. Shelves
- 42"H 3 Adj. Shelves

* Unless otherwise specified.

WDS, W

WIDTH:
1 INCH
INCREMENTS




Wall, Single Door

- Single door; specify left or right hinging
- 6"W doors will always come with a slab door, regardless of door style ordered

Width: 6" *, 9", 12", 15", 18", 21", 24"
 (* 6"W NOT available in 12"-24"H.)
 Height: 12", 15", 18", 21", 24", 30", 36", 39", 42"
 Depth: 12"
 Shelves: 12"-21"H No shelves
 24"H 1 adj. shelf
 30"-39"H 2 adj. shelves
 42"H 3 adj. shelves

W

WIDTH:
1 INCH
INCREMENTS




Wall, Split Doors

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
 Height: 12", 14" *, 15", 18", 21", 24", 27" *, 30", 36", 39", 42"
 (* 14"H and 27"H NOT available in 24"W or 27"W.)
 Depth: 12"
 Shelves: 12"-21"H No shelves
 24"-27"H 1 adj. shelf
 30"-39"H 2 adj. shelves
 42"H 3 adj. shelves

W - 3




Wall w/ 3 Equal Doors

- 3 equal doors; specify left or right hinging for center door (right shown)
- Cabinets over 48"W will have a center partition behind hinge side of center door (right shown).

Width: 42", 45", 48", 51", 54", 57", 60"
 Height: 12", 14" *, 15", 18", 21", 24", 27" *, 30", 36", 39", 42" (* 14"H and 27"H not available in 51"W-60"W)
 Depth: 12"
 Shelves: 12"-21"H No shelves
 24"-27"H 1 adj. shelf
 30"-39"H 2 adj. shelves
 42"H 3 adj. shelves

WR

WIDTH:
1 INCH
INCREMENTS




Wall Refrigerator, Split Doors

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)

Width: 30", 33", 36", 39", 42"
Height: 12", 14", 15", 18", 21", 24"
Depth: 24"
Shelf: 12"-21"H No shelves
24"H 1 adj. shelf

WRWTD

WIDTH:
1 INCH
INCREMENTS




Wall Refrigerator Cabinet w/ Tray Dividers

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- No shelf
- 30"W to 39"W: two dividers, equally spaced in the single frame opening
- Over 39"W to 42"W: two face frame openings with a single divider centered within each frame opening

Width: 30", 33", 36", 39", 42"
Height: 15", 18", 21", 24"
Depth: 24"

WCCDS, WCC




Wall Corner Corner Cabinets

- 21"W cabinets: single door created by two slab doors hinged together; specify left or right hinging
- 24"W - 27"W cabinets: single door created by two doors hinged together; specify left or right hinging

Width: 21", 24", 27" each way from corner
Height: 24", 30", 36", 39", 42"
Depth: 12" (21"W - 24"W); 15" (27"W)
Shelves: 24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

WCCA




Wall Corner Asymmetrical Cabinets, Single Door

- Two doors hinged together to create single door operation
- Specify left or right hinging

Width: 24" & 27"
Height: 24", 30", 36", 39", 42"
Depth: 12"
Shelves: 24"-27"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

Requires 24" from one corner and 27" from the other corner.

WCA




Wall Corner Angle Cabinets, Single Door

- Single door; specify left or right hinging

Width: 24", 27"
Height: 24", 27", 30", 36", 39", 42"
Depth: 12" (24"W); 15" (27"W)
Shelves: 24"-27"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

WCA - SS - LS



WCA-LS


WCA2442LS

Wall Corner Angle Cabinets, with Lazy Susans

- Single door; specify left or right hinging
- Shelf mounted Wood Super Susans (SS) *(not shown)*
- Pole-mounted Polymer Susans (LS) *(shown)*

Width: 24", 27"
Height: 30", 36", 39", 42"
Depth: 12" (24"W)
15" (27"W)
Shelves: 30"-39"H 2 adj. shelves
42"H 3 adj. shelves

WBC




Wall Blind Corner Cabinet, Single Door

- Single door; specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 24", 27", 30", 33", 36"
Height: 24", 30", 36", 39", 42"
Depth: 12"
Shelves: 24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

WBC




Wall Blind Corner Cabinet, Split Doors


- Split doors; specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 39", 42", 45", 48"
Height: 24", 30", 36", 39", 42"
Depth: 12"
Shelves: 24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

WCAP



WCAP2424




WCAP2430

Wall Peninsula Corner Angle Cabinets

- Single door on both front and back; specify left or right hinging based off of rear door swing (right shown)

Width: 24"
 Height: 24", 30"
 Depth: 12 1/4"
 Shelves: 24"H 1 adj. shelf
 30"H 2 adj. shelves

WCAT - LS - SS



Wall Corner Angle Tambour Cabinet, Single Door

Upper Section


- Single door; specify left or right hinging
- Two adjustable shelves, two pole-mounted polymer susans (LS), or two shelf mounted wood super susans (SS). Polymer susan (LS) option shown
- Fixed shelf divides upper and lower sections

Lower Section

- Tambour door
- Appliance garage is 17 1/2"H

Width: 24", 27"
 Height: 48", 54", 57"
 Depth: 12" (24"W); 15" (27"W)

WCAT - LS - SS



Wall Corner Angle Tambour Cabinet, Single Door

Upper Section


- Single door; specify left or right hinging
- Three adjustable shelves, Three pole-mounted polymer susans (LS), or three shelf-mounted wood super susans (SS). Wood super susan option shown.
- Fixed shelf divides upper and lower sections

Lower Section

- Tambour door
- Appliance garage is 17 1/2"H

Width: 24", 27"
 Height: 60"
 Depth: 12" (24"W); 15" (27"W)

WCCSCDS, WCCSC



Wall Corner Corner Stack Cabinets, Single Door

Upper Section

- WCCSCDS2142, WCCSCDS2148, WCCSCDS2154, WCCSCDS2157, WCCSCDS2160: Single door created by two slab doors hinged together
- WCCSC2442, WCCSC2448, WCCSC2454, WCCSC2457, WCCSC2460, WCCSC2742, WCCSC2748, WCCSC2754, WCCSC2757, WCCSC2760: Single door created by two doors hinged together
- No shelf
- Fixed shelf divides upper and lower sections
- 21"W doors will always come with a slab door, regardless of door style selected


Lower Section

- WCCSCDS2142, WCCSCDS2148, WCCSCDS2154, WCCSCDS2157, WCCSCDS2160: Single door created by two slab doors hinged together; specify left or right hinging (callout determines hinging for both doors)
- WCCSC2442, WCCSC2448, WCCSC2454, WCCSC2457, WCCSC2460, WCCSC2742, WCCSC2748, WCCSC2754, WCCSC2757, WCCSC2760: Single door created by two doors hinged together; specify left or right hinging (callout determines hinging for both doors)
- 42", 48" & 54"H: two 3/4"T adjustable shelves
- 57" & 60"H: three 3/4"T adjustable shelves
- 21"W doors will always come with a slab door, regardless of door style selected

Width: 21", 24", 27"
 Height: 42", 48", 54", 57", 60"
 Depth: 12", 15"

WTUL

WIDTH:
1 INCH
INCREMENTS



Wall Up-Lift Counter Cabinet, Single Door

Upper Section

- Single Door; specify left or right hinging
- 48", 54", 57": two 3/4"T adjustable shelves
- 60"H: three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Single straight uplift opening door
- Uplift mechanism opens door straight up, eliminating the need for hinges
- Uplift mechanism located on left and right cabinet jambs
- No shelves
- Lower opening is 17 1/2"H

Width: 18", 21", 24"
Height: 48", 54", 57", 60"
Depth: 12"

WTUL

WIDTH:
1 INCH
INCREMENTS



Wall Up-Lift Counter Cabinet, Split Doors

Upper Section

- Split Doors
- 48", 54", 57": two 3/4"T adjustable shelves
- 60"H: three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Single straight uplift opening door
- Uplift mechanism opens door straight up, eliminating the need for hinges
- Uplift mechanism located on left & right cabinet jambs
- No shelves
- Lower opening is 17 1/2"H

Width: 24", 27", 30", 33", 36"
Height: 48", 54", 57", 60"
Depth: 12"

WTC

WIDTH:
1 INCH
INCREMENTS



Wall Tambour Cabinet, Single Door

Upper Section

- Single door; specify left or right hinging
- Fixed shelf divides upper and lower sections


Lower Section

- Tambour door
- Appliance garage inside vertical clearance 15 7/8"H

Width: 18", 21", 24"
Height: 48", 54", 57", 60"
Depth: 12"
Shelves: 48"-57"H 2 upper adj. shelves
60"H 3 upper adj. shelves

WTC

WIDTH:
1 INCH
INCREMENTS



Wall Tambour Cabinet, Split Doors

Upper Section

- Split doors
- Fixed shelf divides upper and lower sections


Lower Section

- Tambour door
- Appliance garage inside vert. clearance 15 7/8"H

Width: 24", 27", 30", 33", 36"
Height: 48", 54", 57", 60"
Depth: 12"
Shelves: 48"-57"H 2 upper adj. shelves
60"H 3 upper adj. shelves

WTD

WIDTH:
1 INCH
INCREMENTS



Wall Tambour Cabinet, Single Door

Upper Section

- Single door
- Fixed shelf divides upper and lower sections


Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Appliance garage is 17 1/2"H

Width: 18", 21", 24"
Height: 48", 54", 57", 60"
Depth: 12"
Shelves: 48"-57"H 2 adj. shelves
60"H 3 adj. shelves

WTD

WIDTH:
1 INCH
INCREMENTS



Wall Tambour Cabinet, Split Doors

Upper Section

- Split doors
- Fixed shelf divides upper and lower sections


Lower Section

- Split doors
- Appliance garage is 17 1/2"H

Width: 24", 27", 30", 33", 36"
Height: 48", 54", 57", 60"
Depth: 12"
Shelves: 48"- 57"H 2 adj. shelves
60"H 3 adj. shelves

WP


WIDTH:
1 INCH
INCREMENTS



Wall Peninsula Cabinet, Single Door

- Single door front & back; specify left or right hinging (right shown)

Width: 12", 15", 18", 21", 24"
Height: 18", 21", 24", 30"
Depth: 12 1/4"
Shelves: 18"- 21"H No shelves
24"H 1 adj. shelf
30"H 2 adj. shelves



Wall Peninsula Cabinet, Split Doors


- Split doors front & back (24"W - 39"W)
- Split doors w/ mullion front & back (over 39"W to 48"W)

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 18", 21", 24", 30"

Depth: 12 1/4"

Shelves: 18"- 21"H No shelves
24"H 1 adj. shelf
30"H 2 adj. shelves



Wall Peninsula Cabinet, w/ 3 Equal Doors


- 3 equal doors; specify left or right hinging for center door (right shown)
- Cabinets over 48"W will have a center partition behind hinge side of center door

Width: 42", 45", 48", 51", 54", 57", 60"

Height: 18", 21", 24", 30"

Depth: 12 1/4"

Shelves: 18"- 21"H No shelves
24"H 1 adj. shelf
30"H 2 adj. shelves



Wall Blind Corner Peninsula, Single Door Front & Back

- Single door front & back
- Specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe


Width: 24"

Height: 24", 30"

Depth: 12 1/4"

Shelves: 24"H 1 adj. shelf
30"H 2 adj. shelves

WBCP



Wall Blind Corner Peninsula: Single Door Front, Split Doors Back

- Single door front & split doors back
- Specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe


Width: 27", 30", 33", 36"

Height: 24", 30"

Depth: 12 1/4"

Shelves: 24"H 1 adj. shelf
30"H 2 adj. shelves

WBCP



Wall Blind Corner Peninsula Cabinet, Split Doors

- Split doors front & back
- Specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe


Width: 39", 42", 45", 48"

Height: 24", 30"

Depth: 12 1/4"

Shelves: 24"H 1 adj. shelf
30"H 2 adj. shelves

WM



Wall Microwave Cabinet

- Split doors
- Finished interior (MFIC) standard
- Bottom shelf: 18"D
- 15 3/4"H vertical clearance after 3/4" microwave shelf for appliance

Width: 21", 24", 27", 30", 33", 36"


Height: 30", 36", 39", 42"

Depth: 12"

Shelves: 30"-39"H No shelves
42"H 1 adj. shelf

WM

WUM



Wall Microwave Cabinet and Wall Universal Microwave Cabinet

- Split doors
- **WM:** Finished interior (MFIC) standard
- **WM:** 16 1/2"H vertical clearance for appliance
- **WUM (shown):** Specify your own cut out size for appliance

Width: 21"*, 24"*, 27", 30", 33", 36"


Height: 30", 36", 39", 42" * WM only

Depth: 21"

Shelves: 30"- 39"H No shelves
42"H 1 adj. shelf

WIDTH:
1 INCH
INCREMENTS
(WM only)

WDD



Wall Single Door, 1-Drawer Cabinet

- Single door; specify left or right hinging
- One full-width drawer
- Two 3/4"T adjustable shelves

Width: 12", 15", 18", 21", 24"


Height: 36", 42", 48"

Depth: 12"

Shelves: 36" 2 adj. shelves
42" - 48"H 3 adj. shelves

WIDTH:
1 INCH
INCREMENTS

WDDW




Wall Split Doors, 1-Drawer Cabinet

- One drawer
- Split doors

Width: 27"* , 30", 33", 36", 39", 42"
 (*27"W ONLY avail. in 42" & 48"W)
 Height: 36", 42", 48"
 Depth: 12"
 Shelves: 36"H 2 adj. shelves
 42" - 48"H 3 adj. shelves

W2D




Wall Single Door, 2-Drawer Cabinet

- Single door, specify left or right hinging
- Two equal width drawers

Width: 24"
 Height: 36", 42", 48"
 Depth: 12"
 Shelves: 36"H 2 adj. shelves
 42" - 48"H 3 adj. shelves

W2D




Wall Split Doors, 2-Drawer Cabinet

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two equal width drawers

Width: 27", 30", 33", 36", 39", 42",
 45", 48"
 Height: 36"
 Depth: 12"
 Shelves: 36"H 2 adj. shelves

W3D




Wall Split Doors, 3-Drawer Cabinet

- Split doors (36"W to 39"W)
- Split doors w/ mullion (over 39"W to 45"W)
- Three equal width drawers

Width: 36", 39", 42", 45"
 Height: 36", 42", 48"
 Depth: 12"
 Shelves: 36"H 2 adj. shelves
 42" - 48"H 3 adj. shelves

W4D




Wall Split Doors, 4-Drawer Cabinet

- Split doors w/ center mullion
- Four equal width drawers

Width: 48"
 Height: 36", 42", 48"
 Depth: 12"
 Shelves: 36"H 2 adj. shelves
 42" - 48"H 3 adj. shelves

W2DS

WIDTH:
1 INCH
INCREMENTS




Wall Single Door, 2-Drawer Stacked Cabinet

- Single door, specify left or right hinging
- Two equal-height drawers, stacked, 1/4" reveal between the bottom of the door and the top drawer front; 1/4" reveal between the bottom of bottom drawer front and bottom of cabinet

Width: 12", 15", 18", 21", 24"
 Height: 48", 54", 57", 60"
 Depth: 12"
 Shelves: 48" - 57"H 2 adj. shelves
 60"H 3 adj. shelves

W2DS


WIDTH:
1 INCH
INCREMENTS



Wall Split Doors, 2-Drawer Stacked Cabinet

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- Two equal-height drawers, stacked, 1/4" reveal between the bottom of the door and the top drawer front; 1/4" reveal between the bottom of drawer front and bottom of cabinet

Width: 27", 30", 33", 36", 39", 42"
 Height: 48", 54", 57", 60"
 Depth: 12"
 Shelves: 48" - 57"H 2 adj. shelves
 60"H 3 adj. shelves


W3DSWIDTH:
1 INCH
INCREMENTS**Wall Single Door, 3-Drawer Stacked Cabinet**

- Single door; specify left or right hinging
- Three full width, equal height drawers, stacked

Width: 18", 21", 24"

Height: 48", 54", 60"

Depth: 12"


Shelves: 48"-54"H 2 adj. shelves
60"H 3 adj. shelves**W3DS**WIDTH:
1 INCH
INCREMENTS**Wall Split Doors, 3-Drawer Stacked Cabinet**

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W; mullion not included in drawer section)
- Three full width, equal height drawers, stacked

Width: 27", 30", 33", 36", 39", 42"

Height: 48", 54", 60"

Depth: 12"


Shelves: 48"-54"H 2 adj. shelves
60"H 3 adj. shelves**WSD****Wall Sliding Door Cabinet**

- Inset sliding doors operate on low-profile black-colored track
- Top and floor are 3/4"T
- Finished interior (MFIC) standard

Width: 24", 30", 36"

Height: 30", 36", 39", 42"

Depth: 12"


Shelves: 30"-39"H 2 adj. shelves
42"H 3 adj. shelves**WRD****Wall Retractable Door Cabinet**

- Retractable doors
- One 3/4"T adjustable shelf
- Interior pocket dividers drilled for adjustable shelf
- To calculate available interior width between interior door dividers, subtract 8 1/2" from the overall width of the cabinet

Width: 24", 30", 36", 42"

Height: 36", 39", 42"

Depth: 24"

WBFWIDTH:
1 INCH
INCREMENTS**Wall Bi-Fold Door Cabinet**


- Bi-fold (lift-up) doors; no center mullion in face frame for widths over 39"
- Two adjustable shelves (reduced in depth by 7/8")
- Lift mechanism keeps door at desired opening

Width: 18", 21", 24", 27", 30", 33", 36", 39", 42"*

(*42"W NOT available in 36"H)

Height: 30", 36"

Depth: 12"


WRHWIDTH:
1 INCH
INCREMENTS**Wall Reduced Height, Single Door, No-Stay**

- Single, top-hinged door (no stay mechanism); doors will be slab regardless of style
- 24"W to 39"W: no center mullion in the face frame
- 39"W to 42"W: 3"W center mullion behind door
- No shelf

Width: 24", 27", 30", 33", 36", 39", 42"

Height: 9"

Depth: 12"


WLSWIDTH:
1 INCH
INCREMENTS**Wall Lid Stay Cabinet**

- Single flip-up door with stay mechanism
- No shelf

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 12"

Depth: 12"

WLSWIDTH:
1 INCH
INCREMENTS**Wall Lid Stay Cabinet**

- Single flip-up door with stay mechanism

Width: 24", 27", 30", 33", 36", 39"


Height: 12", 15", 18", 24"

Depth: 12"

Shelves: 12"-18"H No shelves
24"H 1 adj. shelf

WLS

WIDTH:
1 INCH
INCREMENTS




Wall Lid Stay Cabinet

- Single flip-up door with stay mechanism
 - 3"W center mullion behind door
- Width: 42", 45", 48"
Height: 15", 18", 24"
(*24"H NOT available in 48"W)
Depth: 12"
Shelves: 15" - 18"H No shelves
24"H 1 adj. shelf

WSUL

WIDTH:
1 INCH
INCREMENTS




Wall Straight Uplift Cabinet

- Single straight uplift opening door
 - Uplift mechanism opens door straight up, eliminating the need for hinges
 - Uplift mechanism located on left and right cabinet jambs
 - No shelves
- Width: 24", 27", 30", 33", 36", 39", 42"
Height: 15", 18", 21"
Depth: 12"

WLOF


Wall Letter Organizer Cabinet, Split Doors



- Finished interior (MFIC) standard
 - Split doors (24"W - 39"W)
 - Split doors w/ mullion (over 39"W - 48"W)
- Upper Section**
- 30" - 39"H: 6"H (4 1/2"H interior) organizer section
 - 42"H: 12"H (10 1/2"H interior) organizer section
- Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 30", 36", 39", 42"
Depth: 12"
Shelves: 30"H 1 adj. shelf
36" - 42"H 2 adj. shelves

WCRA

WIDTH:
1 INCH
INCREMENTS




Wall Coat Rack Cabinet, Style A, Single Door

- Single door, specify left or right hinging
 - 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
 - 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
 - 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
 - 15" - 18"W: 2 matte nickel coat hooks
 - 21" - 24"W: 3 matte nickel coat hooks
 - Finished interior (MFIC) standard
 - Finished ends (MFEW) standard
- Width: 15", 18", 21", 24"
Height: 18", 21", 24"
Depth: 12"

WCRA

WIDTH:
1 INCH
INCREMENTS




Wall Coat Rack Cabinet, Style A, Split Doors

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
- 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
- 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
- 27" - 30" widths: 3 matte nickel coat hooks
- 33" - 36" widths: 4 matte nickel coat hooks
- 39" - 45" widths: 5 matte nickel coat hooks
- 48" width: 6 matte nickel coat hooks
- Finished interior (MFIC) standard
- Finished ends (MFEW) standard

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 18", 21", 24"
Depth: 12"

WCRA




Wall Coat Rack Cabinet, Style A, w/ 3 Equal Doors

- 3 equal doors
- 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
- 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
- 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
- 42" - 45" widths: 5 matte nickel coat hooks
- 48" - 54" widths: 6 matte nickel coat hooks
- 57" - 60" widths: 7 matte nickel coat hooks
- Finished interior (MFIC) standard
- Finished ends (MFEW) standard

Width: 42", 45", 48", 51", 54", 57", 60"
Height: 18", 21", 24"
Depth: 12"

WCRB

WIDTH:
1 INCH
INCREMENTS




Wall Coat Rack Cabinet, Style B, Single Door

- Single door, specify left or right hinging
- 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
- 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
- 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
- 15" - 18" widths: 2 matte nickel coat hooks
- 21" - 24" widths: 3 matte nickel coat hooks
- Finished interior (MFIC) standard
- Finished ends (MFEW) standard

Width: 15", 18", 21", 24"
Height: 18", 21", 24"
Depth: 12"

WCRB

WIDTH:
1 INCH
INCREMENTS




Wall Coat Rack Cabinet, Style B, Split Doors

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
- 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
- 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
- 27" - 30" widths: 3 matte nickel coat hooks
- 33" - 36" widths: 4 matte nickel coat hooks
- 39" - 45" widths: 5 matte nickel coat hooks
- 48" width: 6 matte nickel coat hooks
- Finished interior (MFIC) standard
- Finished ends (MFEW) standard

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 18", 21", 24"
Depth: 12"

WCRB




Wall Coat Rack Cabinet, Style B, w/ 3 Equal Doors

- 3 equal doors
- 18"H has 12"H cabinet section and 6"H coat rack section; no adjustable shelf
- 21"H has 12"H cabinet section and 9"H coat rack section; no adjustable shelf
- 24"H has 15"H cabinet section and 9"H coat rack section; no adjustable shelf
- 42" - 45" widths: 5 matte nickel coat hooks
- 48" - 54" widths: 6 matte nickel coat hooks
- 57" - 60" widths: 7 matte nickel coat hooks
- Finished interior (MFIC) standard
- Finished ends (MFEW) standard

Width: 42", 45", 48", 51", 54", 57", 60"
Height: 18", 21", 24"
Depth: 12"

WQW




Wall Quarter Wine Cabinet

- Frameless construction
- 18"W bottle capacity: 16
- 24"W bottle capacity: 36
- Finished interior (MFIC) standard
- Face-frame construction; face frame obstructs a portion of opening

Width: 18", 24"
Height: 18", 24"
Depth: 12"

WLWRF




Wall Lattice Wine Cabinet, Horizontal

- Finished interior (MFIC) standard
- Bottle Capacity

	18"W	24"W	30"W	36"W
18"H	N/A	N/A	10	13
24"H	8	13	18	23

Width: 18" *, 24" *, 30", 36"
Height: 18", 24" (* 18"W & 24"W available in 24"H only)
Depth: 12"

WLWRF




Wall Lattice Wine Cabinet, Vertical

- Finished interior (MFIC) standard
- Bottle Capacity

	18"W	24"W
30"H	10	18
36"H	13	23

Width: 18", 24"
Height: 30", 36"
Depth: 12"

WWCF



Wall Wine Cubby Cabinet

- Frameless construction
- Finished interior (MFIC) standard


Bottle Capacity

	6"W	12"W	18"W	24"W	30"W	36"W
30"H	5	10	15	20	25	30
36"H	6	12	18	24	30	36
39"H	6	12	18	24	30	36
42"H	7	14	21	28	35	42

Width: 6", 12", 18", 24", 30", 36"
Height: 30", 36", 39", 42"
Depth: 12"

WOF

WIDTH:
1 INCH
INCREMENTS



Wall Open Finished Cabinet

- Finished interior (MFIC) standard


Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39"

Height: 12", 15", 18", 21", 24", 30", 36", 39", 42", 48", 54", 57", 60"

Depth: 12"

Shelves: 12"-21"H No shelf
24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"-57"H 3 adj. shelves
60"H 4 adj. shelves

WNAF




Wall Knick Knack Angled Cabinet

- Finished interior (MFIC) standard
- One 3/4" top shelf with 1 1/2" shelf edge
- One 3/4" bottom shelf with 1 1/2" shelf edge
- 30"-39"H: Two fixed shelves
- 42"H: Three fixed shelves

Width: 6", 9", 12"
Height: 30", 36", 39", 42"
Depth: 12"

WOF

WIDTH:
1 INCH
INCREMENTS



Wall Open Finished Cabinet

- 1 1/2"W center mullion
- Finished interior (MFIC) standard


Width: 42", 45", 48"
Height: 12", 15", 18", 21", 24", 30", 36", 39", 42", 48", 54", 57", 60"

Depth: 12"

Shelves: 12"-21"H No shelf
24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"-57"H 3 adj. shelves
60"H 4 adj. shelves

WSI

WIDTH:
1 INCH
INCREMENTS



Wall Slip-In Finished Cabinet

- Single door, specify left or right hinging (15"W - 24"W)
- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)

Width: 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48"


Height: 24", 30", 36", 39", 42"

Depth: 12"

Shelves: 24"H 1 adj. shelf
30"-39"H 2 adj. shelves
42"H 3 adj. shelves

Note: finished size is 3" wider and taller than stated sizing

WFP




Wall Filler Pull-Out, Plain

- Plain filler attached to face of pull-out
- Shelves are maple with chrome rails on full-extension guides

Width: 3", 6"
Height: 30", 36", 42"
Depth: 12"

Shelves: 30"H 1 fixed / 3 adjustable
36"H 1 fixed / 4 adjustable
42"H 1 fixed / 5 adjustable

WFPF




Wall Filler Pull-Out, Fluted

- Fluted filler attached to face of pull-out
- Shelves are maple with chrome rails on full-extension guides
- 3"W filler face: two 3/4"W flutes, 1 1/2" reveal top & bottom
- 6"W filler face: three 3/4"W flutes, 1 1/2" reveal top & bottom

Width: 3", 6"
Height: 30", 36", 42"
Depth: 12"

Shelves: 30"H 1 fixed / 3 adjustable
36"H 1 fixed / 4 adjustable
42"H 1 fixed / 5 adjustable

WFPFR



Wall Filler Pull-out, Rosette

- Fluted filler w/ rosette attached to face
- Shelves are maple with chrome rails on full-extension guides
- Filler face: two 3/4" W flutes w/ rosette top & bottom


Width: 3"

Height: 30", 36", 42"

Depth: 12"

Shelves: 30"H 1 fixed / 3 adjustable
36"H 1 fixed / 4 adjustable
42"H 1 fixed / 5 adjustable

WPO



Wall 3-Tier Pull-Out Organizer


- Single door mounted shelf unit
- Shelves are maple with wire rails on full-extension, soft-close guides
- 30"H will have fixed bottom and top shelf with two adjustable shelves in the middle
- 36", 39" and 42"H will have fixed bottom and top shelf with three adjustable shelves in the middle

Width: 9", 12"

Height: 30", 36", 39", 42"

Depth: 12"

WSSF



Wall Stainless Steel Filler Pull-Out, Plain


- Plain filler attached to face of pull-out
- Pull-out is perforated stainless steel attached to maple frame on full-extension guides
- Includes non-slip black hooks (18) and pegs (12) for storage

Width: 3", 6"

Height: 30"

Depth: 12"

WSSFF



Wall Stainless Steel Filler Pull-Out, Fluted


- Fluted filler attached to face of pull-out
- Pull-out is perforated stainless steel attached to maple frame on full-extension guides
- Includes non-slip black hooks (18) and pegs (12) for storage

Width: 3", 6"

Height: 30"

Depth: 12"

WSSFR



Wall Stainless Steel Filler Pull-Out, Rosette


- Fluted filler w/ rosette attached to face
- Two 3/4"W flutes w/ rosette top & bottom
- Pull-out is perforated stainless steel attached to maple frame on full-extension guides
- Includes non-slip black hooks (18) and pegs (12) for storage

Width: 3"

Height: 30"

Depth: 12"

WSRC



Wall Pull-Out Spice Rack, Plain


- Frameless construction
- Single pull-out door
- Three maple storage shelves on full-extension, soft-close guides

Width: 6"

Height: 30", 36"

Depth: 12"

WSRCFF



Wall Pull-Out Spice Rack, Fluted

- Frameless construction
- Single pull-out door with fluted front
- Three maple storage shelves on full-extension, soft-close guides


Width: 6"

Height: 30", 36"

Depth: 12"

WS

WIDTH:
1 INCH
INCREMENTS



Wall Stacked Cabinet, Single Door

Upper Section

- Single door
- No shelf
- Fixed shelf divides upper & lower sections

Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)

Width: 12", 15", 18", 21", 24"

Height: 42", 48", 54", 57", 60"


Depth: 12"

Shelves: 42"-54"H 2 lower adj. shelves

57"-60"H 3 lower adj. shelves

WS

WIDTH:
1 INCH
INCREMENTS



Wall Stacked Cabinet, Split Doors

Upper Section

- Split doors (24"W - 39"W)
- Split doors w/mullion (39"W - 48"W)
- No shelf
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)


Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 42", 48", 54", 57", 60"

Depth: 12"

Shelves: 42"-54"H 2 lower adj. shelves
57"-60"H 3 lower adj. shelves

WS - 3



Wall Stacked Cabinet, w/ 3 Equal Doors

Upper Section

- 3 equal doors
- No shelf
- Fixed shelf divides upper and lower sections

Lower Section

- 3 equal doors; specify left or right hinging for center door (right shown)


Width: 42", 45", 48"

Height: 42", 48", 54", 57", 60"

Depth: 12"

Shelves: 42"-54"H 2 lower adj. shelves
57"-60"H 3 lower adj. shelves

WCAS - LS - SS



Wall Corner Angle Stacked Cabinet

Upper Section

- Single door
- No shelf
- Fixed shelf divides upper and lower sections

Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)

Width: 24", 27"

Height: 42", 48", 54", 57", 60"


Depth: 12" (24"W), 15" (27"W)

Shelves:

42" - 54"H 2 lower adj. shelves, 2 lower pole-mounted polymer susans (LS), or 2 lower shelf mounted wood super susans (SS)

57" - 60"H 3 lower adj. shelves, 3 lower pole-mounted polymer susans (LS), or 3 lower shelf mounted wood super susans (SS)

WBCS



Wall Blind Corner Stacked Cabinet

Upper Section

- Split doors
- No shelf
- 1/4" thick panel applied in blind section
- Fixed shelf divides upper and lower sections
- Face frame has 2"W stile on blind side for scribe

Lower Section

- Split doors
- Specify left or right; determined by blind panel location (right shown); blind location is the same for both doors
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 39", 42", 45", 48"

Height: 42", 48", 54", 57", 60"

Depth: 12"


Shelves: 42"-54"H 2 lower adj. shelves
57"-60"H 3 lower adj. shelves

WH

WH -3

WHV

WHV -3



Wall Hood Cabinet

- ACM moulding applied to mantel top; face & ends
- Add "V" for **Vented Hood**. Vent chase (inside clearance): 12"W x 10-1/2"D
- Split doors (30"W - 48"W)
- Add "-3" for **Three Doors** (42"W - 48"W)

Width: 30", 33", 36", 39", 42", 45", 48"


Height: 12", 15", 18", 21", 24", 27"

Depth: 12"

Shelves: 12"-21"H No shelf


24"-27"H 1 shelf

No shelves in vented cabinets



WH &
WHV
only
1 INCH
INCREMENTS

WCAD - LS - SS



Wall Corner Angle Door Stacked Cabinet

Upper Section

- Single door; specify left or right hinging
- Two adjustable shelves, two pole-mounted polymer susans (LS) or two shelf-mounted wood super susans (SS)

- Fixed shelf divides upper and lower sections


Lower Section

- Single door on uplift mechanism
- Appliance garage is 17 1/2"

Width: 24", 27"

Height: 48", 54", 57", 60"

Depth: 12" (24"W); 15" (27"W)

WCADS - LS - SS**Wall Corner Angle Door Stacked Cabinet**Upper Section

- Single door
- Two adjustable shelves, two pole-mounted polymer susans (LS) or two shelf-mounted wood super susans (SS)

- Fixed shelf divides upper and lower sections


Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Appliance garage is 17 1/2"

Width: 24", 27"

Height: 48", 54", 57", 60"

Depth: 12" (24"W); 15" (27"W)

CWHI**Large Custom Wood Hood Cabinet**

- Three equally sized doors; operable end doors L & R; center door is removable
- Overlay will match single door (ex: I Overlay will have 2" reveal between doors)
- Finished interior (MFIC) standard
- Finished ends (MFFE) standard

Width: 48", 60", 66"

Height: 30", 42", 54"


Depth: 19" (top), 25 1/8" (at face of the mantel)

CWHI48_: Blower: HB-03, Liner: HL01-48

CWHI60_: Blower: HB-03, Liner: HL01-60

CWHI66_: Blower: HB-04, Liner: HL01-66

Note: Blower and liner sold separately

CHP**Custom Pull-Out Cabinet Leg**Upper Section

- Single door; specify left or right hinging
- 60"H cabinet = 2 adj. shelves
- 72"H & 84"H cabinet = 3 adj. shelves
- Finished interior (MFIC) standard


Lower Section

- Single pull-out door with two can racks
- Pull-out door has 12 1/2"H top rail designed for application of ornamental corbels CBL-TR3, CBL-PN2 (sold separately)
- Finished ends (MFFE) standard
- Finished interior (MFIC) standard

Width: 12"

Height: 60", 72", 84"

Depth: 19" (top), 12" (bottom)

CWHA**Custom Wall Hood Cabinet, Style A**

- Removable front (order as MFEP)
- Finished ends (MFEW) standard
- ACM moulding applied to mantel (top & bottom)

Width: 30", 36", 42"

Height: 24"


Depth: 12" (top; installed depth)
19" (bottom)

CWHA3024: Blower: HB-02, Liner: HL05-30

CWHA3624: Blower: HB-02, Liner: HL05-36

CWHA4224: Blower: HB-02, Liner: HL05-42

Note: Blower and liner sold separately

CWHB**Custom Wall Hood Cabinet, Style B**

- Removable front (order as MFEP)
- Finished ends (MFEW) standard
- ACM moulding applied to mantel (top & bottom)

Width: 30", 36", 42"

Height: 39"


Depth: 12" (top); 19" (bottom)

CWHB3039: Blower: HB-02, Liner: HL05-30

CWHB3639: Blower: HB-02, Liner: HL05-36

CWHB4239: Blower: HB-02, Liner: HL05-42

Note: Blower and liner sold separately

CWHE**Custom Wall Hood Cabinet, Style E, Two Doors**

- 30"W- 45"W: two operable doors L & R
- Finished ends (MFFE) standard
- Finished interior (MFIC) standard
- ACM moulding applied to mantel (top & bottom)

Width: 30", 33", 39", 45"

Height: 36", 42"

Depth: 25 5/8" (overall)

CWHE30_: Blower: HB-02, Liner: HL02-30

CWHE33_: Blower: HB-02, Liner: HL02-33

CWHE39_: Blower: HB-02, Liner: HL02-39

CWHE45_: Blower: HB-02, Liner: HL02-45

Note: Blower and liner sold separately

Custom Wall Hood Cabinet, Style E, Three Doors

- 51"- 63"W: three equally-sized doors; operable end doors L & R; center door is removable, overlay will match single door (ex: I Overlay will have 2" reveal between doors)
- Finished interior (MFIC) standard
- Finished ends (MFFE) standard
- ACM moulding applied to mantel (top & bottom)

Width: 51", 57", 63"

Height: 36", 42"

Depth: 25 5/8" (overall)


CWHE51_: Blower: HB-03, Liner: HL02-51

CWHE57_: Blower: HB-03, Liner: HL02-57

CWHE63_: Blower: HB-03, Liner: HL02-63

Note: Blower and liner sold separately

CWHG



Custom Wall Hood, Style G, Two Doors

- 30"W - 45"W: two operable doors L & R
- Finished interior (MFIC) standard
- Finished ends (MFFEF) standard
- ACM moulding applied to mantel (top)
- CDP style valance on mantel front matches plant-on doors

Width: 30", 33", 39", 45"
 Height: 36", 42"
 Depth: 25 5/8" (overall)
 CWHG30_: Blower: HB-02, Liner: HL02-30
 CWHG33_: Blower: HB-02, Liner: HL02-33
 CWHG39_: Blower: HB-02, Liner: HL02-39
 CWHG45_: Blower: HB-02, Liner: HL02-45

Note: Blower and liner sold separately


Custom Wall Hood, Style G, Three Doors

- 51"W - 63"W: three equally-sized doors; operable end doors L & R; center door is removable, overlay will match single door (ex: I Overlay will have 2" reveal between doors)
- Finished interior (MFIC) standard
- Finished ends (MFFEF) standard
- ACM moulding applied to mantel (top)
- CDP style valance on mantel front matches plant-on doors

Width: 51", 57", 63"
 Height: 36", 42"
 Depth: 25 5/8" (overall)
 CWHG51_: Blower: HB-03, Liner: HL02-51
 CWHG57_: Blower: HB-03, Liner: HL02-57
 CWHG63_: Blower: HB-03, Liner: HL02-63

Note: Blower and liner sold separately

CWHH



Custom Wall Hood, Style H, Two Doors

- 30"W - 45"W: two operable doors L & R
- Finished interior (MFIC) standard
- Finished ends (MFFEF) standard
- ACM moulding applied to mantel (top)
- CDP style valance on mantel front matches plant-on doors

Width: 30", 33", 39", 45"
 Height: 36", 42"
 Depth: 25 5/8" (overall)
 CWHH30_: Blower: HB-02, Liner: HL02-30
 CWHH33_: Blower: HB-02, Liner: HL02-33
 CWHH39_: Blower: HB-02, Liner: HL02-39
 CWHH45_: Blower: HB-02, Liner: HL02-45

Note: Blower and liner sold separately


Custom Wall Hood, Style H, Three Doors

- 51"W - 63"W: three equally-sized doors; operable end doors L & R; center door is removable, overlay will match single door (ex: Overlay I will have 2" reveal between doors)
- Finished interior (MFIC) standard
- Finished ends (MFFEF) standard
- ACM moulding applied to mantel (top)
- CDP style valance on mantel front matches plant-on doors

Width: 51", 57", 63"
 Height: 36", 42"
 Depth: 25 5/8" (overall)
 CWHH51_: Blower: HB-03, Liner: HL02-51
 CWHH57_: Blower: HB-03, Liner: HL02-57
 CWHH63_: Blower: HB-03, Liner: HL02-63

Note: Blower and liner sold separately

CWHP




Custom Wall Mount Hood, Plain

- Face and both sides finished
- ACM moulding applied to mantel top and both sides
- Wall bottom moulding, Style 2 applied between chimney and hood; all three sides

Width: 30", 36", 42"
 Height: 39"
 Depth: 12" (top)
 19" (bottom at face of mantel)
 CWHP3039: Blower: HB-02, Liner: HL04-30
 CWHP3639: Blower: HB-02, Liner: HL04-36
 CWHP4239: Blower: HB-02, Liner: HL04-42

Note: Blower and liner sold separately

CWHS




Custom Wall Hood w/ Shiplap Styling

- Face and both sides finished with removable facade with shiplap styling; reveals between slats 1/8"W x 1/4"D
- Plywood skeleton structure; back features lock-dado for added strength
- 1 1/2"H finished skirt around top to accommodate application of moulding

Width: 30", 36", 42"
 Height: 36", 42"
 Depth: 14" (top)
 21" (bottom)
 CWHS3036 / CWHS3042: Blower: HB-02, Liner: HL04-30
 CWHS3636 / CWHS3642: Blower: HB-02, Liner: HL04-36
 CWHS4236 / CWHS4242: Blower: HB-02, Liner: HL04-42

Note: Blower and liner sold separately

CSFHP



Custom Store Front Hood, Plain

- Plain front
- All sides finished
- ACM moulding applied to mantel top; face and ends

Width: 30", 36", 42", 48", 54"
 Height: 30", 36", 39", 42"
 Depth: 3" (top); 8 5/8" (bottom at face of mantel)

base cabinets



HOW TO WRITE A PRODUCT CODE:

Code Width
BH 24

Product Code
= **BH24**

Depth 24" *
Height 34 1/2" *
Ends Unfinished*

* Unless otherwise specified.


Doors

- 9" - 24" W Single Door; (specify L or R hinging)
- 24" - 39" W Split Doors
- 39" - 48" W Split Doors w/ Mullion
- 42" - 60" W 3 Door (Add a -3 at end of product code)

B

WIDTH:
1 INCH
INCREMENTS

Base, Single Door




- Single door; specify left or right hinging
- One 3/4" T adjustable shelf
- One full width top drawer

Width: 9", 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24"

B -BB

WIDTH:
1 INCH
INCREMENTS

Base Single Door, Breadboard




- Single door; specify left or right hinging
- One 3/4" T adjustable shelf
- One full width top drawer
- Pull-out breadboard above drawer. Pull matches cabinet exterior finish

Width: 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24"

B

WIDTH:
1 INCH
INCREMENTS


Base Split Doors, 2-Drawer



- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" T adjustable shelf
- Two equal width top drawers

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"


B -3



Base w/ 3 Equal Doors

- 3 equal doors; specify left or right hinging for center door (right shown)
- One 3/4" T adjustable shelf
- Three equal width top drawers
- Cabinets over 48"W receive a vertical partition (shelf placed on both sides of partition)

Width: 45", 48", 51", 54", 57", 60"
Height: 34 1/2"
Depth: 24"


BWWIDTH:
1 INCH
INCREMENTS**Base Wide, Split Doors**

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- One 3/4" full-depth adjustable shelf
- One full width top drawer

Width: 24", 27", 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BTWIDTH:
1 INCH
INCREMENTS**Base Tray Cabinet, Single Door**

- Single door; specify left or right hinging (right shown)
- 9"W - 15"W: one wood tray divider centered in cabinet
- 18"W - 21"W: two wood tray dividers equally spaced in cabinet
- One full width top drawer

Width: 9", 12", 15", 18", 21"

Height: 34 1/2"

Depth: 24"


BROSWIDTH:
1 INCH
INCREMENTS**Base Single Door, Roll-Outs**

- Single door; specify left or right hinging (right shown)
- Two 3-3/4"H, full width roll-outs
- One full width top drawer

Width: 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 24"


BROSWIDTH:
1 INCH
INCREMENTS**Base Split Doors, 2-Drawer, Roll-Outs**

- Split doors
- Two equal width top drawers
- Two 3-3/4"H, full width roll-outs

Width: 27", 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BWROSWIDTH:
1 INCH
INCREMENTS**Base Wide Roll-Outs**

- Split doors
- One full width top drawer
- Two 3 3/4"H, full width roll-outs with finger pull design

Width: 24", 27", 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BDSWIDTH:
1 INCH
INCREMENTS**Base Drawer Stack Cabinet**

- Three equal height drawers, top
- One standard height drawer, bottom

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BDDDWIDTH:
1 INCH
INCREMENTS**Base Drawer Stack w/ Large Bottom Drawer**

- Two stacked equal height drawers
- One large bottom drawer (9 1/4"H drawer box)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BHDS, BHWIDTH:
1 INCH
INCREMENTS**Base High, Single Door**

- Single door; specify left or right hinging
- Two 3/4"T adjustable shelves
- 6"W doors will always come with a slab door, regardless of door style ordered

Width: 6", 9", 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 24"


BHWIDTH:
1 INCH
INCREMENTS**Base High, Split Doors**

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4"T adjustable shelves

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 24"


BH -3**Base High w/ 3 Equal Doors**

- 3 equal doors; specify left or right hinging for center door (right shown)
- Two 3/4" T adjustable shelves
- Cabinets over 48"W receive a vertical partition (shelves placed on both sides of partition)

Width: 45", 48", 51", 54", 57", 60"
Height: 34 1/2"
Depth: 24"

BHT

WIDTH:
1 INCH
INCREMENTS


**Base High Tray Cabinet, Single Door**

- Single door; specify left or right hinging (right shown)
- 6"W - 15"W: one wood tray divider centered in cabinet
- 18"W - 21"W: two wood tray dividers equally spaced in cabinet

Width: 6", 9", 12", 15", 18", 21"
Height: 34 1/2"
Depth: 24"

BHROS

WIDTH:
1 INCH
INCREMENTS


**Base High Single Door, Roll-Outs**

- Single door; specify left or right hinging (right shown)
- Three 3-3/4"H, full width roll-outs

Width: 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24"

BHROS

WIDTH:
1 INCH
INCREMENTS


**Base High Split Doors, Roll-Outs**

- Split doors
- Three 3 3/4"H, full width roll-outs

Width: 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"

BHROSD

WIDTH:
1 INCH
INCREMENTS


**Base High Single Door, Deep Roll-Outs**

- Single door; specify left or right hinging (right shown)
- Two 6 1/4"H, full width roll-outs

Width: 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24"

BHROSD

WIDTH:
1 INCH
INCREMENTS


**Base High Split Doors, Deep Roll-Outs**

- Split doors
- Two 6 1/4"H, full width roll-outs

Width: 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"

BHRD

WIDTH:
1 INCH
INCREMENTS


**Base High, Reduced Depth, Single Door**

- Single door; specify left or right hinging
- Two 3/4" T adjustable shelves

Width: 9", 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 12"


BHRD

WIDTH:
1 INCH
INCREMENTS

**Base High, Reduced Depth, Split Doors**

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" T adjustable shelves


Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 12"

BHRD -3**Base High, Reduced Depth, w/ 3 Equal Doors**

- 3 equal doors; specify left or right hinging for center door (right shown)
- Two 3/4" T adjustable shelves
- Cabinets over 48"W receive a vertical partition (shelves placed on both sides of partition)

Width: 45", 48", 51", 54", 57", 60"
Height: 34 1/2"
Depth: 12"

BHSD




Base High Sliding Door Cabinet

- Inset sliding doors operate on low-profile black-colored track
- Two 3/4" adjustable shelves
- Finished interior (MFIC) cabinet

Width: 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"

B21DD & B24DD




Width: 21", 24"
Height: 34 1/2"
Depth: 24"

Base Cabinet, Single Door w/ Docking Drawer

- Single door; specify left or right hinging
- One 3/4" adjustable shelf
- One full width top drawer with charging dock (two USB ports and two 110v outlets)
- Requires electrical connection: NEMA 5-15P
- Hardware is ETL listed to UL962a
- Max current: USA 4.2 amps @ 5 VDC
- Interlocking safety features: circuit breaker
- Not Canadian compliant

BHS

WIDTH:
1 INCH
INCREMENTS




Base High Sink, Single Door

- Single door; specify left or right hinging

Width: 18", 21", 24"
Height: 34 1/2"
Depth: 24"

BHS

WIDTH:
1 INCH
INCREMENTS




Base High Sink, Split Doors

- Split doors (24"W - 39"W)
 - Split doors w/ mullion (over 39"W - 48"W)
- Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"

B2D


WIDTH:
1 INCH
INCREMENTS



Base 2-Drawer

- Two equal height, full width drawers
- Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"

B2DRO




Base 2-Drawer w/ Top Roll-Out

- Two equal-height drawer fronts
- Full-width top drawer consists of one 6 1/4"H drawer box (attached to top drawer front) with an independent 3 3/4"H roll-out located immediately above it
- Full-width bottom drawer matches standard B2D bottom drawer (11 1/4"H)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36"
Height: 34 1/2"
Depth: 24"

B3D


WIDTH:
1 INCH
INCREMENTS



Base 3-Drawer

- One full width top drawer
- Two full width lower drawers

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"


B3D -BBWIDTH:
1 INCH
INCREMENTS**Base 3-Drawer, Breadboard**

- One full width top drawer
- Pull-out breadboard above top drawer
Pull matches cabinet exterior finish
- Two full width lower drawers

Width: 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 24"


B4DWIDTH:
1 INCH
INCREMENTS**Base 4-Drawer, Split**

- Two equal width, top drawers
- Two full width lower drawers

Width: 30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BDWIDTH:
1 INCH
INCREMENTS**Base 4-Drawer**

- One full width top drawer
- Three full width lower drawers

Width: 12", 15", 18", 21", 24", 27",
30", 33", 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BD -BBWIDTH:
1 INCH
INCREMENTS**Base 4-Drawer w/ Breadboard**

- Three full width, equal height lower drawers
- One full width top drawer
- Pull-out breadboard above top drawer
matches cabinet exterior finish

Width: 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 24"


BSWIDTH:
1 INCH
INCREMENTS**Base Sink, Single Door**

- Single door; specify left or right hinging
- One full width top false front

Width: 18", 21", 24"

Height: 34 1/2"

Depth: 24"


BSWIDTH:
1 INCH
INCREMENTS**Base Sink, Split Doors**

- Split doors (24"W - 39"W)
- Split doors w/ mullion
(over 39"W - 48"W)
- One full width top false front

Width: 24", 27", 30", 33", 36", 39", 42",
45", 48"

Height: 34 1/2"

Depth: 24"


BSADAWIDTH:
1 INCH
INCREMENTS**Base Sink Convertible ADA**

- Split doors
- One full width false front
- Floor and toekick assembly are
removable for conversion to ADA
accessible application

Width: 24", 27", 30", 33", 36", 39"

Height: 34 1/2"

Depth: 24"


BHSADAWIDTH:
1 INCH
INCREMENTS**Base High Sink Convertible ADA**

- Split doors
- Floor and toekick assembly are
removable for conversion to ADA
accessible application

Width: 24", 27", 30", 33", 36", 39"

Height: 34 1/2"

Depth: 24"


BSLDWIDTH:
1 INCH
INCREMENTS**Base Sink Lower Drawer, Single Door**

- Single door; specify left or right hinging
- One full width lower drawer

Width: 18", 21", 24"


Height: 34 1/2"

Depth: 24"

BSLDWIDTH:
1 INCH
INCREMENTS**Base Sink Lower Drawer, Split Doors**


- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two equal width lower drawers

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"

BFASWIDTH:
1 INCH
INCREMENTS**Base Farmers Apron Sink Cabinet**


- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)

Width: 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"

BCAS**Base Corner Angle Sink, Single Door**


- Single door; specify left or right hinging
- Top false front

Width: 42" of corner space each way
Height: 34 1/2"
Depth: 28 3/4"
See catalog plan views

BCASF**Base Corner Angle Sink Front, Single Door**


- Single door; specify left or right hinging
- Top false front
- Face frame w/ toekick and floor; partially assembled

Width: 42" of corner space each way
Height: 34 1/2"
Depth: 28 3/4"
See catalog plan views

BHSFWIDTH:
1 INCH
INCREMENTS**Base High Sink Front, Single Door**


- Single door; specify left or right hinging
- Face frame w/ toekick and floor; partially assembled

Width: 18", 21", 24"
Height: 34 1/2"
Depth: 24"

BHSFWIDTH:
1 INCH
INCREMENTS**Base High Sink Front, Split Doors**


- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Face frame w/ toekick and floor; partially assembled

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"

BHCCDS, BHCC - LS**Base High Corner Cabinet, Reduced Depth**


- BHCCDS33/BHCCDS33LS: single door created by two slab doors hinged together; specify left or right hinging
- BHCC36/BHCC36LS: single door created by two doors hinged together; specify left or right hinging
- One 3/4" T adjustable shelf or two tier pole-mounted polymer susan (LS)
- 33"W doors come with a slab door regardless of door style ordered.

Width: 33", 36"
Height: 34 1/2"
Depth: 17 1/2"

BHCS36LS**Base High Corner Susan**

- Single inset door mounted to the revolving susan trays, door spins inside of cabinet to provide access to trays
- Two-tier pole-mounted polymer susan (LS)

Width: 36"
Height: 34 1/2"
Depth: 18"


BHFCDS, BHFC - LS - SS - SSD**Base High Full Corner Cabinet**

- BHFCDS33/BHFCDS33LS/BHFCDS33SS/BHFCDS33SSD: Single door created by two slab doors hinged together; specify left or right hinging
- BHFC36/BHFC36LS/BHFC36SS/BHFC36SSD: Single door created by two doors hinged together; specify left or right hinging
- One 3/4" T adjustable shelf, two tier pole-mounted polymer susan (LS), two shelf mounted wood susans (SS), or two shelf mounted 6-1/4" D wood susans (SSD). Mounted wood susan (SS) option shown.
- 33"W doors come with a slab door regardless of door style ordered.

Width: 33", 36"

Height: 34 1/2"

Depth: 24"


B3DFC**Base 3-Drawer Full Corner Cabinet**

- One full width top drawer
- Two full width lower drawers
- All drawers standard with full-extension/soft-close guides

Width: 36", 39", 42"

Height: 34 1/2"

Depth: 24"


BHCA - LS**Base High Corner Angle Cabinet, Reduced Depth**

- Single door; specify left or right hinging
- One 3/4" T adjustable shelf or two tier pole-mounted polymer susan (LS). Polymer susan (LS) option shown.

Width: 33", 36"

Height: 34 1/2"

Depth: 17 1/4"


BHFAC - LS - SS**Base Full Corner Asymmetrical Cabinet**

- Single door created by two doors hinged together; specify left or right hinging
- One 3/4" T adjustable shelf, two tier pole-mounted polymer susan (LS), two shelf mounted wood susans (SS)

Width: 33", 36" (See catalog plan views)

Height: 34 1/2"

Depth: 24"


BHFA - LS - SS**Base High Full Angle Cabinet**

- Single door, specify left or right hinging
- One 3/4" T adjustable shelf, two tier pole-mounted polymer susan (LS), or two shelf mounted wood susans (SS). Mounted wood susan (SS) option shown.

Width: 33", 36"

Height: 34 1/2"

Depth: 24"


BBC**Base Blind Corner Cabinet**

- Single door
- Specify left or right; determined by blind panel location (right shown)
- One 3/4" T adjustable shelf
- One top drawer
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 39", 42", 45", 48"

Height: 34 1/2"

Depth: 24"


BBC -SO - WSO**Base Blind Corner Cabinet w/ Swing-outs**

- Single door
- Specify left or right; determined by blind panel location (right shown)
- Two pole-mounted white polymer susans (SO) or two pole-mounted wood susans (WSO) option shown
- One top drawer
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 42" (WSO only), 45"


Height: 34 1/2"

Depth: 24"

BBC -CC**Base Blind Corner Cabinet w/ Corner Caddy**


- Single door
- Specify left or right; determined by blind panel location (right shown)
- Two shelf pull-out caddy swings out from opening
- Two rolling shelves slide from blind portion to opening side
- One top drawer
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 45", 48"
Height: 34 1/2"
Depth: 24"

BHBC**Base High Blind Corner Cabinet**


- Single door
- Specify left or right; determined by blind panel location (right shown)
- Two 3/4"T adjustable shelves
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24"

BHBC -SO - WSO**Base High Blind Corner Cabinet w/ Swing-outs**


- Single door
- Specify left or right; determined by blind panel location (right shown)
- Two pole-mounted white polymer susans (SO), or two pole-mounted wood susans (WSO). Wood (WSO) version shown
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 42" (WSO only), 45"
Height: 34 1/2"
Depth: 24"

BHBC -CC**Base High Blind Corner Cabinet w/ Corner Caddy**


- Single door
- Specify left or right; determined by blind panel location (right shown)
- Two shelf pull-out caddy swings out from opening
- Two rolling shelves slide from blind portion to opening side
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 45", 48"
Height: 34 1/2"
Depth: 24"

BHBCMC51**Base High Blind Corner w/ Convenience Corner Pull-Out**


- Single full-height door
- Specify left or right; determined by blind panel location (right shown)
- Convenience corner pull-out hardware; 4 wire trays with white Melamine floors that pull out and swing out opposite of blind location
- 1/4" thick panel applied in blind section
- Face frame has 2"W stile on blind side for scribe

Width: 51"
Height: 34 1/2"
Depth: 24"

BHPFT**Base Peninsula Starter Cabinet, 24 1/4"D**

- Split doors
- Two 3/4"T adjustable shelves
- Flush toekick on peninsula side of cabinet; standard toekick on kitchen side of cabinet
- Back is finished


Width: 27"
Height: 34 1/2"
Depth: 24 1/4"

BPWIDTH:
1 INCH
INCREMENTS

Base Peninsula Cabinet, Single Door

- Single door front & back; specify left or right hinging (left shown)
- One 3/4" T adjustable shelf
- One full width top drawer, front; one full width false front; peninsula
- Flush toekick on peninsula side of cabinet; standard toekick on kitchen side of cabinet


Width: 9", 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24 1/4"

BPWIDTH:
1 INCH
INCREMENTS

Base Peninsula Cabinet, Split Doors

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" T adjustable shelf
- Two equal width top drawers, front; one full width false front, peninsula
- Flush toekick on peninsula side; standard toekick on kitchen side of cabinet


Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24 1/4"

BHPWIDTH:
1 INCH
INCREMENTS

Base High Peninsula Cabinet, Single Door

- Single door front & back; specify left or right hinging (left shown)
- Two 3/4" T adjustable shelves
- Flush toekick on peninsula side of cabinet; standard toekick on kitchen side of cabinet


Width: 9", 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 24 1/4"

BHPWIDTH:
1 INCH
INCREMENTS

Base High Peninsula Cabinet, Split Doors

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" T adjustable shelves
- Flush toekick on back side of cabinet; standard toekick on front side of cabinet


Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24 1/4"

BBCP

Base Blind Corner Peninsula Cabinet

- One 3/4" T adjustable shelf
Front Side
- Single door
- Specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- One top drawer
- Standard toekick
- Face frame has 2"W stile on blind side for scribe
Back Side
- Split doors (36"W - 39"W); split doors w/ mullion (over 39"W - 48"W)
- One top drawer and one false front
- Flush toekick

Width: 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24 1/4"


BHBCP

Base High Blind Corner Peninsula Cabinet

- Two 3/4" T adjustable shelves
Front Side
- Single door
- Specify left or right; determined by blind panel location (right shown)
- 1/4" thick panel applied in blind section
- Standard toekick
- Face frame has 2"W stile on blind side for scribe
Back Side

Width: 39", 42", 45", 48"
Height: 34 1/2"
Depth: 24 1/4"


- Split doors (39"W);
- Split doors w/ mullion (over 39"W - 48"W)
- Flush toekick

BAE

Base Angle End Cabinet, Split Doors

- Split doors
- One 3/4" adjustable shelf
- One full width top false front

Width: 24"
Height: 34 1/2"
Depth: 24"

BHEA**Base High End Angle Cabinet**


- Single door
- Specify left or right; determined by short side. (left shown)
- Two 3/4" adjustable shelves

Width: 12"

Height: 34 1/2"

Depth: 12" (short side), 24" (long side)

See catalog plan views

BAC**Base Angle Corner Cabinet**

- Double doors
- Two 3/4" adjustable shelves
- 135° front angle

Width: 24"


Height: 34 1/2"

Depth: 24"

See plan views for specifications

BCT

WIDTH:
1 INCH
INCREMENTS

**Base Cooktop Cabinet, Split Doors**

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" adjustable shelf
- One full width false front


Width: 30", 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 24"

BCTD

WIDTH:
1 INCH
INCREMENTS

**Base Cooktop w/ Downdraft Cabinet, Split Doors**

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" adjustable shelf; 14"D to accommodate downdraft chase
- One full width false front
- 1/4" panel divides interior of cabinet providing an 8"D chase for downdraft application; 1/4" divider panel is held down 8" from top of cabinet


Width: 30", 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 24"

BHCTS

WIDTH:
1 INCH
INCREMENTS


**Base Cooktop Cabinet, 30 1/2"H**

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" adjustable shelf
- One 3/4" unfinished plywood full top

Width: 30", 33", 36", 39", 42", 45", 48"

Height: 30 1/2"

Depth: 24"


BHAE**Base High Angle End Cabinet**

- Single door; specify left or right hinging
- Two 3/4" adjustable shelves

Width: 12"

Height: 34 1/2"

Depth: 12"

BHAE**Base High Angle End Cabinet, Split Doors**

- Split doors
- Two 3/4" adjustable shelves


Width: 24"

Height: 34 1/2"

Depth: 24"

BCTF

WIDTH:
1 INCH
INCREMENTS


**Base Cooktop w/ Drawer Cabinet**

- Split doors (30"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- One 3/4" adjustable shelf
- One full width top drawer, 2-1/4"H drawer box

Width: 30", 33", 36", 39", 42"


Height: 34 1/2"

Depth: 24"

BDCTWIDTH:
1 INCH
INCREMENTS**Base Cooktop Cabinet
w/ Drawers, 30 1/2"H**


- One large, full width, top drawer
- One full width bottom drawer (height matches B3D bottom drawer)
- One 3/4" T unfinished plywood full top

Width: 30", 33", 36", 39", 42"
Height: 30 1/2"
Depth: 24"

B3DCTWIDTH:
1 INCH
INCREMENTS**Base 3-Drawer Cooktop Cabinet**


- One full width top drawer, 2 1/4" H drawer box
- Two full width, equal height lower drawers

Width: 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 24"

BOWIDTH:
1 INCH
INCREMENTS**Base Oven Cabinet**


- Single appliance opening
- Maximum appliance cut-out is cabinet width less 3"W x 27 1/2"H
- Minimum cut-out distance from the floor is 5 1/2"

Width: 27", 30", 33", 36"
Height: 34 1/2"
Depth: 24"

BMW**Base Microwave Cabinet**


- Single appliance opening
- One full width drawer below opening; height increases to accommodate appliance cut-out
- Maximum appliance cut-out is cabinet width less 3"W x 20 3/4"H
- Minimum cut-out distance from the floor is 12 1/4"

Width: 24", 27", 30", 33", 36"
Height: 34 1/2"
Depth: 24"

ISDSWIDTH:
1 INCH
INCREMENTS**Independent Single Drawer, Small**


- One full-width top drawer, 3 3/4" high
- Interlocking-dadoed back construction standard; cabinet back is 3/4" thick
- Full top and bottom standard (unfinished)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"
Height: 7 3/4"
Depth: 24"

ISDLWIDTH:
1 INCH
INCREMENTS**Independent Single Drawer, Large**


- One full-width top drawer, 8 1/4" high
- Interlocking-dadoed back construction standard; cabinet back is 3/4" thick
- Full top and bottom standard (unfinished)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42"
Height: 12 7/8"
Depth: 24"

IDDSWIDTH:
1 INCH
INCREMENTS**Independent Double Drawer, Small**


- Two equal width top drawers, 3 3/4" high
- Interlocking-dadoed back construction standard; cabinet back is 3/4" thick
- Full top and bottom standard (unfinished)

Width: 27", 30", 33", 36", 39", 42"
Height: 7 3/4"
Depth: 24"

IDDBWIDTH:
1 INCH
INCREMENTS**Independent Double Drawer, Large**


- Two equal width top drawers, 8 1/4" high
- Interlocking-dadoed back construction standard; cabinet back is 3/4" thick
- Full top and bottom standard (unfinished)

Width: 27", 30", 33", 36", 39", 42"
Height: 12 7/8"
Depth: 24"

BLWRF**Base Lattice Wine Rack Cabinet**

- Finished interior (MFIC) standard
Bottle Capacity
- 18"W = 13
- 24"W = 24


Width: 18", 24"
Height: 34 1/2"
Depth: 12"

BWCF

Base Wine Cubby Cabinet

- Frameless construction
- Finished interior (MFIC) standard


6"W	12"W	18"W	24"W	30"W	36"W
5	10	15	20	25	30

Width: 6", 12", 18", 24", 30", 36"
Height: 34 1/2"
Depth: 12"

BSQW

Base Stemware Quarter Wine Cabinet


- Wood stemware holders in upper opening
- Quartered wine compartment in lower opening
- Bottle capacity: 15 (based upon 3" diameter bottles)
- Finished Interior (MFIC) standard

Width: 18"
Height: 34 1/2"
Depth: 12" (See catalog plan views)

BDQW

Base Drawer Quarter Wine Cabinet


- One full width top drawer
- Quartered wine compartment in lower opening
- Bottle capacity: 37 (based upon 3" diameter bottles)
- Finished interior (MFIC) standard

Width: 24"
Height: 34 1/2"
Depth: 12" (See catalog plan views)

BQW18

Base Quarter Wine Cabinet


- Bottle capacity: 36
- Finished interior (MFIC) standard
- Face frame construction: face frame obstructs a portion of opening

Width: 18"
Height: 34 1/2"
Depth: 12"

BQW24

Base Quarter Wine Cabinet


- Bottle capacity: 52
- Finished interior (MFIC) standard
- Face frame construction: face frame obstructs a portion of opening

Width: 24"
Height: 34 1/2"
Depth: 12"

BADU

Base Apothecary Drawers


- Frameless construction
- Five friction-fit drawers, stacked
- Drawers are natural wood
- Drawer fronts are inset slab with finger pull design

Width: 6"
Height: 34 1/2"
Depth: 12"

BOF

Base Open Finished Cabinet

- Finished interior (MFIC) standard
- Two 3/4" adjustable shelves
- 1 1/2"W center mullion on cabinets (over 39"W - 48"W)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 12"


BWPO & BHPO

Base & Base High Floor Mount Waste Pull-Outs

- Single pull-out door
- BWPO's: One full width top drawer (shown)
- BHPO's: No drawer
- Floor-mount waste pull-out unit attached to door; operates on full ext, soft-close guides

Width: 15", 18", 21"
Height: 34 1/2"
Depth: 24"

BWPO15: Two 27 qt bins
BWPO18 & BWPO21: Two 35 qt bins
BHPO15: Two 27 qt bins
BHPO18 & BHPO21: Two 50 qt bins

BWPO & BHPO




Base & Base High Floor Mount Waste Pull-Outs

- Split doors mounted to a sub-front; recycling unit is floor-mounted
- BWPO's: One full width top drawer (shown)
- BHPO's: No drawer
- Waste pull-out unit has two 35qt bins in wood housing; operates on floor-mounted full-extension, soft-close guides

Width: 27"
Height: 34 1/2"
Depth: 24"

BTPO




Base Trash Pull-Outs

- Single pull-out door
- One full width top drawer
- Two trash pull-outs attached to door; operates on floor-mounted full-extension, soft-close guides

Width: 18", 21"
Height: 34 1/2"
Depth: 24" (See catalog plan views)
Note: Two 35qt bins

BHTPO




Base High Trash Pull-Outs

- Single pull-out door
- Two trash pull-outs attached to door; operates on floor-mounted full-extension, soft-close guides

Width: 21", 24"
Height: 34 1/2"
Depth: 24"
Note: Two 50qt bins

B3DRC21




3-Drawer Front Pull-Out Recycling Center

- One full width top false front and two full width equal height lower false fronts mounted to a sub-front
- Two recycling pull-outs attached to sub front / false fronts assembly; operates on floor-mounted full-extension, soft-close guides

Width: 21"
Height: 34 1/2"
Depth: 24"

Note: Two 50qt bins
Note: When ordered in I, II, F or FB overlays, Horizontal reveals between drawer fronts will be 1/8"; top, bottom and side reveals will be normal per overlay selection.

BRCT24 & BHRCT24




Base & Base High Floor-Mount Recycling Center

- Single pull-out door
- BRCT: one full-width top drawer located above floor-mounted recycling center
- BHRCT: no drawer (shown)
- Three tri-colored 25qt containers for glass, plastic and metal; one canvas bag for paper products
- Recycling center attached to door and operates on floor-mounted full-extension, soft-close guides

Width: 24"
Height: 34 1/2"
Depth: 24"

BHM




Base High Mixing Cabinet


- Single door; specify left or right hinging (right shown)
- Swing-up mixer platform matches cabinet interior and supports mixers up to 15" tall and weighing 35 lbs; 15"W cabinet receives 8 3/4" x 20"D platform; 18"W cabinet receives 11 3/4" x 20"D platform; 21"W cabinet receives 14 3/4" x 20"D platform

Width: 15", 18", 21"
Height: 34 1/2"
Depth: 24"


BFP



BFPF






BFPFR



Base Filler Pull-Out, Plain / Fluted / Rosette


- Plain, fluted, or fluted w/ rosette filler attached to face of pull-out
- Shelves are maple with wire rails on full-extension guides
- One fixed bottom shelf; three adjustable shelves

Width: 3", 6" (3" only BFPFR)
Height: 30 1/4"
Depth: 24"

BSSF**BSSFF****BSSFR****Base Stainless Steel Filler Pull-Out,
Plain / Fluted / Rosette**


- Plain, fluted, or fluted w/ rosette filler attached to face of pull-out
- Pull-out is perforated stainless steel attached to maple frame on full-extension guides
- Includes non-slip black hooks (18) and pegs (12) for storage

Width: 3", 6" (3" only BSSFR)
Height: 30 1/4"
Depth: 24"

BSRC**Base Pull-Out Spice Rack, Plain**


- Frameless construction
- Single pull-out door
- Three maple storage shelves (fixed) on full-extension, soft-close guides
- Door fronts are slab with edge profile matching that specified on order (except mitered)
- Mitered door fronts are reverse-raised to match drawer fronts of door style specified on order

Width: 6"
Height: 34 1/2"
Depth: 24"

BSRCFF**Base Pull-Out Spice Rack, Fluted**


- Frameless construction
- Single pull-out fluted front
- 6" W face: three 3/4" W flutes, 1 1/2" reveal top & bottom
- Three maple storage shelves on full-extension, soft-close guides

Width: 6"
Height: 34 1/2"
Depth: 24"

BPO**Base 3-Tier Pull-Out
Organizer Cabinet**


- Single pull-out door
- Door mounted shelves are maple with wire rails on full-extension, soft-close guides
- One fixed bottom shelf; three adjustable shelves

Width: 9"
Height: 34 1/2"
Depth: 24"

BHTR**Base High Towel Rack Cabinet**

- Single door; specify left or right hinging (right shown)
- 3-rod, wire retractable towel rack

Width: 9"
Height: 34 1/2"
Depth: 24"


BPOCR**Base High Pull-Out Can Rack
Cabinet**

- Single pull-out door
- Three door mounted, fixed maple shelves on full-extension, soft-close guides

Width: 9", 12", 15", 18"
Height: 34 1/2"
Depth: 24"

BROT

WIDTH:
1 INCH
INCREMENTS


**Base Roll-Out Tray Divider**

- Single pull-out door
- Wood roll-out tray divider attached to door; 15"W has single tray divider (centered in roll-out); 18"W and 21"W have two tray dividers (equally spaced in roll-out); operates on floor-mounted full-extension, soft-close guides
- Single full width top drawer

Width: 15", 18", 21"
Height: 34 1/2"
Depth: 24"

BHROT

WIDTH:
1 INCH
INCREMENTS

**Base High Roll-Out Tray Divider**

- Single pull-out door
- Wood roll-out tray divider attached to door; 15"W has single tray divider (centered in roll-out); 18"W and 21"W have two tray dividers (equally spaced in roll-out); operates on floor-mounted full-extension, soft-close guides

Width: 15", 18", 21"
Height: 34 1/2"
Depth: 24"

tall cabinets



HOW TO WRITE A PRODUCT CODE:

Code Width Height
PCB 21 84
 Product Code
 = **PCB2184**

Depth 12" and 24"*
Height 84", 90", 93", 96"
Ends Unfinished*

* Unless otherwise specified.

Doors

- 9" - 24" W Single Door; (specify L or R hinging)
- 24" - 39" W Split Doors
- 39" - 48" W Split Doors w/ Mullion
- 42" - 60" W 3 Door (Add a -3 at end of product code)

BC

WIDTH:
 1 INCH
 INCREMENTS

Broom Cabinet, Single Door


Upper Section

- Single door
- 84"H: 15" opening height
- 90"H: 21" opening height
- 93"H: 24" opening height
- 96"H: 27" opening height
- 84"H: no shelf
- 90", 93", 96"H: one 3/4" T adjustable shelf
- Fixed shelf divides upper & lower sections

Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Sides drilled for adjustable shelves
- No shelves
- 60"H opening height

Width: 12", 15", 18", 21", 24"
 Height: 84", 90", 93", 96"
 Depth: 12", 24"



BC

WIDTH:
 1 INCH
 INCREMENTS

Broom Cabinet, Split Doors


Upper Section

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- 84"H: 15" opening height;
- 90"H: 21" opening height
- 93"H: 24" opening height
- 96"H: 27" opening height
- 84"H: no shelf
- 90", 93", 96"H: one 3/4" T adjustable shelf
- Fixed shelf divides upper & lower sections


Lower Section

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Sides drilled for adjustable shelves
- No shelves
- 60"H opening height

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
 Height: 84", 90", 93", 96"
 Depth: 12", 24"



Unassembled toekick is packaged and shipped with 96"H cabinets (excluding flush toekick application).

PCWIDTH:
1 INCH
INCREMENTS**Pantry Cabinet, Single Door**Upper Section

- Single door
- Two 3/4" T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Two 3/4" T adjustable shelves

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 12", 24"

PCWIDTH:
1 INCH
INCREMENTS**Pantry Cabinet, Split Doors**Upper Section

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors (24"W - 39"W)
- Split doors w/mullion (over 39"W - 48"W)
- Two 3/4" T adjustable shelves

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 84", 90", 93", 96"

Depth: 12", 24"

PCC**Pantry Corner Corner Cabinet**Upper Section

- Single door created by two doors hinged together; hinging matches callout for lower section
- Two 3/4" T adjustable shelves
- Fixed shelf divides upper & lower sections



Lower Section

- Single door created by two doors hinged together; specify left or right hinging
- Two 3/4" T adjustable shelves

Width: 36"

Height: 84", 90", 93", 96"

Depth: 24"

**PCB**WIDTH:
1 INCH
INCREMENTS**Pantry Base Cabinet, Single Door**Upper Section

- Single door
- Three 3/4" T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Door height aligns with adjacent base high cabinets
- Two 3/4" T adjustable shelves

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 24"


TFHDWIDTH:
1 INCH
INCREMENTS**Tall Cabinet, Full-Height Door, Single Door**

- Single, full-height door; specify left or right hinging
- Four 3/4" T adjustable shelves

Width: 12", 15", 18", 21", 24"

Height: 60", 66", 72"

Depth: 24"

TFHDWIDTH:
1 INCH
INCREMENTS**Tall Cabinet, Full-Height Door, Split Doors**

- Split doors (24"W to 39"W)
- Split doors w/ mullion (over 39"W to 48"W)
- Four 3/4" T adjustable shelves


Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 60", 66", 72"

Depth: 24"

tall cabinets

Unassembled toekick is packaged and shipped with 96"H cabinets (excluding flush toekick application).


PCBWIDTH:
1 INCH
INCREMENTS**Pantry Base Cabinet,
Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors (27"W - 39"W)
- Split doors w/mullion (over 39"W - 48"W)
- Door height aligns with adjacent base high cabinets
- Two 3/4"T adjustable shelves

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 84", 90", 93", 96"
Depth: 24"


PBROSWIDTH:
1 INCH
INCREMENTS**Pantry Base Roll-Out Cabinet,
Single Door**Upper Section

- Single door
- Two 3/4"T adjustable shelves
- One 3 3/4"H, full width roll-out with finger pull design
- Fixed shelf divides upper and lower sections

Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- One full width top drawer
- Fronts align with fronts on adjacent standard base cabinets
- Two 3 3/4"H, full width roll-outs with finger pull design

Width: 12", 15", 18", 21", 24"
Height: 84", 90", 93", 96"
Depth: 24"


PBROSWIDTH:
1 INCH
INCREMENTS**Pantry Base Roll-Out Cabinet,
Split Doors**Upper Section

- Split doors
- Two 3/4"T adjustable shelves
- One 3 3/4"H, full width roll-out with finger pull design
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors
- Two equal width top drawers
- Fronts align with fronts on adjacent standard base cabinets
- Two 3 3/4"H, full width roll-outs with finger pull design

Width: 27", 30", 33", 36", 39", 42"
Height: 84", 90", 93", 96"
Depth: 24"


P2DWIDTH:
1 INCH
INCREMENTS**Pantry 2-Drawer Cabinet,
Single Door**Upper Section

- Single door; specify left or right hinging
- Two 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Two equal height, full width drawers
- Height of lower section aligns with B2D base cabinet

Width: 12", 15", 18", 21", 24"
Height: 84", 90", 93", 96"
Depth: 24"


P2DWIDTH:
1 INCH
INCREMENTS**Pantry 2-Drawer Cabinet,
Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- Two 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Two equal height, full width drawers
- Height of lower section aligns with B2D base cabinet

Width: 27", 30", 33", 36", 39", 42"
Height: 84", 90", 93", 96"
Depth: 24"

P3DWIDTH:
1 INCH
INCREMENTS**Pantry 3-Drawer Cabinet,
Single Door**Upper Section

- Single door, specify left or right hinging
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- One standard top drawer
- Two equal height drawers below
- Drawer section matches standard B3D configuration

Width: 12", 15", 18", 21", 24"
Height: 84", 90", 93", 96"
Depth: 24"

Unassembled toekick is packaged and shipped with 96"H cabinets (excluding flush toekick application).

P3D

WIDTH:
1 INCH
INCREMENTS



Pantry 3-Drawer Cabinet, Split Doors

Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- One standard top drawer
- Two equal height drawers below
- Drawer section matches standard B3D configuration

Width: 27", 30", 33", 36", 39", 42"
Height: 84", 90", 93", 96"
Depth: 24"

TROS

WIDTH:
1 INCH
INCREMENTS



Tall Roll-Out Cabinet, Single Door

Upper Section

- Single door
- 84"H: 15" opening height
- 90"H: 21" opening height
- 93"H: 24" opening height
- 96"H: 27" opening height
- 84"H: no shelf
- 90", 93", 96"H: one 3/4"T adj. shelf
- Fixed shelf divides upper & lower sections


Lower Section

- Single door; specify L or R hinging (callout determines hinging for both doors)
- Four 3 3/4"H, full width roll-outs
- 60" opening height

Width: 12", 15", 18", 21", 24"
Height: 84", 90", 93", 96"
Depth: 24"

TROS

WIDTH:
1 INCH
INCREMENTS



Tall Roll-Out Cabinet, Split Doors

Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- 84"H: 15" opening height
- 90"H: 21" opening height
- 93"H: 24" opening height
- 96"H: 27" opening height
- 84"H: no shelf
- 90", 93", 96"H: one 3/4"T adj. shelf
- Fixed shelf divides upper & lower sections


Lower Section

- Split doors (27"W - 42"W)
- Four 3 3/4"H, full width roll-outs
- 60" opening height

Width: 27", 30", 33", 36", 39", 42"
Height: 84", 90", 93", 96"
Depth: 24"

TPPO

WIDTH:
1 INCH
INCREMENTS



Tall Pantry Pull-Out Cabinet

Upper Section

- Single door; specify L or R hinging
- 84"H: 15" opening height
- 90"H: 21" opening height
- 93"H: 24" opening height
- 96"H: 27" opening height
- 84"H: no shelf
- 90", 93", 96"H: one 3/4"T adj. shelf
- Fixed shelf divides upper & lower sections


Lower Section

- Single pull-out door
- Wire pull-out unit with four baskets attached to door
- Standard with full-extension / soft-close guides
- 60" opening height

Width: 12", 15", 18"
Height: 84", 90", 93", 96"
Depth: 24"

TOF

WIDTH:
1 INCH
INCREMENTS




Tall Open Finished Cabinet

- Finished interior (MFIC) standard
- Five 3/4"T adjustable shelves
- 1 1/2"W center mullion on cabinets (over 39"W - 48"W)

Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 84", 90", 93", 96"
Depth: 12"

OCU

WIDTH:
1 INCH
INCREMENTS



Universal Oven Cabinet

Upper Section


- Split doors
- 84"H: no shelf
- 90", 93"H: one 3/4"T adjustable shelf
- 96"H: two 3/4"T adjustable shelves
- Fixed shelves divide the upper and drawer bank sections from the appliance section

Lower Section

- Single appliance opening
- Three full width drawers

Width: 27", 30", 33", 36"
Height: 84", 90", 93", 96"
Depth: 24"

Cabinet Width	Minimum Cut-Out
27"W Cabinet	15"W x 26 3/4"H
30"W Cabinet	18"W x 26 3/4"H
33"W Cabinet	21"W x 26 3/4"H
36"W Cabinet	24"W x 26 3/4"H

OC**WIDTH:**
1 INCH
INCREMENTS**Oven Cabinet**Upper Section

- Split doors
- 84"H: no shelf
- 90"H, 93"H: one 3/4"T adjustable shelf
- 96"H: two 3/4"T adjustable shelves

Lower Section

- Single appliance opening
- One full width drawer


Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"

Depth: 24"

Cabinet WidthMinimum Cut-Out

27"W Cabinet	15"W x 26 3/4"H
30"W Cabinet	18"W x 26 3/4"H
33"W Cabinet	21"W x 26 3/4"H
36"W Cabinet	24"W x 26 3/4"H

OCC**WIDTH:**
1 INCH
INCREMENTS**Combination Oven Cabinet**Upper Section

- Split doors
- 84"H: no shelf
- 90", 93"H: one 3/4"T adjustable shelf
- 96"H: two 3/4"T adjustable shelves
- Fixed shelves divide the upper and drawer bank sections from the appliance section

Lower Section

- Two large appliance openings
- One full width drawer

Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"


Depth: 24"

Lower OpeningCabinet WidthMinimum Cut-Out

27"W	15"H x 26 1/8"
30"W	18"H x 26 1/8"
33"W	21"H x 26 1/8"
36"W	24"H x 26 1/8"

Upper OpeningCabinet WidthMinimum Cut-Out

27"W	15"W x 12"H
30"W	18"W x 12"H
33"W	21"W x 12"H
36"W	24"W x 12"H

OCLAO**WIDTH:**
1 INCH
INCREMENTS**Oven Cabinet, Lower Appliance Opening**Upper Section

- Split doors
- 84"H: one 3/4"T adjustable shelf
- 90", 93"H: two 3/4"T adjustable shelves
- 96"H: three 3/4"T adjustable shelves

Lower Section

- Single appliance opening
- Bottom floor flush with inside of bottom rail of face frame

Width: 27", 30", 33", 36"


Height: 84", 90", 93", 96"

Depth: 24"

Cabinet WidthMinimum Cut-Out

27"W	15"H
30"W	18"H
33"W	21"H
36"W	24"H

Unassembled toeckick is packaged and shipped with 96"H cabinets (excluding flush toeckick application).



Oven Cabinet, Lower Appliance Double Opening

Upper Section

- Split doors
- Not drilled for adjustable shelves; add MCAS to add shelf and line boring

Lower Section


- Double appliance opening (microwave opening above oven opening)
- Bottom floor flush with inside of bottom rail of face frame

Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"

Depth: 24"

Cabinet Width	Minimum Cut-Out
27"W	15"H
30"W	18"H
33"W	21"H
36"W	24"H



Universal Microwave Cabinet

Upper Section

- Split doors
- 84"H: one 3/4"T adjustable shelf
- 90", 93", 96"H: two 3/4"T adjustable shelves
- Fixed shelves divide the upper and drawer bank sections from the appliance section

Lower Section


- Single appliance opening
- One standard top drawer
- Split doors
- One 3/4"T adjustable shelf

Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"

Depth: 24"

Cabinet Width	Minimum Cut-Out
27"W	15"W x 13 3/4"H
30"W	18"W x 13 3/4"H
33"W	21"W x 13 3/4"H
36"W	24"W x 13 3/4"H



Universal Microwave Cabinet

Upper Section

- Split doors
- 84"H: one 3/4"T adjustable shelf
- 90", 93", 96"H: two 3/4"T adjustable shelves
- Fixed shelves divide the upper and lower sections from the appliance section

Lower Section

- Full height split doors
- Two adjustable shelves
- Height of lower section aligns with BH base cabinet

Width: 27", 30", 33", 36"


Height: 84", 90", 93", 96"

Depth: 24"

Cabinet Width	Minimum Cut-Out
27"W	15"W x 13 3/4"H
30"W	18"W x 13 3/4"H
33"W	21"W x 13 3/4"H
36"W	24"W x 13 3/4"H

TUM3D

WIDTH:
1 INCH
INCREMENTS



Tall 3-Drawer Universal Microwave Oven Cabinet

Upper Section

- Split doors
- 84"H: one 3/4"T adjustable shelf
- 90", 93", 96"H: two 3/4"T adjustable shelves
- Fixed shelves divide the upper and drawer bank sections from the appliance section

Lower Section

- Single appliance opening
- One standard top drawer
- Two equal-height drawers below

Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"

Depth: 24"


Cabinet Width

27"W
30"W
33"W
36"W

Minimum Cut-Out

15"W x 13 3/4"H
18"W x 13 3/4"H
21"W x 13 3/4"H
24"W x 13 3/4"H

TWCF



Tall Wine Cubby Cabinet

- Frameless cabinet design
- Finished interior (MFIC) standard
- Interior shelves are all fixed (not adjustable)

Width: 6", 12", 18", 24", 30", 36"

Height: 84", 90", 93", 96"

Depth: 12"

Bottle Capacity

	6"W	12"W	18"W	24"W	30"W	36"W
84"H	12	24	36	48	60	72
90"H	13	26	39	52	65	78
93"H	13	26	39	52	65	78
96"H	14	28	42	56	70	84

NOTES

vanity cabinets



HOW TO WRITE A PRODUCT CODE:

Code Width
VHS 24

Product Code
= VHS24


Depth 21" *
Height 34 1/2"
Ends Unfinished *

* Unless otherwise specified.

Doors
• 9" - 24"W Single Door;
(specify L or R hinging)
• 24" - 39"W Split Doors
• 39" - 48"W Split Doors w/ Mullion
• 42" - 60"W 3 Door (Add a -3
at end of product code)

VSBH

WIDTH:
1 INCH
INCREMENTS




Vanity Sink Cabinet, Single Door

- Single door; specify left or right hinging
- No shelf
- One full width false front

Width: 18", 21", 24"
Height: 34 1/2"
Depth: 21"

VSBH

WIDTH:
1 INCH
INCREMENTS




Vanity Sink Cabinet, Split Doors

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- No shelf
- One full width false front

Width: 24", 27", 30", 33", 36", 39", 42",
45", 48"
Height: 34 1/2"
Depth: 21"

VSLDBH

WIDTH:
1 INCH
INCREMENTS




Vanity Sink Lower Drawer Cabinet, Single Door

- Single door; specify left or right hinging
- No shelf
- One full width, standard depth lower drawer

Width: 18", 21", 24"
Height: 34 1/2"
Depth: 21"

VSLDBH

WIDTH:
1 INCH
INCREMENTS




Vanity Sink Lower Drawer Cabinet, Split Doors

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- No shelf
- Two equal width, standard depth lower drawers

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VHSBH

WIDTH:
1 INCH
INCREMENTS




Vanity High Sink Cabinet, Single Door

- Single door; specify left or right hinging
- No shelf

Width: 18", 21", 24"
Height: 34 1/2"
Depth: 21"

VHSBH

WIDTH:
1 INCH
INCREMENTS




Vanity High Sink Cabinet, Split Doors

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- No shelf

Width: 24", 27", 30", 33", 36", 39",
42", 45", 48"
Height: 34 1/2"
Depth: 21"

VCDBH

Vanity Combo Drawer Cabinet, Single Door



Sink Section

- Single door; door automatically hinges opposite of drawer bank
- No shelf
- One false front


Drawer Section

- One standard top drawer
- Two deeper lower drawers

Width: 33", 36"
Height: 34 1/2"
Depth: 21"

VCDBH

Vanity Combo Drawer Cabinet, Split Doors



Sink Section

- Split doors
- No shelf
- One false front


Drawer Section

- One standard top drawer
- Two deeper lower drawers

Width: 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VCD4BH

Vanity Combo 4-Drawer Cabinet, Single Door



Sink Section

- Single door; door automatically hinges opposite of drawer bank
- No shelf
- One false front


Drawer Section

- One standard top drawer
- Three equal height lower drawers

Width: 33", 36"
Height: 34 1/2"
Depth: 21"

VCD4BH

Vanity Combo 4-Drawer Cabinet, Split Doors



Sink Section

- Split doors
- No shelf
- One false front


Drawer Section

- One standard top drawer
- Three equal height lower drawers

Width: 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VCDFDBH

Vanity Combo Drawer Cabinet, Full-Height Door, Single Door



Sink Section

- Single, full-height door; door automatically hinges opposite of drawer bank
- No shelf


Drawer Section

- One standard top drawer
- Two deeper lower drawers

Width: 33", 36"
Height: 34 1/2"
Depth: 21"

VCD4FDBH

Vanity Combo Drawer Cabinet, Full-Height Door, Single Door



Sink Section


- Single, full-height door; door automatically hinges opposite of drawer bank
- No shelf

Drawer Section

- One standard top drawer
- Three equal height lower drawers

Width: 33", 36"
Height: 34 1/2"
Depth: 21"

VCDFDBH



Vanity Combo Drawer Cabinet, Full-Height Door, Split Doors

Sink Section

- Split, full-height doors
- No shelf

Drawer Section


- One standard top drawer
- Two deeper lower drawers

Width: 39", 42", 45", 48"

Height: 34 1/2"

Depth: 21"

VCD4FDBH



Vanity Combo Drawer Cabinet, Full-Height Door, Split Doors

Sink Section

- Split, full-height doors
- No shelf

Drawer Section


- One standard top drawer
- Three equal height lower drawers

Width: 39", 42", 45", 48"

Height: 34 1/2"

Depth: 21"

VCDDBH



Vanity Double Drawer Combo Cabinet, Single Door

Sink Section

- Single door; specify left or right hinging
- No shelf
- One false front (center)

Drawer Sections


- One standard top drawer
- Two deeper lower drawers

Width: 45", 48", 51", 54", 57", 60"

Height: 34 1/2"

Depth: 21"

VCDDFDBH



Vanity Double Drawer Combo Cabinet, Full-Height Door, Single Door

Sink Section

- Single, full-height door; specify left or right hinging
- No shelf

Drawer Sections


- One standard top drawer
- Two deeper lower drawers

Width: 45", 48", 51", 54", 57", 60"

Height: 34 1/2"

Depth: 21"

VCDDBH



Vanity Double Drawer Combo Cabinet, Split Doors

Sink Section

- Split doors
- No shelf
- One false front (center)

Drawer Sections


- One standard top drawer
- Two deeper lower drawers

Width: 63", 66", 69", 72"

Height: 34 1/2"

Depth: 21"

VCDD4BH



Vanity Double 4-Drawer Combo Cabinet, Single Door

Sink Section

- Single door; specify left or right hinging
- No shelf
- One false front (center)

Drawer Sections


- One standard top drawer
- Three equal height lower drawers

Width: 45", 48", 51", 54", 57", 60"

Height: 34 1/2"

Depth: 21"

VCDD4FDBH



Vanity Double Drawer Combo Cabinet, Full-Height Door, Single Door

Sink Section

- Single, full-height door; specify left or right hinging
- No shelf

Drawer Sections


- One standard top drawer
- Three equal height lower drawers

Width: 45", 48", 51", 54", 57", 60"

Height: 34 1/2"

Depth: 21"

VCDDFDBH



Vanity Double Drawer Combo Cabinet, Full-Height Door, Split Doors

Sink Section

- Split, full-height doors
- No shelf

Drawer Sections


- One standard top drawer
- Two deeper lower drawers

Width: 63", 66", 69", 72"

Height: 34 1/2"

Depth: 21"

VCDD4FDBH



Vanity Double Drawer Combo Cabinet, Full-Height Door, Split Doors

Sink Section


- Split, full-height doors
- No shelf

Drawer Sections

- One standard top drawer
- Three deeper lower drawers

Width: 63", 66", 69", 72"
Height: 34 1/2"
Depth: 21"

VCDD4BH



Vanity Double 4-Drawer Combo Cabinet, Split Doors

Sink Section


- Split doors
- No shelf
- One false front (center)

Drawer Sections

- One standard top drawer
- Three equal height lower drawers

Width: 63", 66", 69", 72"
Height: 34 1/2"
Depth: 21"

VCSBH



Vanity Center Sink Cabinet

Sink Section


- Single door; specify left or right hinging
- No shelf
- One false front (center)

Door/Drawer Sections

- Single door
- One 3/4" T adjustable shelf (each section)
- One standard top drawer

Width: 48", 51", 54", 57", 60", 63", 66", 69", 72"
Height: 34 1/2"
Depth: 21"

VSCBH



Vanity Sink Combination Cabinet, Single Door

- One full width false front

Sink Section


- Single door; door automatically hinges opposite of drawer bank
- No shelf

Drawer Section

- Two deep drawers

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VSC4BH



Vanity Sink 4-Front Combination, Single Door

- One full width false front

Sink Section


- Single door; door automatically hinges opposite of drawer bank
- No shelf

Drawer Section

- Three equal height lower drawers

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VSCLDBH



Vanity Sink, Lower Drawer Combination Cabinet, Single Door

- One full width lower drawer

Sink Section


- Single door; door automatically hinges opposite of drawer bank
- No shelf

Drawer Section

- Two deep drawers

Width: 33", 36", 39", 42", 45", 48"
Height: 34 1/2"
Depth: 21"

VDS4BH



Vanity Double Sink 4-Drawer Cabinet

End Sections


- Single door; specify left or right hinging
- One false front

Center Drawer Section

- One full width top drawer
- Three equal height lower drawers

Width: 54", 57", 60", 63", 66", 69", 72"
Height: 34 1/2"
Depth: 21"

VDSFDBH



Vanity Double Sink Cabinet, Full-Height Door

End Sections


- Single full-height door
- No shelf

Center Drawer Section

- One standard top drawer
- Two deeper lower drawers

Width: 54", 57", 60", 63", 66", 69", 72"
Height: 34 1/2"
Depth: 21"

VDS4FDBH



Vanity Double Sink Cabinet, Full-Height Door

End Sections

- Single full-height door
- No shelf

Center Drawer Section


- One standard top drawer
- Three equal height lower drawers

Width: 54", 57", 60", 63", 66", 69", 72"

Height: 34 1/2"

Depth: 21"

VSDBH



Vanity Sink Drawer Cabinet, Split Doors

Upper Section

- Two standard top drawers (one each side)
- False front (center)

Lower Section


- Split doors (33"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- No shelf

Width: 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 21"

VDSBH



Vanity Double Sink Cabinet

End Sections

- Single door; specify left or right hinging
- One false front
- No shelf

Center Drawer Section

- One full width top drawer
- Two full width lower drawers


Width: 54", 57", 60", 63", 66", 69", 72"

Height: 34 1/2"

Depth: 21"

VBH

WIDTH:
1 INCH
INCREMENTS



Vanity Cabinet, Single Door

- Single door; specify left or right hinging
- One 3/4"T adjustable shelf
- One full width top drawer


Width: 9", 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 21"

VBH

WIDTH:
1 INCH
INCREMENTS



Vanity Cabinet, Split Doors


- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4"T adjustable shelf
- Two equal width top drawers

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 21"

VBH -3



Vanity Cabinet, w/ 3 Equal Doors

- 3 equal doors; specify left or right hinging for center door
- One 3/4"T adjustable shelf
- Three equal width top drawers
- Cabinets over 48"W receive a vertical partition (shelf placed on both sides of partition)


Width: 45", 48", 51", 54", 57", 60"

Height: 34 1/2"

Depth: 21"

VHBH

WIDTH:
1 INCH
INCREMENTS



Vanity High Cabinet, Single Door

- Single door; specify left or right hinging
- One 3/4"T adjustable shelf


Width: 9", 12", 15", 18", 21", 24"

Height: 34 1/2"

Depth: 21"

VHBH

WIDTH:
1 INCH
INCREMENTS




Vanity High Cabinet, Split Doors

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4"T adjustable shelf

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"

Height: 34 1/2"

Depth: 21"


VHBH -3**Vanity High Cabinet,
w/ 3 Equal Doors**

- 3 equal doors; specify left or right hinging for center door
- One 3/4" T adjustable shelf
- Cabinets over 48"W receive a vertical partition (shelf placed on both sides of partition)

Width: 45", 48", 51", 54", 57", 60"
Height: 34 1/2"
Depth: 21"

VROSBH

WIDTH:
1 INCH
INCREMENTS


**Vanity Cabinet with Roll-Outs,
Single Door**

- Single door; specify left or right hinging (right shown)
- One full width top drawer
- Two 3 3/4"H, full width roll-outs

Width: 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 21"

VROSBH

WIDTH:
1 INCH
INCREMENTS


**Vanity Cabinet with Roll-Outs,
Split Doors**

- Split doors
- Two equal width top drawers
- Two 3 3/4"H, full width roll-outs

Width: 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 21"

VHROSBH

WIDTH:
1 INCH
INCREMENTS


**Vanity High Cabinet
w/ Roll-Outs, Single Door**

- Single door; specify left or right hinging (right shown)
- Three 3 3/4"H, full width roll-outs

Width: 12", 15", 18", 21", 24"
Height: 34 1/2"
Depth: 21"

VHROSBH

WIDTH:
1 INCH
INCREMENTS


**Vanity High Cabinet w/ Roll-Outs,
Split Doors**

- Split doors
- Three 3 3/4"H, full width roll-outs

Width: 27", 30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 21"

VDBH

WIDTH:
1 INCH
INCREMENTS


**Vanity 3-Drawer Cabinet**

- One full width top drawer
- Two full width lower drawers

Width: 9", 12", 15", 18", 21", 24", 27",
30", 33", 36", 39", 42"
Height: 34 1/2"
Depth: 21"


V2DBH

WIDTH:
1 INCH
INCREMENTS

**Vanity 2-Drawer Cabinet**

- Two equal height, full width drawers


Width: 12", 15", 18", 21", 24", 27", 30",
33", 36", 39", 42"
Height: 34 1/2"
Depth: 21"

VPOSSBH21**Vanity Pull-Out Styling Station**

- One full-width top drawer
- Two lower drawer fronts mounted to a wood pull-out with 4 metal styling bins

Width: 21"
Height: 34 1/2"
Depth: 21"


Note: When ordered in I, II, F or FB overlays, Horizontal reveals between drawer fronts will be 1/8"; top, bottom and side reveals will be normal per overlay selection.

V4DBHWIDTH:
1 INCH
INCREMENTS**Vanity 4-Drawer Cabinet**

- One full width top drawer
- Three full width equal height lower drawers

Width: 9", 12", 15", 18", 21", 24", 27", 30",
33", 36", 39", 42"

Height: 34 1/2"
Depth: 21"

VWF**Vanity Wall Cabinet, Split Doors**

- Finished interior (MFIC) standard
- Finished ends (MFEW) standard


Upper Section

- Split doors
- Two 3/4" T adjustable shelves

Lower Section


- 10 1/2" H opening

Width: 24", 30"
Height: 30"
Depth: 9"

VDKEWIDTH:
1 INCH
INCREMENTS**Vanity Knee Drawer, Extended**


- One full width top drawer (33"W - 35 3/4"W)
- Two equal width top drawers (36"W-54"W)
- 2 1/4"H drawer box
- Wide stiles allow up to 4" to be trimmed from each side
- Minimum width 9" less than stated Catalog width

Width: 33", 36", 39", 48", 54"
Height: 5"
Depth: 21"

VHFCBH - LS - SS**Vanity High Full Corner Cabinet**


- Single door created by two doors hinged together; specify L or R hinging
- One 3/4" T adjustable shelf, two tier pole-mounted polymer susan (LS) or two shelf mounted wood susans (SS) option shown

Width: 33"
Height: 34 1/2"
Depth: 21"

VMC**Vanity Medicine Cabinet, Single Door**


- Single door; specify left or right hinging
- Four 3/4" T adjustable shelves

Width: 14" Box; 16 1/2" frame
Height: 23 1/2" Box; 26" frame
Depth: 3 1/2" Box; 4 1/2" frame

VHAEBH**Vanity High Angle End Cabinet, Split Doors**


- Split doors
- One 3/4" T adjustable shelf

Width: 21"
Height: 34 1/2"
Depth: 21"

VDKWIDTH:
1 INCH
INCREMENTS**Vanity Knee Drawer**

- One full width top drawer (24"W - 26 3/4"W)
- Two equal width top drawers (27"W-48"W)
- 2-1/4"H drawer box

Width: 24", 27", 30", 33", 36", 39",
42", 45", 48"
Height: 5"
Depth: 21"

VFS**Vanity Farmhouse Sink Cabinet**

- Plywood cabinet construction
- 3" x 3" square legs
- Open toekick area


Upper Section

- Left sink section; single door; left-hinging; finished ends standard (MFEV-L)
- Center section: two equal height operable drawers
- Right sink section; single door, right-hinging; finished ends standard (MFEV-R)

Lower Section

- Finished shelf with applied eased square edge on all four sides

Width: 60", 66", 72"
Height: 34 1/2"
Depth: 22" (overall)

VLCWIDTH:
1 INCH
INCREMENTS**Linen Cabinet, Single Door**Upper Section

- Single door
- Two 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- Single door; specify left or right hinging (callout determines hinging for both doors)
- Two 3/4" adjustable shelves

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"*

Depth: 21"

*Comes with toekick detached

VLCWIDTH:
1 INCH
INCREMENTS**Linen Cabinet, Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" adjustable shelves


Width: 27", 30", 33", 36",

39", 42", 45", 48"

Height: 84", 90", 93", 96"*

Depth: 21"

*Comes with toekick detached

PCV -BHWIDTH:
1 INCH
INCREMENTS**Pantry Vanity Cabinet, Single Door**Upper Section

- Single door
- Three 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- Single door; specify left or right hinging (callout determines hinging for both doors)
- Door height aligns with adjacent base high vanities (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30 1/4"
- One 3/4" adjustable shelf

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"*

Depth: 21"

*Comes with toekick detached

PCV -BHWIDTH:
1 INCH
INCREMENTS**Pantry Vanity Cabinet, Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Three 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Door height aligns with adjacent base high vanities (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30 1/4"H
- One 3/4" adjustable shelf


Width: 27", 30", 33", 36",

39", 42", 45", 48"

Height: 84", 90", 93", 96"*

Depth: 21"

*Comes with toekick detached

VLD -BHWIDTH:
1 INCH
INCREMENTS**Vanity Linen, 3-Drawer Cabinet, Single Door**Upper Section

- Single door; specify left or right hinging
- Three 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- One full width top drawer
- Two full width lower drawers
- 3-drawer section aligns with adjacent base high vanity cabinets (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30 1/4"H

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 21"

*Comes with toekick detached

VLD -BHWIDTH:
1 INCH
INCREMENTS**Vanity Linen, 3-Drawer Cabinet, Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 42"W)
- Three 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- One full width top drawer
- Two full width lower drawers
- 3-drawer section aligns with adjacent base high vanity cabinets (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30 1/4"H

Width: 27", 30", 33", 36", 39", 42"

Height: 84", 90", 93", 96"

Depth: 21"

*Comes with toekick detached

SLC -FWIDTH:
1 INCH
INCREMENTS**Slip-In Cabinet, Single Door**

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Single door
- Two 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- Single door; specify left or right hinging (callout determines hinging for both doors)
- Two 3/4" adjustable shelves

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 21"

- Fin. width is 3 1/2" wider than width stated
- Cabinet box is 2 7/32" shorter than stated height; finished height is height stated

SLC -FWIDTH:
1 INCH
INCREMENTS**Slip-In Cabinet, Split Doors**

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section


- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Two 3/4" adjustable shelves

Width: 27", 30", 33", 36", 39", 42", 45", 48"

Height: 84", 90", 93", 96"

Depth: 21"

- Fin. width is 3 1/2" wider than width stated
- Cabinet box is 2 7/32" shorter than stated height; finished height is height stated

LF -FWIDTH:
1 INCH
INCREMENTS**Linen Frame, Single Door**

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Single door

Lower Section


- Single door; specify left or right hinging (callout determines hinging for both doors)

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 3/4"

- Fin. width is 3" wider than width stated

LF -FWIDTH:
1 INCH
INCREMENTS**Linen Frame, Split Doors**

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Split doors

Lower Section

- Split doors

Width: 27", 30", 33", 36", 39",

42", 45", 48"


Height: 84", 90", 93", 96"

Depth: 3/4"

- Fin. width is 3" wider than width stated

SLD -F - BH

WIDTH:
1 INCH
INCREMENTS



Slip-In Linen Drawer Cabinet, Single Door

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Single Door; specify left or right hinging
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- One full width top drawer
- Two full width lower drawers
- 3-drawer section aligns with adjacent base high vanity cabinets (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30 1/4"H

Width: 12", 15", 18", 21", 24"


Height: 84", 90", 93", 96"

Depth: 21"

- Fin. width is 3 1/2" wider than width stated
- Cabinet box is 2 7/32" shorter than stated height; finished height is height stated

SLD -F - BH

WIDTH:
1 INCH
INCREMENTS



Slip-In Linen Drawer Cabinet, Split Doors

- 3"W stiles & top rail
- Flush toekick (MUFT) standard

Upper Section

- Split doors
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections

Lower Section

- One full width top drawer
- Two full width lower drawers
- 3-drawer section aligns with adjacent base high vanity cabinets (BH); product codes without a "BH" suffix will align with vanities decreased in height to 30-1/4"H

Width: 27", 30", 33", 36"

Height: 84", 90", 93", 96"

Depth: 21"

- Fin. width is 3 1/2" wider than width stated
- Cabinet box is 2 7/32" shorter than stated height; finished height is height stated



HOW TO WRITE A PRODUCT CODE:

Code Width
DFT 24

Product Code
= DFT24

Depth 24"*
Height 28 1/2"
Ends Unfinished


* Unless otherwise specified.

Doors

- 9" - 24"W Single Door; (specify L or R hinging)
- 24" - 39"W Split Doors
- 39" - 48"W Split Doors w/ Mullion
- 45" - 60"W 3 Door (Add a -3 at end of product code)

DFT

WIDTH:
1 INCH
INCREMENTS




Desk, Flush Toekick, Single Door

- Single door; specify left or right hinging
- One 3/4" adjustable shelf
- One full width top drawer
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24"
Height: 28 1/2"
Depth: 24"

DFT

WIDTH:
1 INCH
INCREMENTS




Desk, Flush Toekick, Split Doors

- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4" adjustable shelf
- Two equal width top drawers
- 2 1/2"H Flush Toekick

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 28 1/2"
Depth: 24"


DFT -3



Desk, Flush Toekick, w/ 3 Equal Doors


- 3 equal doors; specify left or right hinging for center door
- One 3/4" adjustable shelf
- Cabinets over 48"W receive a vertical partition (shelves placed on both sides of partition)
- Three equal width top drawers
- 2 1/2"H Flush Toekick

Width: 45", 48", 51", 54", 57", 60"
Height: 28 1/2"
Depth: 24"

DWFTWIDTH:
1 INCH
INCREMENTS**Desk Wide Flush Toekick Cabinet, Split Doors**


- Split doors (24"W to 39"W)
- Split doors w/ mullion (over 39"W to 42"W)
- One 3/4"T adjustable shelf
- One full width top drawer
- 2 1/2"H Flush Toekick

Width: 24", 27", 30", 33", 36", 39", 42"
Height: 28 1/2"
Depth: 24"

DWROSFTWIDTH:
1 INCH
INCREMENTS**Desk Wide Flush Toekick Cabinet, w/ Roll-outs, Split Doors**


- Split doors
- One full width top drawer
- Two 3 3/4"H, full width roll-outs w/ finger pull design
- 2 1/2"H Flush Toekick

Width: 24", 27", 30", 33", 36", 39", 42"
Height: 28 1/2"
Depth: 24"

DROSFTWIDTH:
1 INCH
INCREMENTS**Desk Flush Toekick, w/ Roll-Outs, Single Door**


- Single door; specify left or right hinging
- One full width top drawer
- Two 3 3/4"H, full width roll-outs
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24"
Height: 28 1/2"
Depth: 24"

DROSFTWIDTH:
1 INCH
INCREMENTS**Desk Flush Toekick, 2-Drawer w/ Roll-Outs, Split Doors**


- Split doors
- Two equal width top drawers
- Two 3 3/4"H, full width roll-outs
- 2 1/2"H Flush Toekick

Width: 27", 30", 33", 36", 39", 42"
Height: 28 1/2"
Depth: 24"

DHFTWIDTH:
1 INCH
INCREMENTS**Desk High Flush Toekick, Single Door**


- Single door; specify left or right hinging
- One 3/4"T adjustable shelf
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24"
Height: 28 1/2"
Depth: 24"

DHFTWIDTH:
1 INCH
INCREMENTS**Desk High Flush Toekick, Split Doors**


- Split doors (24"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- One 3/4"T adjustable shelf
- 2 1/2"H Flush Toekick

Width: 24", 27", 30", 33", 36", 39", 42", 45", 48"
Height: 28 1/2"
Depth: 24"

DHFT -3**Desk High Flush Toekick, w/ 3 Equal Doors**


- 3 equal doors; specify left or right hinging for center door
- One 3/4"T adjustable shelf
- Cabinets over 48"W receive a vertical partition (shelves placed on both sides of partition)
- 2 1/2"H Flush Toekick

Width: 45", 48", 51", 54", 57", 60"
Height: 28 1/2"
Depth: 24"

DFT21DD & DFT24DD**Desk Flush Toekick Cabinet, Single Door w/ Docking Drawer**


- Single door, specify left or right hinging
- One 3/4"T adjustable shelf
- One full-width top drawer with USB charging dock (two USB ports and two 110v outlets)
- Requires electrical connection: NEMA 5-15P
- Hardware is ETL listed to UL962a
- Max current: USA 4.2 amps @ 5 VDC
- Interlocking safety features: circuit breaker
- Not Canadian compliant
- 2 1/2"H Flush Toekick

Width: 21", 24"
Height: 28 1/2"
Depth: 24"

DHROSFTWIDTH:
1 INCH
INCREMENTS**Desk High Flush Toekick, w/ Roll-Outs, Single Door**


- Single door; specify left or right hinging
- Three 3 3/4"H, full width roll-outs
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24"
Height: 28 1/2"
Depth: 24"

DHROSFTWIDTH:
1 INCH
INCREMENTS**Desk High Flush Toekick, w/ Roll-Outs, Split Doors**


- Split doors
- Three 3 3/4"H, full width roll-outs
- 2 1/2"H Flush Toekick

Width: 27", 30", 33", 36", 39", 42"
Height: 28 1/2"
Depth: 24"

DDFTWIDTH:
1 INCH
INCREMENTS**Desk 3-Drawer Flush Toekick**


- One full width top drawer
- Two full width lower drawers
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24", 27",
30", 33", 36", 39", 42"
Height: 28 1/2"
Depth: 24"

DFDFT**Desk Storage Drawer Flush Toekick, File Cabinet**


- Top storage drawer
- Lower file drawer on side-mounted full-extension soft-close guides
- 18"W & 21"W include standard file system (files run front to back)
- 24"W, 27"W & 30"W include lateral file system (files run side-to-side)
- 33"W will have double standard file configuration (files run front to back, two wide)
- 2 1/2"H Flush Toekick

Width: 18", 21", 24", 27", 30", 33"
Height: 28 1/2"
Depth: 24"

DFFFT**Desk File Flush Toekick Cabinet**


- Two file drawers on side-mounted, full-extension guides
- 18"W & 21"W include standard file system (files run front to back)
- 24"W, 27"W & 30"W include lateral file system (files run side-to-side)
- 33"W & 36"W will have double standard file configuration (files run front to back, two wide)
- 2 1/2"H Flush Toekick

Width: 18", 21", 24", 27", 30", 33", 36"
Height: 28 1/2"
Depth: 24"

DHFCFT - LS - SS**Desk High Full Corner Flush Toekick Cabinet**


- Single door created by two doors hinged together; specify left or right hinging
- One 3/4"T adjustable shelf, two-tier pole-mounted polymer Susan (LS), or two shelf mounted wood Susans (SS) option shown
- 2 1/2"H Flush Toekick

Width: 33"
Height: 28 1/2"
Depth: 24"

DOFFTWIDTH:
1 INCH
INCREMENTS**Desk Open Finished Flush Toekick Cabinet**


- Finished interior (MFIC) standard
- Two 3/4"T adjustable shelves
- 1 1/2"W center mullion on cabinets (over 39"W - 48"W)
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24", 27", 30",
33", 36", 39", 42", 45", 48"
Height: 28 1/2"
Depth: 12"

DDKWIDTH:
1 INCH
INCREMENTS**Desk Knee Drawer**

- One full width top drawer (24"W - 26 3/4"W)
- Two equal width top drawers (27"W - 48"W)
- 2 1/4"H drawer box

Width: 24", 27", 30", 33", 36",
39", 42", 45", 48"
Height: 5"
Depth: 24"


DDKEWIDTH:
1 INCH
INCREMENTS**Desk Knee Drawer, Extended**

- One full width top drawer (33"W - 35 3/4"W)
- Two equal width top drawers (36"W - 54"W)
- 2 1/4"H drawer box
- Wide stiles allow up to 4" to be trimmed from each side

Width: 33", 36", 39", 48", 54"

Height: 5"

Depth: 24"

PCDFTWIDTH:
1 INCH
INCREMENTS**Pantry Desk Flush Toekick Cabinet, Single Door**Upper Section

- Single door
- Three 3/4"T adjustable shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Single door; specify left or right hinging (callout determines hinging for both doors)
- Door height aligns with adjacent desk height cabinets
- One 3/4"T adjustable shelf
- 2 1/2"H Flush Toekick

Width: 12", 15", 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 24"

PCDFTWIDTH:
1 INCH
INCREMENTS**Pantry Desk Flush Toekick Cabinet, Split Doors**Upper Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Three 3/4"T adj. shelves
- Fixed shelf divides upper and lower sections


Lower Section

- Split doors (27"W - 39"W)
- Split doors w/ mullion (over 39"W - 48"W)
- Door height aligns with adjacent desk height cabinets
- One 3/4"T adjustable shelf
- 2 1/2"H Flush Toekick

Width: 27", 30", 33", 36", 39", 42", 45", 48"

Height: 84", 90", 93", 96"

Depth: 24"


CBSUWIDTH:
1 INCH
INCREMENTS**Bookcase Shelf Cabinet**

- Three 3/4"T adjustable shelves
- Finished interior (MFIC) standard

Width: 18", 21", 24", 27", 30", 33", 36", 39", 42"

Height: 48", 54", 57"

Depth: 12"


CBSUWIDTH:
1 INCH
INCREMENTS**Bookcase Shelf Cabinet**

- Finished Interior (MFIC) standard
- Four 3/4"T adjustable shelves

Width: 18", 21", 24", 27", 30", 33", 36", 39", 42"

Height: 60", 66"

Depth: 12"

BCDFTWIDTH:
1 INCH
INCREMENTS**Bookcase Flush Toekick Cabinet, Single Door**

- Finished interior (MFIC) standard
- 2 1/2"H Flush Toekick

Upper Section

- Four 3/4"T adjustable shelves
- 1/2"T fixed shelf divides upper & lower sections

Lower Section


- Single door; specify left or right hinging
- One 3/4"T adjustable shelf
- Door height aligns with adjacent desk height cabinets

Width: 18", 21", 24"

Height: 84", 90", 93", 96"

Depth: 12"

Unassembled toekick is packaged and shipped with 96"H cabinets (excluding flush toekick application).

BCDFT**WIDTH:
1 INCH
INCREMENTS**

Bookcase Flush Toekick Cabinet, Split Doors

- Finished interior (MFIC) standard
- 2 1/2"H Flush Toekick


Upper Section

- Four 3/4"T adjustable shelves
- 1/2"T fixed shelf divides upper & lower sections

Lower Section

- Split doors
- One 3/4"T adjustable shelf
- Door height aligns with adjacent desk height cabinets

Width: 27", 30", 33", 36", 39"
 Height: 84", 90", 93", 96"
 Depth: 12"

BWS**WIDTH:
1 INCH
INCREMENTS**

Base Window Seat, Drawer

- One 18" deep drawer

Width: 18", 21", 24", 27", 30", 33", 36"

Height: 18"

Depth: 21"

Unassembled toekick is packaged and shipped with 96"H cabinets (excluding flush toekick application).

NOTES

accessories




HOW TO WRITE A PRODUCT CODE:

Code Width Height
F **3** **42**
 Product Code
 = **F3-42**

TABLE OF CONTENTS

- FILLERS / PILASTERS
- PANELS
- TRIM / MOULDINGS
- CORBELS / ORNAMENTAL
- CONVENIENCE
- SHELVING / DECKING

F



Wall Fillers

Width: 2", 3", 4", 5", 6", 7", 8"
 Height: 30", 36", 39", 42", 48", 54", 57", 60", 66"
 Depth: 3/4"


Base Fillers

Width: 2", 3", 4", 5", 6"
 Height: 30 1/2"
 Depth: 3/4"

Tall Fillers

Width: 2", 3", 4", 5", 6", 7", 8"
 Height: 96", 120"*
 (*3" width only)
 Depth: 3/4"

BF



Base Fillers w/ Toekick

Width: 3", 6"
 Height: 34 1/2"

Base Corner Fillers w/ Toekick

Width: 3" x 3"
 Height: 34 1/2"
 Depth: 3/4"

BCF


LFIL



L-Shaped Fillers

Width: 2 3/4" x 2 3/4",
 3 3/4" x 3 3/4",
 4 3/4" x 4 3/4",
 5 3/4" x 5 3/4",
 6 3/4" x 6 3/4"
 (See catalog plan views)
 Height: 30", 36", 39", 42", 96"
 Depth: 3/4" (See catalog plan views)

OF



Overlay Fillers

Width: 3", 6"
 Depth: 3/4"
Wall
 Height: 12", 15", 18", 21", 24", 27", 30", 36", 39", 42", 48", 54", 57", 60"
Base
 Height: 30 1/2"
Desk
 Height: 24 1/2"
Tall
 Height: 84", 90", 93", 96"

FF

Fluted Fillers

Width: 3", 6"
Depth: 3/4"

Wall

Height: 12", 14", 15", 18",
21", 24", 30", 36",
39", 42", 48", 54",
57", 60"

Base

Height: 30 1/2"

Desk

Height: 24 1/2"

Tall

Height: 80", 86", 89", 92"



PPSW



Plain Wall Pilaster

Width: 1 1/2"

Height: 12", 15", 18",
21", 24", 30",
36", 39", 42",
54", 57", 60"

Depth: 12 7/8"

PPW




Plain Wall Pilaster

Width: 3"

Height: 12", 15", 18",
21", 24", 30",
36", 39", 42",
54", 57", 60"

Depth: 12 7/8"

PPWT



Plain Wall Pilaster

Width: 6"

Height: 12", 15", 18",
21", 24", 27",
30", 36", 39",
42", 54", 57",
60"

Depth: 12 7/8"

PPWA



Plain Angled Wall Pilaster

Width: 3"

Height: 24", 30", 36",
39", 42", 48",
54", 57", 60"

Depth: 12 7/8"

AF

Plain Angled Fillers

Width: 4 1/4"
Depth: 3/4"

Wall

Height: 12", 14", 15", 18",
21", 24", 30", 33",
36", 39", 42", 48",
54", 57", 60"

Base

Height: 30 1/2"

Desk


Height: 24 1/2"

Tall

Height: 80", 90", 93", 96"



PPBS




w/ Toekick

Plain Base Pilaster

Width: 1 1/2" Width: 1 1/2"

PPBSFT




w/ Flush Toekick

Plain Base Pilaster

Width: 1 1/2" Width: 1 1/2"

PPB




w/ Toekick

Plain Base Pilaster

Width: 3"

PPBFT




w / Flush Toekick

Plain Base Pilaster

Width: 3" Width: 3"

PPBT




w / Flush Toekick

Plain Base Pilaster

Width: 6" Width: 6"

PPBA




w/ Toekick

Plain Angled Base Pilaster

Width: 3"

PPST




w/ Toekick

Plain Tall Pilaster

Width: 1 1/2"

PPSTFT




w/ Flush Toekick

Plain Tall Pilaster

Width: 1 1/2" Width: 1 1/2"

PPT




w/ Toekick

Plain Tall Pilaster

Width: 3"

PPTFT




w/ Flush Toekick

Plain Tall Pilaster

Width: 3" Width: 3"

PPTT



w/ Toekick

Plain Tall Pilaster

Width: 6"

PPTTFT



w/ Flush Toekick

Plain Tall Pilaster

Width: 6" Width: 6"

Base

Height: 34 1/2"
Depth: 24 7/8" PPBA,
24 7/8"

Vanity


Height: 34 1/2"
Depth: 21" PPVA,
21 7/8"

Desk

Height: 28 1/2"
Depth: 24" PPDA,
24 7/8"

Tall


Height: 84", 90",
93", 96"
Depth: 12 7/8",
21 7/8",
24 7/8"

PPTA


w/ Toe-kick

Plain Angled Tall Pilaster


Width: 3"

PPBP**Plain Double-Sided Peninsula Pilaster w/ Toe-kick**


Width: 3", 6"
 Height: 34 1/2"
 Depth: 26"
 37 3/4" (PPBPD)

DEP**Plain Dishwasher End Panel**

Depth: 24"
 Height: 34 1/2"
 Stile Width: 1 1/2", 2", 3", 4", 5", 6"
 Finished face, unfinished sides;
 add appropriate modification to
 finish exposed end


DEPD**Dishwasher End Panel, Drilled for Adjustable Shelves**

Depth: 24"
 Height: 34 1/2"
 Stile Width: 1 1/2", 2", 3", 4", 5", 6"
 Flush toe-kick
 Finished face and exterior side,
 unfinished interior side; finished
 exterior side drilled for adjustable shelf
 holes to match Base High pattern

BES - E**VES - E****DES - E****VEL - E****DEL - E****WES - E****DCS****End Support Panel**


Thickness: 3/4"

	Depth	Height
BES Base:	24 7/8"	34 1/2"
VES Vanity:	21 7/8"	34 1/2"
DES Desk:	24 7/8"	28 1/2"


**Diagonal Support Panel**

Thickness: 3/4"


	Depth	Height
VEL Vanity:	21 7/8"	34 1/2"
DEL Desk:	24 7/8"	28 1/2"

**Wall End Support Panel**


Thick: 3/4"
 Depth: 12 7/8", 15 7/8",
 21 7/8", 24 7/8"
 Height: Specify height

**Desk Counter Support Panel**


Height: 28 1/2"
 Depth: 24 7/8"

WESD**Wall End Support Panel, Drilled for Adjustable Shelves**


Depth: 12 7/8", 15 7/8", 21 7/8", 24 7/8"
 Height: 12", 15", 18", 21", 24", 27", 30",
 36", 39", 42", 48", 54", 57", 60"
 Thick: 3/4"
 WESED: with eased edge
 Front edge, sides, top and bottom edges
 finished to match finish specified on order

BESD**Base End Support Panel, Drilled for Adjustable Shelves**

Depth: 24 7/8"
 Height: 34 1/2"
 Thick: 3/4"
 BESED: with eased edge
 Front edge, sides, top and bottom
 edges finished to match finish
 specified on order


DESD**Desk End Support Panel, Drilled for Adjustable Shelves**

Depth: 24 7/8"
 Height: 28 1/2"
 Thick: 3/4"
 DESED: with eased edge
 Front edge and sides finished to
 match finish specified on order

VESD**Vanity End Support Panel, Drilled for Adjustable Shelves**

Depth: 24 7/8"
 Height: 34 1/2"
 Thick: 3/4"
 VESED: with eased edge
 Front edge and sides finished to
 match finish specified on order


REP



Refrigerator End Panel

Depth: 24"
Height: 84", 90", 93", 96"
Stile Width: 1 1/2", 2", 3", 4", 5"
Finished face, unfinished sides; add appropriate modification to finish exposed end

REPD



Plain Refrigerator End Panels, Drilled for Adjustable Shelves

Depth: 24"
Height: 84", 90", 93", 96"
Stile Width: 1 1/2", 2", 3", 4", 5"
Flush toekick
Finished face and exterior side, unfinished interior side, finished exterior side drilled for adjustable shelf holes to match Pantry Cabinet pattern

RSP



Refrig. Side Panel

Depth: 24 7/8"
Height: 84", 90", 93", 96", 119"
Thick: 3/4"
RSPE: with eased edge


RSP -E



Shallow Plain Refrig. Side Panel

Depth: 12 7/8"
Height: 84", 90", 93", 96"
Thick: 3/4"
RSPE: with eased edge


RSPD



Plain Refrigerator Side Panels, Drilled for Adjustable Shelves

Depth: 12 7/8", 24 7/8"
Height: 84", 90", 93", 96"
Thick: 3/4"
RSPED: with eased edge
Banded with wood (squared or eased profile) on two long edges
Drilled for adjustable shelves on one side to match Pantry Cabinet pattern

CDP - FT




For detailed specs, see Huntwood Catalog

Custom Designer Panel

- Available in single, double, triple & quad panels
- Decorative panel system consisting of raised or recessed panel sections to match door style and overlay selected
- CDP's standard rail height is configured to be compatible with wall cabinets and lower cabinets that do not have a flush toekick
- CDPFT's bottom rail height is configured to be compatible with lower cabinets that have a flush toekick
- Finished face, back and all edges (top, bottom, left and right)

Min. Height: Equals minimum door size of respective door style
Max. Height: 120"
Max. Sq. Feet: 35 (of single panel)

CDP1FG




For detailed specs, see Huntwood Catalog

Custom Designer Panel, Surface Mount over Glass


- Ordered by the square foot (specified by adding a hyphen and the total square footage after the Catalog #'s prefix; for example a CDP1FG that measures 31"W x 42"H is ordered as CDP1FG-9
- Only available for door styles that have mortise & tenon style construction
- Panels over 42"H are not covered under warranty (against warp/twist/climate-driven reaction).
- Panels over 30"W are not covered under warranty (against warp/twist/climate-driven reaction).
- Edge profile to match that specified in order header.

WDP**Wall Designer Panel: Single, Double, 3-Panel and 4-Panel**


- Raised or recessed panel sections (panel sections match center panel of door style specified)
- Mortise & tenon door construction; 4" wide center mullions divide panels; square outside detail
- Thickness: 3/4"

**Single Panel**


Width: 12", 15", 18", 21", 24"
Height: 24", 30", 36", 39", 42", 48", 54", 57", 60"

**Double Panel**

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 24", 30", 36", 39", 42", 48", 54", 57", 60"

**3-Panel**


Width: 51", 54", 57", 60", 63", 66", 69", 72"
Height: 24", 30", 36", 39", 42"

**4-Panel**


Width: 75", 78", 81", 84", 87", 90", 93", 96"
Height: 24", 30", 36", 39", 42"

BDP**Base Designer Panel: Single, Double, 3-Panel and 4-Panel**


- Raised or recessed panel sections (panel sections match center panel of door style specified)
- Mortise & tenon door construction; 4" wide center mullions divide panels; square outside detail
- Thickness: 3/4"

**Single Panel**


Width: 12", 15", 18", 21", 24"
Height: 30 1/2"

**Double Panel**

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 30 1/2"

**3-Panel**


Width: 51", 54", 57", 60", 63", 66", 69", 72"
Height: 30 1/2"

**4-Panel**


Width: 75", 78", 81", 84", 87", 90", 93", 96"
Height: 30 1/2"

BDPFT**Base Designer Panel: Single, Double, 3-Panel and 4-Panel w/ Flush Toekick**


- Raised or recessed panel sections (panel sections match center panel of door style specified)
- Mortise & tenon door construction; 4" wide center mullions divide panels; square outside detail
- Flush toekick
- Thickness: 3/4"

**Single Panel**


Width: 12", 15", 18", 21", 24"
Height: 34 1/2"

**Double Panel**

Width: 27", 30", 33", 36", 39", 42", 45", 48"
Height: 34 1/2"

**3-Panel**


Width: 51", 54", 57", 60", 63", 66", 69", 72"
Height: 34 1/2"

**4-Panel**

Width: 75", 78", 81", 84", 87", 90", 93", 96"
Height: 34 1/2"

Note: When ordered for flush inset or beaded flush inset application, designer panel consists of 3/4" thick x 1 1/2" wide perimeter frame and three equally-sized suspended door panels; door panel matches door style specified on order (see door specifications section for style detail); main panels are suspended inside perimeter frame (receives standard inset reveals); perimeter frame will have a plain interior edge when flush inset is specified and a beaded interior edge when beaded flush inset is specified.


RFPF



Refrigerator Front Panel, Flat

Height: Mfr. specs
Depth: Mfr. specs
Thickness: 1/4"


RFPR



Refrigerator Front Panel, Raised

Height: Mfr. specs
Depth: Mfr. specs
Thickness: 3/4"

RFPRF




Refrigerator Front Panel, Flush Inset / Beaded Flush Inset

Height: Mfr. specs
Depth: Mfr. specs
Thickness: 3/4"

RFPRFB


TCPF



Trash Compactor Front Panel, Flat

Width: Mfr. specs
Height: Mfr. specs
Thickness: 1/4"


DWPF



Dishwasher Front Panel, Flat

Width: Mfr. specs
Height: Mfr. specs
Thickness: 1/4"


DWPR



Dishwasher Front Panel, Raised

Width: Mfr. specs
Height: Mfr. specs
Thickness: 3/4"

DWPRF




Dishwasher Front Panel, Flush Inset / Beaded Flush Inset

Width: Mfr. specs
Height: Mfr. specs
Thickness: 3/4"

DWPRFB

TCPR



Trash Compactor Front Panel, Raised

Width: Mfr. specs
Height: Mfr. specs
Thickness: 3/4"

WPW



woodgrain direction

Thickness: 1/4"


Wall Panel

	Height
12" Wide	12", 14", 15", 18", 21", 24", 27
12" Wide	30", 36", 39", 42", 48", 54", 57", 60", 66"
15" Wide	24", 30", 36", 39", 42", 48", 54", 57", 60"
21" Wide	12", 30", 36", 39", 42"
24" Wide	12", 14", 15", 18", 21", 24"

BPW

VPW

DPW



woodgrain direction

Thickness: 1/4"

Base, Vanity and Desk Panels

BPW	Base	24" wide	34 1/2" high
BPRDW	Base	12" wide	34 1/2" high
VPW	Vanity	21" wide	34 1/2" high
DPW	Desk	24" wide	28 1/2" high

BPRDW

TPW



Tall Panel


Height: 84", 90", 93", 96", 119"

Width: 12", 21", 24"

Thickness: 1/4"

TCPRF

TCPRFB




Trash Compactor Front Panel, Flush Inset / Beaded Flush Inset

Width: Mfr. specs
Height: Mfr. specs
Thickness: 3/4"

Note: For all _PW Series, the depth shown is "applied depth"


LPW25



Loose Wood Veneer Panel Material (Finished)

- Finished Wood Veneer Panel
- 1/4" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPW25-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2"; grain direction runs with the length of panel
- Finished face; unfinished back
- Cannot be edgebanded


LPI25



Loose Interior Panel Material (Melamine)

- Melamine Interior Panel (specify NDure Birch or NDure White)
- 1/4" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPI25-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2" (for NDure Birch, grain direction runs with the length of panel)
- Finished two sides
- Cannot be edgebanded


LPW5



Loose Wood Veneer Panel Material (Finished)

- Finished Wood Veneer Panel
- 1/2" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPW5-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2"; grain direction runs with the length of panel
- Finished face; unfinished back


LPI5



Loose Interior Panel Material (Melamine)

- Melamine Interior Panel (specify NDure Birch or NDure White)
- 1/2" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPI5-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2" (for NDure Birch, grain direction runs with the length of panel)
- Finished two sides


LPW75



Loose Wood Veneer Panel Material (Finished)

- Finished Wood Veneer panel
- 3/4" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPW75-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2"; grain direction runs with the length of panel
- Finished face; unfinished back


LPI75



Loose Interior Panel Material (Melamine)


- Melamine Interior Panel (specify NDure Birch or NDure White)
- 3/4" thick x square footage specified; order by the square foot (1 square foot minimum); round up to the next nearest number (i.e. a 3.4 square foot panel would be called out as an LPI75-4)
- Maximum Width 47 1/2"
- Maximum Length: 95 1/2" (for NDure Birch, grain direction runs with the length of panel)
- Finished two sides

LHPUNF



Loose Hood Panel, Unfinished

- 3/4" Unfinished plywood: GL#5017508
- Edges are raw (unbanded / unfinished)



Back Panel

	Wide	High	Thick
BKP4x2	48" (mill edge)	24" (clean edge)	1/4", 1/2", 3/4"*
BKP4x3	48" (mill edge)	34-1/2" (clean edge)	1/4", 1/2", 3/4"*
BKP4x4	48" (mill edge)	48" (clean edge)	1/4", 1/2", 3/4"*
BKP4x8	48" (mill edge)	96" (mill edge)	1/8", 1/4", 1/2", 3/4"

Available in NDure Birch (add PB to product code), NDure White (add WH to product code) or wood (if not indicated)

Prefinished Maple Ply to be available only for BKP4x8x1/8

*Add 2E to product code to indicate that both short edges will receive 1mm thick edgebanding. 2E is only available in 3/4".


	Wide	High	Thick
BKP4x10	48" (mill edge)	120" (mill edge)	1/4", 3/4"

Wood veneer, 1 face good; back of sheet is unfinished

BKPW8x4 96" (mill edge) 48" (mill edge) 1/4", 3/4"

Cross-grained

Available in finished hardwood (limited wood species)




Custom Panel Material

- Wood veneer panel material cut to size
- Available in all wood species
- Finished both sides
- Edge banded all 4 edges

Thickness: 3/4"

Width: Specified

Height: Specified




Toekick Material

Height: 4"

Length: 96"

Thickness: 1/4"




Slant Base Moulding

Height: 2 1/4"

Length: 96", 120"

Depth: 5/8"




Batten Moulding

Height: 3/4"

Length: 96"

Depth: 1/4"




Framed Mirrors

- Selected door frame captures plain mirror
- Mitered construction
- 5.2 wood backer panel installed on reverse side
- Includes plain mirror glass (GL8MI)
- Available to match selected door styles (see Catalog)
- Frame comes with backside drilled for keyhole for wall hanging

Width: 15", 18", 21", 24", 27"
30" (only avail. in 30"H)
36", 39" (only avail. in 30"H, 36"H)
42", 45", 48" (only avail. in 30"H, 36"H, 39"H, 42"H)

Height: 24", 30", 36", 39", 42", 45", 48"




Colonial Base Moulding

Height: 2 1/4"

Length: 96", 120"

Depth: 5/8"




Ogee Base Moulding

Height: 2 1/4"

Length: 96", 120"

Thickness: 5/8"



Floor Trim Moulding

Height: 2 1/4"

Length: 96", 120", 144"

Thickness: 1/2"



Base Shoe Moulding

Height: 1/2", 3/4"

Length: 96"

Thickness: 1/2", 3/4"



Batten Moulding with Ogee

Height: 3/4"

Length: 96"

Depth: 1/4"


Note: Mouldings over 96" have limited specie availability. Alder & European Beech available in 8' or 10' lengths only. Black Walnut and Rift-cut White Oak available in 8' lengths only.

SM8**Scribe Moulding**

Height: 1 1/4"
Length: 96"
Depth: 1/4"

SMO8**Scribe Moulding w/ Ogee**


Height: 1 1/4"
Length: 96"
Depth: 1/4"

SMS8**Scribe Moulding, Small**


Height: 3/4"
Length: 96"
Depth: 1/4"

OCM**Outside Corner Moulding**


Height: 3/4"
Length: 36", 96"
Depth: 3/4"

OCMH**Outside Corner Moulding, Heavy**


Height: 1 1/16"
Length: 36", 96"
Depth: 1 1/16"

LSBM8**Single Bead Moulding**


Width: 3 1/4"
Length: 96"
Thickness: 3/8"

LDBM8**Double Bead Moulding**

Width: 3 1/4"
Length: 96"
Thickness: 3/8"

OAM**Outside Angle Moulding**

Height: 1 5/16"
Length: 36", 96"
Depth: 1/2"

ICM**Inside Cove Moulding**

Height: 3/4"
Length: 36", 96"
Depth: 3/4"

PM**- 3108 / 6108****Door Edge Profile Moulding #10**

Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3788 / 6788****Door Edge Profile Moulding #78**

Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3798 / 6798****Door Edge Profile Moulding #79**

Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3818 / 6818****Door Edge Profile Moulding #81**

Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3828 / 6828****Door Edge Profile Moulding #82**


Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3838 / 6838****Door Edge Profile Moulding #83**

Width: 3", 6"
Height: 3/4"
Length: 96"

PM**- 3988 / 6988****Door Edge Profile Moulding #98**


Width: 3", 6"
Height: 3/4"
Length: 96"

BDMA**Beaded Moulding, Single**

Height: 3/4"
Length: 96"
Depth: 3"

Note: Mouldings over 96" have limited specie availability. Alder & European Beech available in 8' or 10' lengths only. Black Walnut and Rift-cut White Oak available in 8' lengths only.


BSMS



Backsplash Moulding, w/ Square Detail

Height: 3 1/2"
Length: 96", 120", 144"
Depth: 1/2"


BSM



Backsplash Moulding, Bevel Detail

Height: 3 1/2"
Length: 96", 120", 144"
Depth: 1/2"


BSMTS



Tall Backsplash Moulding, Square Detail

Height: 4 1/2"
Length: 96", 120"
Depth: 1/2"


BSMT



Tall Backsplash Moulding, Chamfered Detail

Height: 4 1/2"
Length: 96", 120"
Depth: 1/2"


BSMO



Backsplash Moulding, Ogee Detail

Height: 3 1/2"
Length: 96", 120", 144"
Depth: 1/2"


BSMTO



Tall Backsplash Moulding, Ogee Detail

Height: 4 1/2"
Length: 96", 120"
Depth: 1/2"


RBSM



Backsplash Moulding, Radius Detail

Height: 3 1/2"
Length: 96", 120", 144"
Depth: 1/2"


SCE



Counter Edge Moulding, Square Detail

Height: 1 1/2"
Length: 96", 120", 144"
Depth: 3/4"


SCET



Counter Edge Moulding, Tall, Square Detail

Height: 2"
Length: 96", 120", 144"
Depth: 3/4"


CTOE CTOET



Counter Edge Moulding, Bevel Detail

Height: 1 1/2" CTOE
2" CTOET
Length: 96", 120", 144"
Depth: 3/4"


OCE OCET



Counter Edge Moulding, Ogee Detail

Height: 1 1/2" OCE
2" OCET
Length: 96", 120", 144"
Depth: 3/4"


ACM



Angled Crown Moulding

Height: 1 13/16"
Length: 96", 120", 144"
Depth: 1 3/4"


ACMH



Heavy Angled Crown Moulding

Height: 2 3/4"
Length: 96", 120", 144"
Depth: 2 1/2"


ACMHL



Angled Crown Moulding, Large

Height: 5"
Length: 96"
Depth: 5 1/8"


CAM



Combination Angle Moulding

Height: 3 1/8"
Length: 96", 120"
Depth: 2 3/4"


CMP




Plain Angled Crown Moulding

Height: 2 5/8"
Length: 96", 120", 144"
Depth: 2 5/8"


Note: Mouldings over 96" have limited specie availability. Alder & European Beech available in 8' or 10' lengths only. Black Walnut and Rift-cut White Oak available in 8' lengths only.

CMPL**Plain Angled Crown Moulding, Large**


Height: 3-5/8"
Length: 96", 120"
Depth: 3 5/8"

CM**Crown Moulding**


Height: 1 1/4"
Length: 96", 120", 144"
Depth: 3/4"

CMH**Heavy Crown Moulding**


Height: 2"
Length: 96", 120", 144"
Depth: 1 1/16"

CCMS**Small Cove Crown Moulding**


Height: 2 1/8"
Length: 96", 120", 144"
Depth: 2 1/8"

CCMM**Medium Cove Crown Moulding**


Height: 3 5/8"
Length: 96", 120", 144"
Depth: 3 1/2"

CCML**Large Cove Crown Moulding**


Height: 6"
Length: 96"
Depth: 6"

WBMF01**Wall Bottom Moulding F01**


Height: 3/4"
Length: 96", 120"
Depth: 1 1/2"

WBMF02**Wall Bottom Moulding F02**


Height: 3/4"
Length: 96", 120"
Depth: 1 1/2"

WBMF03**Wall Bottom Moulding F03**


Height: 3/4"
Length: 96", 120"
Depth: 1 1/2"

WBMFA**Wall Bottom Moulding FA**


Height: 3/4"
Length: 96", 120"
Depth: 1 1/2"

WBMFB**Wall Bottom Moulding FB**


Height: 3/4"
Length: 96", 120"
Depth: 1 1/2"

LRM**Light Rail Bottom Moulding**


Height: 1"
Length: 96"
Depth: 1 1/2"

RIMS**Combo Profile Riser Mouldings**


Height: 2", 6", 9"
Edge Details: #10, #78, #81, #82, #83, #98

PRM**Plate Riser Mouldings**

Height: 1 1/2"
Length: 96", 120"
Thickness: 3/4"

FRM**Fascia Riser Mouldings**


Height: 2", 6"
Length: 96", 120"
Thickness: 3/4"

LVS**Light Wall Valance**

Height: 3"
Length: 96"
Depth: 3/4"

Note: Mouldings over 96" have limited specie availability. Alder & European Beech available in 8' or 10' lengths only. Black Walnut and Rift-cut White Oak available in 8' lengths only.

LVB



Light Valance, Bevel Detail

Height: 2 1/4"
Length: 96"
Depth: 1 1/2"


VVA



Arched Wall Valance

Height: 4 1/2"
Length: 36", 48", 60", 72"
Depth: 3/4"


WVO



Double Arched Wall Valance

Height: 4 1/2"
Length: 36", 48", 60", 72"
Depth: 3/4"


BKB



Scalloped Bar Knee Bracket

Width: 3"
Height: 9" (BKB12: 12")
Depth: 9" (BKB12: 11 3/4")


BKBT



Thick Scalloped Knee Bracket

Width: 1 1/2"
Height: 9" (BKBT12: 12")
Depth: 9" (BKBT12: 11 3/4")


BKBP



Plain Bar Knee Bracket

Width: 3"
Height: 9" (BKBP12: 12")
Depth: 9" (BKBP12: 12")


BKBPT



Thick Plain Knee Bracket

Width: 1 1/2"
Height: 9" (BKBPT12: 12")
Depth: 9" (BKBPT12: 12")


BKBSC



Scrolled Bar Knee Bracket

Width: 3"
Height: 9"
Depth: 9"


BKBC



Craftsman Bar Knee Bracket

Width: 3"
Height: 9"
Depth: 9"

CBLAAC1




Arts & Crafts Corbel, Small

Width: 4 3/4"
Height: 9 1/2"
Depth: 5 3/4"

CMANL

Custom Mantel w/ Legs


Max Width: 96" Max Height: 96" Thickness: 12"



Note: Mouldings over 96" have limited specie availability. Alder & European Beech available in 8' or 10' lengths only. Black Walnut and Rift-cut White Oak available in 8' lengths only.

DECORATIVE FEET


BFHDC



Hampton Corner Foot

Width: 6"
Depth: 6"
Height: 4 1/2"


BFS



Square Foot

Width: 3 3/4"
Depth: 3 3/4"
Height: 4"

FOOT_C



Tapered Foot, Square

Width: 1 7/8"
Depth: 1 1/4"
Height: 6"

DECORATIVE LEGS

LEG_D



Arts & Crafts Leg

Width: 3 1/2"
Depth: 3 1/2"
Height: 34 1/2"

TPL36




Turnpost, Loose

Width: 3"
Depth: 3"
Height: 36"

CMANP

Custom Mantel, Plain

Max Width: 96" Max Height: 96" Thickness: 10 1/2"




CMAN



Custom Mantel

Max Width: 96"
Height: 11 5/16"
Thickness: 12"

COL A, B, C




Plain Square Columns

	COL_A	COL_B	COL_C
Width:	3"	4 1/4"	6"
Depth:	3"	4 1/4"	6"
Height:	34 1/2", 42", 48", 54", 57", 60", 84", 90", 93", 96"		

(Center of column is hollow.)

COL_A & B are only available in 34 1/2"H.

SR - L - I



Door Mount Spice Rack, Wood

- Adjustable maple shelves on chrome rails
- Holds bottles up to 2 1/2" diameter

	SRL15	SRL18	SRL21
Width:	10 1/8"	13 1/8"	16 1/8"
Depth:	4"		
Height:	25"		

SRI = installed on door of 15", 18", 21"W cabinet

Note: Items with architectural millwork have limited specie availability.

FFTK - L - I




False Front Tray Kit

- Stainless steel
- Includes scissor hinges for field installation

Width: 11" (only available loose)
14", 19", 22", 25", 31"
33" (only available installed)
Depth: 2"
Height: 3"

FFTKI = Installed in cabinet
FFTKIP = 2 trays installed in cabinet

BBK - L - I




Breadboard Kit

- Hardwood breadboard
- Front edge finished to match species & finish
- Includes solid wood friction breadboard guides

Width: 12", 15", 18", 21", 24"
Depth: 18"
Thickness: 3/4"

BBKI = Installed in cabinet

SWH - L - I




Stemware Holder, Wood

- Material: wood veneer shelf with solid wood stemware brackets

Fits cabinet
Widths: 18" - 36"
Depth: 12"

SWHI = Installed on bottom of cabinets
18"W - 36"W

BBCDI




Breadboard/Cutlery Drawer

- Hardwood breadboard (front edge finished)
- 2 1/4" H drawer with dividers
- Available for one side of 30"W, 33"W, 36"W, 39"W, 42"W, 48"W cabinets

Width: 15", 18", 21", 24"


KBW18



Knife Block Insert, Wood

- Natural finish
- Maple hardwood knife insert
- 18 1/2" W x 22" D x 2 7/8" H
- Holds up to 19 knives


WCT



Cutlery Tray Insert, Wood

- Cutlery drawer insert; natural finish
- Maple hardwood dividers with maple veneer base
- 14 5/8" W x 22" D x 2 7/8" H or 20 5/8" W x 22" D x 2 7/8" H
- Fits 18"W or 21"W cabinet

DLU - L - I




Utensil Drawer Liners

- Trimmable, high-impact heavy duty styrene

Width: 15", 18", 21", 24"
Depth: 21 1/4"
Height: 2 3/8"

DLUI = Installed in cabinet

SDW - L - I




Spice Drawer Insert, Wood


- Natural finish
- Maple natural spice drawer insert
- Tiered configuration

Width: 12", 15", 18", 21", 24"
Depth: 19 3/4"
Height: 1 1/2"

SDWI = Installed in cabinet


KOPL**Kitchenware Organizer**

- Beech wood base plate
- 4 circular-shaped organization posts
- 36" W x 24" D x 6 11/16" H

PKOPL**Kitchenware Organizer Posts, Loose**

- Package of 4 circular-shaped organization posts
- Birch wood (natural finish)


Width: 1" diameter
Height: 6 5/16"

TDS - LW - IW**Oven Cabinet Tray Dividers, Wire**

- Upper section of oven cabinet
- 5 wire dividers


Height: 12" (15" - 21" opening)
18" (27" opening)
Depth: 20"

TDSIW = Installed in 15"H, 21"H, 27"H opening

RTR - L3 - I3**Retractable Towel Rack**

- Bright chrome triple (3) rod towel rack


Width: 5"
Height: 1 1/4"
Depth: 18" RTRI3 = Installed opposite hinge side of cabinet

TDS - L - I**Oven Cabinet Tray Dividers, Wood**

- Upper section of oven cabinet
- Matches interior of cabinet

Height: 15", 18", 21", 24", 27"
Depth: 20"
Thickness: 1/2"


TDSI = Installed in 15"H, 18"H, 21"H, 24"H, 27"H opening

ROTD - L - I**Roll-Out Tray Divider, Wire**


- 3 wire dividers in frosted nickel finish attached to roll-out platform

Width: 6", 9"
Height: 13 3/4"
Depth: 22"

ROTDI = Installed in cabinet

LTPO**Loose Base Trash Pull-Out Hardware**


- Replacement Base Trash Pull-out Unit for BHTPO21 and B3DRC21 cabinets
- Two removable grey-colored 35qt or 50qt polymer bins
- Natural Maple wood basket housing with sub-front mounting brackets
- Full-extension guides with soft-close

TDW - L - I**Tray Divider, Wire**

- 1 wire divider

Height: 12", 18"
Depth: 20"


TDWI = Installed in cabinet

POCR - L - I**Pull-Out Can Rack, Wood**

- Maple natural
- 3 shelf unit on full-extension/soft close guides

Width: 9", 12", 15", 18"
Fits wall cabinets: 30"H, 36"H, 39"H, 42"H
Fits base cabinets: 34 1/2"H

POCRI = Installed in cabinet

POW - L - I**Floor-Mount Waste Container**

- White polymer bin
- Removable 13 liter inner container


POW15 One 20 quart bin

POW18 One 20 quart bin

POW21 One 30 quart bin

POWI = Installed in cabinet

PORFM - L - I




Bottom Mount Waste Container

- Replacement pull-out recycling unit for BWPO27 and BHPO27 cabinets
- Two removable grey-colored 35 qt. polymer bins
- Natural Maple wood basket housing with sub-front mounting brackets
- Full-extension guides with soft-close

PORFML27 Two 35 quart bins
PORFMI = Installed in cabinet

RC - L24 - I24




Three Bin Recycling Center

- Three tri-colored 25 quart bins
- One canvas bag

Width: 20"
 Height: 20 3/8"
 Depth: 22"

RCI24 = installed in 24"W base or base high cabinet, door mounted

WFSK VFSK BFSK




Finished Shelf Kit

- 3/4" thick shelf with 4 shelf pins
- Finished wood to match exterior wood & color
- Edge banding in matching finish

Fits cabinet widths: 9", 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48"
 Also available in widths: 60", 72", 84", 96"
 Fits cabinet depths: 12" (wall), 21" (vanity), 24" (base)

WSSK VFSK BFSK



Shelf Kit

- 3/4" thick shelf with 4 shelf pins
- NDure Birch or NDure White
- PVC edge banding matches shelf color

Fits cabinet widths: 9", 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48"
 Also available in widths: 60", 72", 84", 96"
 Fits cabinet depths: 12" (wall), 21" (vanity), 24" (base)


WSSKWCA WFSKWCA



Wall Corner Angle Cabinet Shelves

- 3/4" thick shelf in NDure Birch or NDure White
- Designed to fit 24" and 27" WCA cabinets
- PVC edge banding matches shelf color
- Shelf with 8 chrome shelf pins
- WFSKWCA finished to match exterior wood & color


WSSKWCC WFSKWCC



Wall Corner Corner Cabinet Shelves

- 3/4" thick shelf in NDure Birch or NDure White
- Designed to fit 21", 24" and 27" WCC cabinets
- PVC edgebanding matches shelf color
- Shelf with 8 chrome shelf pins
- WFSKWCC finished to match exterior wood & color


BSSKFC36



Base Full Corner Shelves, Loose

- 3/4" thick shelf with 8 chrome shelf pins
- NDure Birch or NDure White
- 1mm PVC edgebanding applied to front edge, matches shelf color
- Fits Base Full Corner Cabinet BHFC36


BSSKCC36



Base Corner Corner Shelves, Loose

- 3/4" thick shelf with 8 chrome shelf pins
- NDure Birch or NDure White
- 1mm PVC edgebanding applied to front edge, matches shelf color
- Fits Base Corner Corner Cabinet BHCC36


BSSKFA36



Base Full Angle Shelves, Loose

- 3/4" thick shelf with 8 chrome shelf pins
- NDure Birch or NDure White
- 1mm PVC edgebanding applied to front edge, matches shelf color
- Fits Base Full Angle Cabinet BHFA36


BSSKCA36



Base Corner Angle Shelves, Loose

- 3/4" thick shelf with 8 chrome shelf pins
- NDure Birch or NDure White
- 1mm PVC edgebanding applied to front edge, matches shelf color
- Fits Base Corner Angle Cabinet BHCA36

DROL




5/8" Solid Maple Roll-Outs, Loose

- Front: 5/8" thick natural solid Maple w/ curved finger pull design
- Sides: 5/8" thick natural solid Maple
- Bottom: 1/4" thick natural Maple veneer
- Dovetail joints are puttied, sanded and finished

Width: 12", 13", 14", 15", 16", 17", 18", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 3 3/4"

Fits 24"D cabinets

DROVL




5/8" Solid Maple Roll-Outs, Loose

- Front: 5/8" thick natural solid Maple w/ curved finger pull design
- Sides: 5/8" thick natural solid Maple
- Bottom: 1/4" thick natural Maple veneer
- Dovetail joints are puttied, sanded and finished

Width: 12", 13", 14", 15", 16", 17", 18", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 3 3/4"

Fits 21"D cabinets

ROSKL




5/8" Solid Wood Roll-Outs, Loose

- Front: 5/8" thick natural solid wood w/ curved finger pull design
- Sides: 5/8" thick natural solid wood
- Bottom: 1/4" thick captive natural veneer finish plywood
- Dovetail joints have open end-grain

Width: 12", 13", 14", 15", 16", 17", 18", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 3 3/4"

Fits 24"D cabinets

ROSKVL




5/8" Solid Wood Roll-Outs, Loose

- Front: 5/8" thick natural solid wood w/ curved finger pull design
- Sides: 5/8" thick natural solid wood
- Bottom: 1/4" thick captive natural veneer finish plywood
- Dovetail joints have open end-grain

Width: 12", 13", 14", 15", 16", 17", 18", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 3 3/4"

Fits 21"D cabinets

DRODL




5/8" Solid Wood Deep Roll-Outs, Loose

- Front: 5/8" thick natural solid wood w/ curved finger pull design
- Sides: 5/8" thick natural solid wood
- Bottom: 1/4" thick captive natural veneer finish plywood
- Dovetail joints have open end-grain

Width: 12", 13", 14", 15", 16", 17", 18", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 6 1/4"

Fits 24"D cabinets

ROSDKL




5/8" Solid Wood Deep Roll-Outs, Loose

- Front: 5/8" thick natural solid wood w/ curved finger pull design
- Sides: 5/8" thick natural solid wood
- Bottom: 1/4" thick captive natural veneer finish plywood
- Dovetail joints have open end-grain

Width: 12", 15", 16", 17", 18", 20", 21", 22", 24", 27", 30", 33", 36", 39", 42"
Height: 6 1/4"

Fits 24"D cabinets


SWFT



Solid Wood Butcher Block Top

- 3/8" radius top edge on all sides
- 1 1/2" thick x specified length (width) and depth
- Solid wood butcher block top in wood species specified on order; receives Tung Oil coating on face, back and all edges
- Constructed of edge-glued staves of solid lumber. Staves are 15/16" nominal width


SWFTF



Solid Wood Butcher Block Top, Finished

- 3/8" radius top edge on all sides
- 1 1/2" thick x specified length (width) and depth
- Top will be finished with stain, sealer and top-coat as specified on order. If distressing and glaze effects are desired, they must be specified, they will only be evident on the exposed face and edges of the top. The underside of the top will only receive stain, sealer and top-coat.
- Constructed of edge-glued staves of solid lumber. Staves are 15/16" nominal width

FWVT_




Finished Wood Tops

- 3/4" thick with 1 1/2"H applied edge x specified length/width & depth
- Hardwood veneer in species and finish specified on order
- Includes one solid wood 3/4" thick x 1 1/2"H finished edge
- Maximum length/width: 96" (can be ordered in Heartwood up to 119")
- Maximum depth: 48 3/4"

FWVTC edge matches chamfered counter top edge (CTOE)
FWVTR edge matches radius counter top edge (RCE)
FWVTS edge matches squared counter top edge (SCE)
FWVTO edge matches ogee counter top edge (OCE)

CF_EA




Custom Finished Edge Applied

- Additional solid wood finished edge 3/4" T x 1 1/2" H
- Specify location of additional edges with drawing
- Include finish dimensions on order

CFCEA Custom finished chamfered edge applied
CFREA Custom finished radius edge applied
CFSEA Custom finished square edge applied
CFOEA Custom finished ogee edge applied

OSM

OSL




Open Shelving System

- Matches material & finish specified on order
- Front face mitered into top and bottom surfaces of shelf
- Finished sides mitered into top, bottom and front face surfaces of shelf

Thickness: OSM: 1 1/2"
OSL: 3"
Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", 72", 96"
Depth: 12"

OSMU

OSLU




Open Shelving

- Matches material & finish specified on order
- OSMU has front face mitered into top and bottom of shelf; sides are unfinished
- OSLU has front face mitered into top and bottom of shelf; sides are open

Thickness: OSMU: 1 1/2"
OSLU: 3"
Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", 72", 96"
Depth: System nets out at 12" deep

OSLF




Open Shelving

- Matches material & finish specified on order
- Front face mitered into top and bottom surfaces of the shelf; one finished side is mitered into the top, bottom and front face surfaces of shelf; one side open

Thickness: 3"
Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", 72", 96"
Depth: System nets out at 12" deep

OSMLR

OSMULR



Open Shelving System with Light Route


- Matches material & finish specified on order
- OSMLR has finished sides mitered into top, bottom and front face surfaces of the shelf; bottom to receive light route; route stopped 3/4" in from each finished side
- OSMULR has finished front face mitered into top and bottom of shelf; sides are open; bottom to receive light route; route runs through both ends of the shelf

Thickness: 1 1/2"
Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", 72", 96"
Depth: System nets out at 12" deep

OSLLR

OSLFLR


OSLULR



Open Shelving System with Light Route

- Matches material & finish specified on order
- OSLLR has finished sides mitered into top, bottom and front face surfaces of the shelf; bottom to receive light route; route stopped 3/4" in from each finished side
- OSLFLR has finished front face mitered into top and bottom of shelf; sides are open; bottom to receive light route; route runs through both ends of the shelf
- OSLULR has finished front face mitered into top, bottom and one finished side of shelf; bottom to receive light route; route runs through end of unfinished side and is stopped 3/4" in from finished side

Thickness: 3"
Width: 12", 15", 18", 21", 24", 27", 30", 33", 36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66", 69", 72", 96"
Depth: System nets out at 12" deep

IROSL

Metal Installation Rod for OSL Shelving

- Concealed OSL shelf support; fits inside the body of the OSL shelf
- 18 gauge tube steel construction provides substantial strength when properly installed; painted flat black
- 1 1/2"W x 1 1/2"H x 10"D; back of Shelf Support features an 1 1/2"W x 1 1/2"H integrated Installation Flange (rear of support is 3"W overall)
- Installation flange is slotted for vertical adjustment and includes a separate hole for set-screw installation after shelf's location adjustments are finalized


BDPW**BDPB**

Decking

Width: 22", 25", 48"
Length: 96"
Thickness: 3/4"


BDPW Plywood decking

BDPB Particleboard decking

FJDE8

Fingerjointed Deck Edge

- 3/4" x 1 1/2" x 96", square edge detail

SPILM - TL - ATI

Polystyrene Spill Mat

- Factory installed, undersink polystyrene mat to protect the floor of your sink cabinet from water spills
- Surface of mat is cleanable and features circular divots that capture liquid
- Faux-stainless steel finish
- Fits Base sink cabinets and Vanity Sink (and combination) cabinets from 15"W up to 45"W whose depth is not greater than 24"

SPILMATI = installed in cabinet

BDPBT8


Particleboard Deck Edge

- 3/4" x 2 1/2" x 96"

BDPB8


Particleboard Deck Edge

- 3/4" x 1 1/2" x 96"

BDEPW


Plywood Deck Edge

- 3/4" x 1 1/2" x 96"

BLOWERS**HB-01**


Air Pro 3A Stainless Steel, Single Light, 3-Speed Blower

- 23 1/2"W x 10 5/8"D x 8 3/8"H
- Noise level (db/sone) hi speed: 56db
- Fan: Sirocco
- Filter: Aluminum
- Lighting: 35 watt halogen

HB-02


Air Pro 021 Stainless Steel, Dual Light, 3-Speed Blower

- 19 5/8"W x 13 5/8"D x 8 1/4"H
- Noise level (db/sone) hi speed: 56db
- Fan: Sirocco
- Filter: Aluminum
- Lighting: 35 watt halogen

HB-03

Air Pro 07WP Stainless Steel, Dual Light, 3-Speed Blower

- 26 5/8"W x 16 5/8"D x 10"H
- Noise level (db/sone) hi speed: 56db
- Fan: Sirocco
- Filter: Aluminum
- Lighting: 35 watt halogen


HB-04

Air Pro 08WP Stainless Steel, Triple Light, 3-Speed Blower

- 45"W x 17 5/8"D x 9 3/8"H
- Noise level (db/sone) hi speed: 56db
- Fan: Sirocco
- Filter: Aluminum
- Lighting: 35 watt halogen


LINERS

HL01 - HL05



- For use with HB-01, HB-03 or HB-04 blowers

See Huntwood Catalog for details





- For use with HB-02 blowers

See Huntwood Catalog for details

PS

SS

SS6



Susan Trays, Replacement Only



Description

PS2D20	Polymer, 2-tiered, D-shaped, Pole-mounted, 20" Dia, fits 30"H - 39"H Wall Corner Angle
PS3D20	Polymer, 3-tiered, D-shaped, Pole-mounted, 20" Dia, fits 42"H Wall Corner Angle
SS2D20	Wood, 2-tiered, D-shaped, Shelf-mounted, 20" Dia, fits 30"H - 39"H Wall Corner Angle
SS3D20	Wood, 3-tiered, D-shaped, Shelf-mounted, 20" Dia, fits 42"H Wall Corner Angle
PS2R28	Polymer, 2-tiered, D-shaped, Pole-mounted, 28" Dia, fits BHCA33 Base
SS2D31	Wood, 2-tiered, D-shaped, Shelf-mounted, 31" Dia, fits BHCA36 Base
PS2K24	Polymer, 2-tiered, Kidney-shaped, Pole-mounted, 24" Dia, fits BHCCDS33, BHCC36 Base
PS2K28	Polymer, 2-tiered, Kidney-shaped, Pole-mounted, 28" Dia, fits BHFCDS33 Base
PS2K32	Polymer, 2-tiered, Kidney-shaped, Pole-mounted, 32" Dia, fits BHFC36 Base
SS2K28	Wood, 2-tiered, Kidney-shaped, Shelf-mounted, 28" Dia, fits BHFCDS33 Base
SS2K32	Wood, 2-tiered, Kidney-shaped, Shelf-mounted, 32" Dia, fits BHFC36 Base
SS6K28	Wood, 2-tiered, Deep Kidney-shaped, Shelf-mounted, 28" Dia, fits BHFCDS33 Base
SS6K32	Wood, 2-tiered, Deep Kidney-shaped, Shelf-mounted, 32" Dia, fits BHFC36 Base

PS2H

SS2H

BCCL





Susan Trays, Replacement Only

	Material	Swing-Out / Roll-Out	Fits Cabinet
PS2H13	Polymer	2-tier half moon swing-out	BBC42 & BHBC42
PS2H16	Polymer	2-tier half moon swing-out	BBC45 & BHBC45
SS2H12	Wood	2-tier half moon swing-out	BBC42 & BHBC42
SS2H15	Wood	2-tier half moon swing-out	BBC45 & BHBC45
BCCL45	Wood	Corner caddy, roll-out	BBC45 & BHBC45
BCCL48	Wood	Corner caddy, roll-out	BBC48 & BHBC48

WFPL

BFPL



Wood Spice Rack Replacement

- Filler face not included. Must order separately.

WFPL330 WFP, WFPF, WFPFR, 3" W x 30" H

WFPL336 WFP, WFPF, WFPFR, 3" W x 36" H

WFPL342 WFP, WFPF, WFPFR, 3" W x 42" H

WFPL630 WFP, WFPF, WFPFR, 6" W x 30" H

WFPL636 WFP, WFPF, WFPFR, 6" W x 36" H



WFPL642 WFP, WFPF, WFPFR, 6" W x 42" H

BFPL3 BFP, BFPF, BFPFR 3" W

BFPL6 BFP, BFPF, 6" W

WSSPL

BSSPL



Filler Pull-Out Replacement, Stainless Steel

- Filler face not included. Must order separately.

WSSPL330 WSSF, WSSFF, WSSFR, 3" W x 30" H



WSSPL630 WSSF, WSSFF, 6" W x 30" H

BSSPL3 BSSF, BSSFF, BSSFR, 3" W

BSSPL6 BSSF, BSSFF, 6" W

WSRCL

BSRCL




Pull-Out Spice Rack Replacement

WSRCL630 WSRCL & WSRCLFF 6" W x 30" H

WSRCL636 WSRCL & WSRCLFF 6" W x 36" H

BSRCL6 BSRCL & BSRCLFF 6" W x 30" H


TPPLO




Tall Pantry Pull-Out Hardware Replacement

TPPLO12 Fits TPPO 12" W
TPPLO15 Fits TPPO 15" W
TPPLO18 Fits TPPO 18" W

WPOL



BPOL




Pull-Out Organizer Replacement

WPOL930 Fits WPO 9" W X 30" H
WPOL936 Fits WPO 9" W X 36" H
WPOL939 Fits WPO 9" W X 39" H
WPOL942 Fits WPO 9" W X 42" H
BPOL9 Fits BPO 9" W

WPOL1230 Fits WPO 12" W X 30" H
WPOL1236 Fits WPO 12" W X 36" H
WPOL1239 Fits WPO 12" W X 39" H
WPOL1242 Fits WPO 12" W X 42" H


BHML



Base Mixer Platform Replacement

BHML15 Fits BHM 15" W
BHML18 Fits BHM 18" W
BHML21 Fits BHM 21" W


BCTL



Base Cooktop Drawer Replacement

BCTL30 Fits BCTF 30" W
BCTL33 Fits BCTF 33" W
BCTL36 Fits BCTF 36" W
BCTL39 Fits BCTF 39" W
BCTL42 Fits BCTF 42" W

FDHL




File Drawer Hardware

FDHL18 Fits 18" W file drawer, standard
FDHL21 Fits 21" W file drawer, standard
FDHL24 Fits 24" W file drawer, lateral
FDHL27 Fits 27" W file drawer, lateral
FDHL30 Fits 30" W file drawer, lateral
FDHL33 Fits 33" W file drawer, lateral
FDHL36 Fits 36" W file drawer, lateral

ROGB

ROGV




Standard Roll-Out Guides

- Undermount
- Rated 100 lb. capacity

ROGB Fits 24" D cabinets
ROGV Fits 21" D cabinets


DG_



Full-Access Undermount Guides w/ Installation Sockets


DG12 Fits 12" D cabinets
DG15 Fits 15" D cabinets
DG18 Fits 18" D cabinets
DG21 Fits 21" D cabinets
DG24 Fits 24" D cabinets

DGFX



Full-Extension Undermount Guides w/ Soft-Close Action w/ Installation Sockets


DGFX12 Fits 12" D cabinets
DGFX15 Fits 15" D cabinets
DGFX18 Fits 18" D cabinets
DGFX21 Fits 21" D cabinets
DGFX24 Fits 24" D cabinets

DGFXHD_

Heavy Duty, Full-Ext. Undermount Guides w/ Soft-Close Action & Stabilizer Bar w/ Installation Sockets


- Rated 135 lb. capacity

DGFXHD21 Fits 21" D cabinets
DGFXHD24 Fits 24" D cabinets
DGFXHD27 Fits 27" D cabinets

DGFD24

Full-Extension Steel, Side-Mounted File Drawer Guide Set


DGFD24 Fits 24" D cabinets

ROGFXB**ROGFXV**


Full-Extension Roll-Out Guides w/ Soft Close

- Full-extension w/ integrated soft-close
- Undermount
- Rated 100 lb. capacity


ROGFXB Fits 24" D cabinets
ROGFXV Fits 21" D cabinets

HE**European Hinge**


- Single, concealed 106° 1-piece hinge
- 6-way adjustable
- Soft-close functionality
- Used for II and III Overlays only

HCI**"F" Inset Overlay Hinge**

- Single, concealed 110° 2-piece Hinge and Mounting Plate
- 6-way adjustable
- Soft-close functionality
- Used for F & FB Overlays only


HCSSC**Concealed Hinge w/ Soft-Close**

- Single, concealed 106° 1-piece hinge
- 6-way adjustable
- Soft-close functionality
- Used for I Overlay only

LSHRCD**LSHRSD****Lid-Stay Hardware Replacement**


- Holds door in upward or downward open position
- Fits door sizes from 2 sq. ft. up to 9 sq. ft

LSHRCD: Recessed doors
LSHRSD: Raised/slab doors


FCSB13**Floating Countertop Support Brace**

- Can be used to support single level tops
- 8 available anchor points
- 16" centers recommended for spacing brackets

Width: 2 1/2"

HEDRC, HCSSCRC, HCIRC**Door Restrictor Clips**


- Limits the opening swing of the door to 90 degrees
- **HEDRC:** HE full overlay hinges
- **HCSSCRC:** HCSSC I overlay hinges
- **HCIRC:** HCI F/FB hinges
- 2 per pack

HSI**HSIO****Replacement Hinges**

HSI: Exposed barrel hinge
 Pewter finish

HSIO: Exposed barrel hinge
 Oil-rubbed bronze finish

Avail. for Overlays F & FB only

CRO8**Steel Closet Rod**


- Chrome-plated finish

Width: 9/16"
 Height: 1 3/16"
 Length: 96"

WBR**Wood Button**

- Finished to match finish on order
- 12 per pack

OBRAC



Steel Closet Rod Bracket


- Chrome-plated finish

Width: 3/4"

Height: 1 7/8"

Depth: 19/32" overall (1/2" channel)


FIBPIM



Polymer Spacer Bracket for Flush Inset Panels

3/32"T x 3/4"W x 1 1/4"L


FFC



False Front Clip

- Allows removable attachment of false front to frame
- Retains a single false front to cabinet face
- 2 per pack


KEKUP, KEKUC



KeKu Clip

- KeKuP mounts to panel
- KeKuC mounts to cabinet
- Attached with 4: #8 x 1/2" screws, 2 per clip


ISCD225



Installation Screw

- 2 1/4" combo drive head
- Zinc coated steel
- 100 per pack

ISCBR




Metal Beauty Ring

- For ISCD225 installation screw
- 50 per pack

Diameter: 1/2"

Height: 3/32"

HP



Hush Pads

- 100 per sheet

ISCP



Birch Screw Cap

- Covers screws
- 46 per sheet

SCS



Standard Shelf Pins

- Holds 3/4" shelf in place
- 4 per pack


ISCW



White Screw Cap

- Covers screws
- 46 per sheet


GDRS



Glass Door Retainer Strip

- Clear, flexible-synthetic material
- Serrated retainer edge
- Fits mortise channel in glass door frame
- 3/16"T x 1/2"W x Length Specified (order by the Lineal Foot)

GROM1




Tabletop Cable Grommet

Width: 2 13/16" at top flange,
2 3/8" diameter core

Height: 1" overall (7/8")

HSILD



Heat Shield

- Appliance heat shield (pair)
- Stainless Steel
- Black Powder-coated Finish

STAINS, PAINT AND TOUCH-UP KIT

SP



Stain, One Pint

- Pre-mixed
- All stocked stains

ACTC



Aerosol Can of Satin Top Coat

- 2.85 oz. can

PP

Paint, One Pint

- **Available colors:** Coastal Grey, Colonial White, Dove, Eggshell, Graphite, Parchment, Phantom, Shoreline, Sterling, Vanilla, Verde and Vintage Black.
- **Note:** Please annotate the desired paint color in the order's header information for FRK.

FRK



Finish Repair Kit

This kit is great for touching up your prized Huntwood cabinetry. Each kit comes in its own box and is available in any stain color.

Kit Contains:

- | | |
|--|-------------------------|
| 1 Felt-Tip Marker (stain; color-matched) | 4 Hush Pads |
| 1 Touch-Up Fill Stick (color-matched) | 4 Shelf Pins |
| 1 Aerosol Can of Clear Top-Coat | 8 Birch Screwcap Covers |
| 1 Sheet of Sandpaper | 4 White Screwcap Covers |
| 1 Small Jar of soft putty | |

FACTORY GLASS PROGRAM

GL

Customize your cabinets with Clear, Waterglass, Seedy, and other specialty glass. See Huntwood Catalog for selections.

- Loose or factory installed
- 6 glass selections
- 3mm thickness