



A FLOORING OUTLET, INC.

STAIR

TREAD

GUIDE

BUYER'S GUIDE



TREADS
Brazilian Cherry Traditional Stair
Treads

RISERS
Primed Poplar Stair Riser

LANDING TREAD
3/4" Brazilian Cherry Landing Tread

SCOTIA
Brazilian Cherry Scotia



A Flooring Outlet provides an extensive range of options for all your stairway needs. We are manufacturers of stair treads, risers, stair nosing and floor transition moldings. With years of experience producing high quality unfinished and pre finished stair treads and moldings, A Flooring Outlet has become an indispensable partner for lumber yards, flooring dealers, builders , designers and homeowners.

TABLE OF CONTENTS

TRADITIONAL TREADS 3

- OPTIONS 5
- MEASURING 6
- ORDERING 7

QUICK TREADS 9

- OPTIONS 11
- PRODUCT DETAILS 12

THICK TREADS 13

- OPTIONS 15
- STYLES 16

STARTER STEPS 17

- OPTIONS 19
- MEASURING 20

WINDER TREADS 21

- OPTIONS 23
- ORDERING 24-25

ACCESSORIES 27

- SCOTIA 28
- THRESHOLD 28
- REDUCER 28
- T-MOLDING 28
- QUARTER ROUND 28
- LANDING TREADS 29

TRADITIONAL

CLASSIC AND MODERN OPTIONS TO FIT EVERY HOME STYLE


STAIR TREADS





RED OAK TRADITIONAL STAIR TREADS
WHITE POPLAR RISERS RED OAK CLASSIC
STARTER STEP

TRADITIONAL STAIR TREADS



Make any tread a return tread.

Returns are 1-1/4" wide and extend 1-1/4" past the back side of the tread. Our return treads are measured plus the returns. If you order a 48" Left Return, your "throat" size will be 48" plus the return for a 49 1/4" total length.

Return side is determined by looking at your stairs from the bottom up

TREAD OPTIONS

LENGTH	38"	48"	54"	60"	72"
THICKNESS	3/4"	1"	-	-	-
DEPTH	10 1/2"	11 1/2"	12"	-	-
WOOD GRADE	NATURAL	CLEAR	CHARACTER	-	-
PROFILE	BULLNOSE	EASED EDGE			

FINISHES

CLEAR MATTE

CLEAR SATIN

CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN

Stair treads can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.

TEXTURIZING

HAND SCRAPE

WIRE BRUSH


The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.

MEASURING YOUR RETURN TREADS

Double Return Tread

"A" _____ Inside Length


"B" _____ Depth



Right Hand Return Tread

"A" _____ Inside Length


"B" _____ Depth



Right Hand Return Tread

"A" _____ Inside Length

"B" _____ Depth



ORDERING YOUR STAIR TREADS

1. Select Wood Species

- ☐ American Cherry
- ☐ Ash
- ☐ Birch
- ☐ Red Birch
- ☐ Brazilian Cherry (Jatoba)
- ☐ Heart Pine
- ☐ Hickory
- ☐ Maple
- ☐ Red Oak
- ☐ Walnut
- ☐ White Oak
- ☐ R/Q White Oak

2. Finish

- ☐ Unfinished
- ☐ Pre-Finished (Select One)
 - ☐ Semi Gloss
 - ☐ Satin
 - ☐ Matte
- ☐ Stained
 - *Specify stain in box 2A*
- ☐ Texture (Select One)
 - ☐ Wire Brush
 - ☐ Hand Scrape

2A. Stain Information

Manufacturer/Brand:

Color Name:

3. Sizing	THICKNESS	WIDTH	LENGTH	NOSE	QTY
BOX TREAD	<input type="radio"/> 3/4" <input type="radio"/> 1" <input type="radio"/> QUICK TREAD	<input type="radio"/> 10 1/2" <input type="radio"/> 11 1/2" <input type="radio"/> ____	<input type="radio"/> 38" <input type="radio"/> 48" <input type="radio"/> 54" <input type="radio"/> 60" <input type="radio"/> ____	<input type="radio"/> BULLNOSE <input type="radio"/> EASED EDGE	# ____
RIGHT MITER TREAD	<input type="radio"/> 3/4" <input type="radio"/> 1" <input type="radio"/> QUICK TREAD	<input type="radio"/> 10 1/2" <input type="radio"/> 11 1/2" <input type="radio"/> ____	<input type="radio"/> 38" <input type="radio"/> 48" <input type="radio"/> 54" <input type="radio"/> 60" <input type="radio"/> ____	<input type="radio"/> BULLNOSE <input type="radio"/> EASED EDGE	# ____
LEFT MITER TREAD	<input type="radio"/> 3/4" <input type="radio"/> 1" <input type="radio"/> QUICK TREAD	<input type="radio"/> 10 1/2" <input type="radio"/> 11 1/2" <input type="radio"/> ____	<input type="radio"/> 38" <input type="radio"/> 48" <input type="radio"/> 54" <input type="radio"/> 60" <input type="radio"/> ____	<input type="radio"/> BULLNOSE <input type="radio"/> EASED EDGE	# ____
DOUBLE MITER TREAD	<input type="radio"/> 3/4" <input type="radio"/> 1" <input type="radio"/> QUICK TREAD	<input type="radio"/> 10 1/2" <input type="radio"/> 11 1/2" <input type="radio"/> ____	<input type="radio"/> 38" <input type="radio"/> 48" <input type="radio"/> 54" <input type="radio"/> 60" <input type="radio"/> ____	<input type="radio"/> BULLNOSE <input type="radio"/> EASED EDGE	# ____

*INSIDE DIMENSIONS NEEDED FOR **DOUBLE MITER TREADS*** _____

U-Shaped Traditional White Oak Staircase

White Oak Traditional Stair Treads - 1" - Clear Matte Finish

White Oak Scotia Molding - Custom - Clear Matte Finish

White Primed Poplar Riser



QUICKTREADS

STAIR REMODELING MADE EASIER



RED OAK QUICK TREADS

Quick treads are available in both eased edge and bullnose profile styles.

Our eased edge profile will provide a more modern look. Try pairing it with some of our other finishing options like a matte finish or texturize your treads for that popular modern farmhouse style.




RED OAK RETROFIT TREAD



QUICK TREADS



Quick Treads are the perfect option for a stair remodel that requires less hassle. Made with our standard high quality materials but with DIY in mind. Our Quick Treads have a 1" thick nose and 1 1/4" reveal. These will go over existing stair treads or an existing staircase that previously had carpet. Perfect for a remodel.



Make any tread a return tread.

Returns are 1-1/4" wide and extend 1-1/4" past the back side of the tread. Our return treads are measured plus the returns. If you order a 48" Left Return, your "throat" size will be 48" plus the return for a 49 1/4" total length.

Return side is determined by looking at your stairs from the bottom up

TREAD OPTIONS

LENGTH	38"	48"	54"	60"	72"
THICKNESS	3/4"	5/8"	-	-	-
DEPTH	10 1/2"	11 1/2"	12"	-	-
WOOD GRADE	NATURAL	CLEAR	CHARACTER	-	-
PROFILE	BULLNOSE	EASED EDGE			

FINISHES

CLEAR MATTE
CLEAR SATIN
CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN

Quick treads can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.

TEXTURIZING

HAND SCRAPE
WIRE BRUSH

The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.

Our Quick Treads are built the same way as our solid stair treads. Our nose is structurally part of our tread rather than an attached piece like some of our competitors.


Quick treads are available in various wood species and sizing options that can be customized with a quick chat with our sales team.

Standard quick treads come in either 3/4" or 5/8" thick to allow for the tread to fit securely over the existing tread or staircase.

Returns are 1-1/4" wide and extend 1-1/4" past the back side of the tread. Our return treads are measured plus the returns. If you order a 48" Left Return, your "throat" size will be 48" plus the return for a 49 1/4" total length.




WALNUT QUICK TREAD




BRAZILIAN CHERRY QUICK TREAD



WHITE OAK QUICK TREAD



RED OAK QUICK TREAD





THICK STAIR TREADS

EMBRACE THE MODERN TRENDS AND BRING ARCHITECTURAL FLAIR TO YOUR HOME




NATURAL BIRCH
EDGE GRAIN 4"
THICK



NATURAL WALNUT
LAMINATED
3" THICK

THICK TREADS



ASH

HICKORY

BRAZILIAN CHERRY

MAPLE

QUARTER SAWN WHITE OAK

RED OAK

WALNUT

WHITE OAK

BIRCH

Our Thick Stair Treads can be made up to 60" long and 11 1/2" deep. Edge Grain and Laminated Thick Treads can be made up to 4" thick. Standard Thick treads are available up to 2" thick.

TREAD OPTIONS

LENGTH	28"	29"	30"	31"	32"	33"	34"	35"	36"	37"	38"	39"	40"	41"	42"	43"	44"	45"	46"	47"	48"	49"	50"	51"	52"	53"	54"	55"	56"	57"	58"	59"	60"
THICKNESS	1 1/4"					1 1/2"					1 3/4"					1 7/8"					2"												
	2 1/4"					2 1/2"					2 3/4"					3"					3 1/4"												
	3 1/2"					3 3/4"					4"					-					-												

Edge Grain and Laminated Thick Treads can be made up to 4" thick. Standard Thick treads are available up to 2" thick.

DEPTH	10 1/2"	11 1/2"	12"	-	-
WOOD GRADE	NATURAL	CLEAR	CHARACTER	-	-
PROFILE	EASED EDGE				

FINISHES

CLEAR MATTE

CLEAR SATIN

CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN


Stair treads can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.

TEXTURIZING

HAND SCRAPE


WIRE BRUSH

The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.




EDGE GRAIN THICK TREAD

Edge grain style, also known as butcher block style consists of multiple pieces of wood which are glued together. Edge grain of the wood will be visible on the surface of the tread giving it a vertical grain appearance. The front of these treads will have a plain sawn look in most cases. The edge grain will take stain and finish a little differently than traditional stair treads and flooring. Available 2"-4" thick.



LAMINATED THICK TREAD

Multiple pieces of wood will be glued together and laminated to form layers to achieve the desired thickness. This method will give the surface of the tread the most normal looking appearance. These treads will take stain and finish in the same manner as flooring. There may be seams visible on the front and sides where the pieces are glued together, but we work to find pieces of wood that will match at the edges to give a seamless look.



STANDARD THICK TREAD

Constructed the same way as a traditional stair tread. These will finish similar to a traditional stair tread. All options have an eased edge. Available from 1 1/4"-2" thickness.

STARTER STEPS

A modern staircase with white walls, wooden steps, and a wooden handrail. A wooden bench with cushions and a potted plant are at the base of the stairs. A striped rug is on the floor.

CLASSIC | ELEGANT | BOLD

Instantly Make Your Staircase the
Centerpiece of Your Home



CIRCULAR STARTER STEPS

A circular starter step is a perfect fit for those who love a more traditional look. Circular starter steps are found in historical homes, boasting more ornate designs and architecture. While many designers can still achieve a modern look with a circular starter step, it looks most cohesive amongst bolder designs and patterns.



SQUARE

STARTER STEPS

The square starter step is a versatile design. These steps will bring out a traditional or modern flair in your home. Since modern design is known for minimalism and sharper edges, these square starter steps are the perfect way to achieve a richer design for your stairs while maintaining a look of simple elegance.



STARTER TREADS



Robust and elegant, our starter steps open up your stairway for a warm, welcoming appearance. Constructed from our selection of species of stain-grade wood, these starting steps add balance and radiate high-quality craftsmanship. For a grand entrance, look no further... craftsmanship at its best, designed just for you.

Each side of the starter step that does not attach to a wall requires a decorative round or square end to accommodate a newel. There are three configurations available: Left, Right, and Double. NOTE: If both sides of the stair treads fit against a wall, you do not need this style of starting step.

To determine if a Left or Right Rounded End is required, stand at the bottom of the stairway and look up. If the right side is exposed, then you need a Right Rounded End. If the left side is exposed, then you need a Left Rounded End.

Double ended starting steps are needed when both sides of the starting step are exposed. This style requires a special measurement called the "throat cut", which you will need to provide when you place your order. To find the throat cut, measure the length between the inside of the Left and Right Rounded End. Each Rounded End adds 10 3/4" per side.

TREAD OPTIONS

LENGTH	38"	48"	54"	60"	72"
THICKNESS	3/4"	1"	-	-	-
DEPTH	10"	10 1/2"	11"	11 1/2"	12"
END STYLE	CIRCULAR	SQAURE	-	-	-
PROFILE	BULLNOSE	EASED EDGE	-	-	-

FINISHES

CLEAR MATTE
CLEAR SATIN
CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN

Stair treads can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.


TEXTURIZING

HAND SCRAPE
WIRE BRUSH


The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.

MEASURING YOUR STARTER STEPS


Double Bullnose Starter



Right Hand Bullnose Starter



Left Hand Bullnose Starter





WINDER STAIR TREADS

Explore what you can do with your space. For the architecturally curious and bold. Winding stairs bring both modern flair and space saving appeal to your stair design.



Ash Kite Tread -

WINDING STAIRCASE


Winder stairs are similar to L-shaped stairs but — instead of a landing at the turn — there are triangular or pie-shaped steps to keep the flight continuous at the turn. There are no stops. This stair design is making a comeback along with the rising popularity of tiny homes.

- Ash Pie Tread

WINDER STAIR TREADS

A winding or spiral staircase is a great option for many homeowners who desire to save space or even preserve an element of their home that would otherwise be lost to construction of a standard staircase. These staircases are an architectural inspiration allowing for creativity to find its way into the project.

SPIRAL | U-SHAPE | L-SHAPE | WINDING



U-TURN STAIRCASE

A U-shaped staircase is a staircase where you do a 180-degree-turn when you climb it at the landing, also called a switchback. Because of this, this stair design is also known as the "switchback" or "half-turn" stairs.

Quarter Sawn White Oak Curved Pie Tread -

WINDER TREADS



ASH

HICKORY

BRAZILIAN CHERRY

MAPLE

QUARTER SAWN WHITE OAK

RED OAK

WALNUT

WHITE OAK

BIRCH

Our winder treads are made from the highest quality materials and made completely by your specifications to fit your project. Our winder treads are customizable like all of our other products.

TREAD OPTIONS

THICKNESS	3/4"	1"	1 1/4"	1 1/2"	1 3/4"
	1 7/8"	2"	2 1/4"	2 1/2"	2 3/4"
	3"	3 1/4"	3 1/2"	3 3/4"	4"
PROFILE	BULLNOSE	EASED EDGE	-	-	-

WINDER TREADS ARE ALWAYS COMPLETELY CUSTOM AND DO NOT COME IN STANDARD SIZES.

WE OFFER WINDER TREADS IN TRADITIONAL TREADS AND THICK TREAD STYLES.

CHOOSE FROM BULLNOSE OR EASED EDGE. LENGTH, DEPTH, CURVES, AND RADIUS MEASUREMENTS SHOULD BE SPECIFIED ON AN ORDER FORM LIKE ON THE NEXT PAGE.

FINISHES

CLEAR MATTE
CLEAR SATIN
CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN

Stair treads can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.

TEXTURIZING


HAND SCRAPE
WIRE BRUSH

The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.

PIE TREAD MEASURING

Widths & Lengths:


A: _____
B: _____
C: _____



Specify all dimensions and direction by looking at your stairs from the bottom

Widths & Lengths:

A: _____
B: _____
C: _____
D: _____





Specify all dimensions and direction by looking at your stairs from the bottom

A template is required for all treads that include more than three sides

KITE TREAD MEASURING

Widths & Lengths:

A: _____
B: _____
C: _____
D: _____



A template is required for all treads that include more than three sides

Specify all dimensions and direction by looking at your stairs from the bottom

Pie-Shaped Winder Treads

Thickness: 3/4" ☐ 1" ☐

Custom:

Wood Species:

Quantity:

Please provide a rough drawing of your custom winder tread

Nose Type:

Using the diagram to the right, please check the box on all sides that will be nosed.

Bullnose ☐


Eased Edge ☐

Widths & Lengths:

A:

B:

C:



Specify all dimensions and direction by looking at your stairs from the bottom

Pie-Shaped Winder Treads

Thickness: 3/4" ☐ 1" ☐

Custom:

Wood Species:

Quantity:

Please provide a rough drawing of your custom winder tread

Nose Type:

Using the diagram to the right, please check the box on all sides that will be nosed.

Bullnose ☐

Eased Edge ☐


Widths & Lengths:

A:

B:

C:

D:



Specify all dimensions and direction by looking at your stairs from the bottom

A template is required for all treads that include more than three sides

Thickness: 3/4" ☐ 1" ☐

Custom:

Wood Species:

Quantity:

Please provide a rough drawing of your custom winder tread

Nose Type:

Using the diagram to the right, please check the box on all sides that will be nosed.

Bullnose ☐

Eased Edge ☐



Widths & Lengths:

A:

B:

C:

D:



Specify all dimensions and direction by looking at your stairs from the bottom

A template is required for all treads that include more than three sides







MODERN & DRAMATIC WALNUT SPIRAL STAIRCASE

Laminated Walnut Thick Pie Tread - 3" - Satin Finish

STAIR & FLOOR ACCESSORIES





LENGTH





48"

78"

-

-

-



LENGTH



48"

78"

-

-

-



Scotia Molding

Scotia trim is used to cover the gap under a stair tread or nose and the riser it attaches to. This molding can also be used on the return side of a return tread to give a more finished look.

LENGTH


48"

72"


94"

-


-




ASH



HICKORY




BRAZILIAN CHERRY




MAPLE




QUARTER SAWN WHITE OAK




RED OAK



WALNUT



WHITE OAK



BIRCH

FINISHES

CLEAR MATTE

CLEAR SATIN

CLEAR SEMI-GLOSS

All treads are available unfinished

For best results, treads should be finished to protect the wood. We can pre-finish your stair treads using our proprietary acrylic based finishes. We offer semi-gloss, satin, or matte finish. Unfinished is available to allow for personalization. You can also choose to add a stain to your treads. We offer stain match services if you would like your stairs to match another wooden surface in your home.

STAIN

Accessories can be stained to coordinate with existing flooring or totally customized. You just have to specify the brand and color you want and A Flooring Outlet will coordinate to that color and tone.

TEXTURIZING

HAND SCRAPER

WIRE BRUSH

The Wire Brushed Texture works best on wood with an open grain such as White Oak, Red Oak, and Ash. On other tighter grain wood species, the Wire Brushed Texture will not have the same effect and will not be as visible.

LANDING TREADS





3/4" RED OAK LANDING TREAD