

Field of View Dark

Field of View Light

Shifted Focus



Π

Optic Reset is a modular carpet collection that consists of two mid-scale Field of View patterns, and coordinating texture – Shifted Focus, both of which have been created using elements from photography, illustration, and graphic design. Using positive and negative space, creating tonal shifts, and pushing boundaries of abstracted subject matter, Optic Reset allows you to create your own visual narratives with dual styles in shifting colourways of light and dark. The visuals give us cues for our other senses, and they are how we understand the world. And with Optic Reset, interior space can be created with subtle or dramatic views on the floor.

This concept is illustrative of The Visual Age, where there is visual literacy and creative democracy for all, and we have become fluent in the elements of graphics, photography, design, and art. Social media especially has influenced this, allowing for self-expression and creativity to come together to unite us with a sense of purpose on our collective path.



Transparency sustainable leadership

GH Commercial fully embraces sustainability with the Mohawk Group brand and is leading the industry in product transparency, which is at the core of programs like the Living Building Challenge. We hold current and relevant certifications and labels that illustrate our commitment to transparency and healthy indoor environments.

Declare.

OUR COMMITMENT

As a local sponsor of the Living Future Institute of Australia (LFIA), we are committed to revolutionary programs that are redefining the green building movement. These include the LFIA's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. This eliminates the mystery of product ingredients, giving you total product transparency.



SDN Carpet Tiles & Planks on Enviro Bac* & Enviro Bac Plus* **GH** Commercial

Final Assembly: Georong, Victoria, Austrolia Life Expectancy: 12-15 Yeler(s) End of Life Options: Take Back Program (GH Commercial Product Stewardship Program)

Ingredients:

Ingredients: Filter: Calcium Carbonate; Face Filter, Vare: Nylon 6; Titanium disolei: Carbon black; Copper iodide (Cul): Organic oli Secondary Scrite: Polynthylein: Torephilosist; Envire Backing: Butmer: Residual olis (beforeburn); solvien-deswate; Filter 1 Calcium Carbonate; Primary Backing: Polynthylein Terschithastic, Later: Styrem-Buckdene Easted polymer; Polymer: Sprem-buckdeine copolymers: Artistatic Phosphoric aud., 24th/Network/Back.tath. Polyoopthyleine luung/inters; Soll Resistant: Carbid acrysine; but; methacrysise, wethyl methacrysito); cophymer; Antibuchal; 24Ch butnoverheay); Mixture with methylchionoisothate: Enance.

Living Building Challenge Criteria: Compliant

H3 Red List LIRC Red List Free & N Disclosed: 100% at 100ppm LILBC Red List Approved VCC Content: Not Applicable Declared

1-10 Interior Performance: CDPH Standard Method v1.2-2017 1-14 Responsible Sourcing: Not Applicable

INTERNATIONAL LIVING PUTURE INSTITUTE" INTERNATIONAL

GHC-0002 EXR 01 MAR 2022 Original Issue Date: 2019

Shifted Focus 987 Cinematic (Brick Ashlar Installation)





Field of View Dark 282 Fresco Dark, Field of \

BPP.

新山

Mohawk Group

1 Parker

Shifted Focus 987 Cinematic (Brick Ashlar Installation)

Features & Benefits

Optic Reset offers a sustainable and worry-free system of performance, utilising Mohawk Group's industry-leading Duracolor® Tricor fibre, awardwinning Heathered Hues[™] varn, and high-performance Envrio Bac[®] carpet tile backing.

Duracolor[®] Tricor



Delivering exceptional stain resistance, colourfastness, durability, colour clarity and enhanced soil performance, Duracolor® Tricor builds upon the trusted Duracolor promise with over 90 million metres installed since 1992.

- \checkmark Permanent built-in stain resistance
- Optimises soil hiding, soil
 Resists crushing for removal and colour clarity

Heathered Hues[™]

This solution dyed nylon fibre with reduced environmental impact creates a stylised textured and blended yarn in desirable palette of warm and cool neutrals with vibrant colour accents. It's variegated wool-like appearance adds warmth and sophistication to any interior.



- Zero water is used to manufacture this yarn
- Proprietary extrusion reduces energy needed
- Dematerialised yarn for lower environmental impact

enhanced durability and longer lifecycles

Enviro Bac®

Enviro Bac[®] is a dimensionally stable, breathable carpet tile backing system offering exceptional performance features. Made locally in Australia, Enviro Bac® is a healthier carpet backing solution that has been trusted in commercial buildings around the country for over 20 years.

- A healthier backing system: no PVC, BPA or Phthalates
- Exceptional dimensional stability to prevent stretching, shrinking or curling
- Breathable backing system with a good Moisture Vapour Emission Rate (MVER)



- 1. Yarn 2. Primary Backing 3. Pre-Coat (latex binding layer adding tuft strength)
- 4. Enviro Bac®
- 5. Secondary Scrim

Specifications

Optic Reset

Shifted Focus, Field of View Dark, Field of View Light Carpet Plank

DESIGN

Country of Origin Size Surface Appearance Fibre Type Dye Method Installation Methods	Australia 304.8mm x 914.4mm (12" x 36") Textured Patterned Multi-Coloured Loop Duracolor® Tricor Premium Nylon Solution Dyed
Shifted Focus	Brick Ashlar / Random / Half-Lap / Plank Half-Lap, Basket Weave, Herringbone
Field of View Dark Field of View Light	Half-Lap / Brick Ashlar / Random / Herringbone Half-Lap / Brick Ashlar / Random / Herringbone
Colours Available Shifted Focus Field of View Dark Field of View Light	9 9 9
Available Options ⁺	Enviro Bac Plus® (Cushion Backed)
PERFORMANCE	

Construction Gauge Stain Release Technology Soil Release Technology Backing Material Flammability & Smoke Density Static Propensity	Tufted 1/12th Gauge (47/10cm) Permanent, Built into the Fibre EcoSentry Soil Protection Enviro Bac [®] Meets the requirements of the NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings Meets the requirements of the New Zealand Building Code Section C3 - Fire Affecting Areas Beyond The Fire Source AATCC 134 > 3.5kV at 21°C & 20% Relative Humidity
SUSTAINABILITY	
PVC Minimisation Indoor Air Quality Product Stewardship Product Transparency Accreditation	PVC Free Green Building Council Compliant for VOC Emission Rate Limits This product is recyclable and qualifies for takeback at the end of life under our product stewardship program. Declare Red List Free Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and AS 4801 by an accredited certification body.
Australia New Zealand	15 Years guarantee available on request [^] Comprehensive warranties available. All warranties are issued on a project by project basis. Please contact us to discuss your requirements further.
Installation Instructions: Half-Lap* Plank Half-Lap Brick Ashlar	Random Herringbone Basket Weave
Half-Lap Brick Ashlar	Random Herringbone Basket Weave

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics

should be given when selecting an installation method. All carpet tiles and planks must be installed in accordance with AS2455 Parts 1 & 2 (latest version) and the GH Commercial Carpet Tile/Plank Installation Instructions. Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soling. Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, specifications may be changed or colours deleted without notice. For current and complete specifications please visit ghcommercial.com Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference

While all care is taken, product images may vary in colour due to possible printing process and/or light variations Test results are available on request *Minimum order quantities may apply. Contact your GH Commercial Account Manager for information. These quarantees/warranties are in addition to any rights consumers may have under Australian and/or

New Zealand consumer laws. New Zealand consumer laws. ^Terms and conditions apply – for full information in respect to the scope of the warranty please contact your GH Commercial Account Manager or our Head Office.





GA COMMERCIAL

Australia

Godfrey Hirst Australia Pty Ltd (ABN 58 000 849 758) 1300 444 778 ghcommercial.com

New Zealand Godfrey Hirst New Zealand Limited 0800 500 210 ghcommercial.com

Mohawk Group

Witten