



Art Style


Metallic Path Shared Path



Art, in any form, has the power to advance human connection in an increasingly fragmented world. As a universal language and change agent, art intervenes to inspire, heal and unite. Mohawk Group celebrates the interconnectivity of artistic form and expression with an imaginative collection of products with universal appeal. Representing a truly global product launch, the patterns, textures and colours originate from unexpected art interventions. Manufactured in our facilities around the world, these products are globally accessible.

Metallic Path
Shared Path

Designers often choose the path less taken to create memorable spaces. Art Style's product duo makes the journey more exciting with Shared Path, a nuanced textured pattern with universal appeal and Metallic Path which adds a luminous metallic accent yarn to the product. Mohawk Group believes design can be transformative, and we invite you to create your own art intervention with Art Style.



Metallic Path 559 Cadet Blaze, Shared Path 569 Cadet (Random)
Cover: Metallic Path 949 (Half-Lap)



Metallic Path Colourway



Metallic Path 559 Cadet Blaze



Metallic Path 859 Fallow Reflection



Metallic Path 929 Platinum Gleam



Metallic Path 939 Ecrú Glimmer



Metallic Path 949 Slate Burst



Metallic Path 979 Charcoal Spark

Shared Path Colourway



Shared Path 569 Cadet



Shared Path 853 Fallow



Shared Path 924 Platinum



Shared Path 958 Ecrú



Shared Path 959 Slate



Shared Path 989 Charcoal



Shared Path 959 Slate (Brick Ashlar)



Mohawk Group

Hot & Heavy COLLECTION

This enhanced resilient tile, 18"x36" (457.2mm x 914.4mm) loose lay format creates bold installations with innovative modern textures. Drawing inspiration from oxidized metal textures, the Metal range from our Hot & Heavy Collection is beautiful, versatile and eclectic. With pops of sheen, this flooring solution appears multi-dimensional and coordinates beautifully with Art Style and other Mohawk collections for textural layering and a total flooring solution that transitions seamlessly from space to space.



METAL

The natural oxidation of metal when exposed to the elements inspires this pattern, which is available in twelve colours.

- Loose Lay ERT with a 20 mil (0.5mm) wear layer and 0.20" (5mm) gauge create durability that holds up under heavy commercial traffic
- M-Force™ Enhanced Urethane finish provides the utmost in longevity and extends the life of the product
- Twice as thick as conventional ERT and heavy enough to keep tiles in place
- Built-in enhanced acoustical layer for sound reduction in high traffic areas, eliminating the need for underlay
- Non-skid backing ensures post-installation movement is minimised
- Installs quickly with only perimeter glue






Installation Inspirations


The installation ideas featured here are a small sampling of the infinite possibilities offered in the Art Style Collection.




Metallic Path 559 Cadet Blaze (Basket Weave)




Shared Path 959 Slate, 989 Charcoal (Random)



Metallic Path 949 Slate Burst (Monolithic Stepping)



Shared Path 959 Slate, 989 Charcoal (Basket Weave)





Colorstrand® FIBRE

For over 15 years, Colorstrand® fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and colour intensity of solution dyed fibre, Colorstrand® delivers lasting beauty and value.



PERFORMANCE

- Unsurpassed colourfastness to light, atmospheric contaminants, and harsh cleaning agents in Colorstrand® SD
- Sentry Plus™ soil and stain protection keeps your investment looking newer longer

BUDGET

- Internally extruded fibre allows cost control of products
- Numerous broadloom and modular products available at value engineered budgets

SUSTAINABILITY

- 40% certified Pre-Consumer Recycled Content

DESIGN

- A wide variety of colours for excellent design flexibility


SERVICE

- In-stock locally and serviced by local consultants for superior lead times and service reliability



EcoFlex™ NXT

CARPET TILE BACKING



EcoFlex™ NXT is a polyolefin carpet tile backing that is up to 40% lighter than similar competitive products, making it easier to install and less expensive to ship. It also incorporates a minimum of 35% pre-consumer recycled content.

PERFORMANCE

- Provides permanent tile dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Main body of tile provides an effective moisture barrier (not applicable at the seams)
- Construction features superior tuft bind that is highly resistant to edge ravel

INSTALLATION

- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok® tab system
- Superior construction offers reliability for the life of your installation

SUSTAINABILITY

- Contains no plasticisers
- Contains a minimum of 35% pre-consumer recycled content based on total product weight
- Certified at the Gold Level in accordance with NSF/ANSI 140
- EcoFlex™ NXT may contribute to or comply with LEED® credits MR 4.0, IEQ 4.3 and Innovation credit for NSF 140
- Declare Red List Free

Transparency SUSTAINABLE LEADERSHIP

Mohawk Group leads the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What's more, we offer over 500 Red List Free Declared products.




OUR COMMITMENT

As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*



Mohawk Group utilises multiple platforms for disclosing our transparency information, including: Designer Pages, Mindful Materials and the Declare Database.



*Transparency documentation can be found at mohawkgroup.com.au or mohawkgroup.co.nz



Visual Interactive Studio


Mohawk Group's Visual Interactive Studio (VIS) offers a suite of design services to help you craft and perfect every aspect of your flooring selection.

READY TO DESIGN

Visit our website and browse through hundreds of bespoke carpet patterns where you can customise colour and installation methods. View your creation laid out in various room scenes at the click of a button and order a PDF layout, straight to your inbox.

DESIGNFLEX VISUALISER

Also online, our DesignFlex Visualiser allows you to select standard Mohawk Group ranges, customise the installation method and view your creation in various room scenes. Again, you can order a PDF layout straight to your inbox for your next client meeting.



VIS TEAM

The Visual Interactive Studio (VIS) team, based at the Mohawk Light Lab in Georgia, can take your own 2D floor plan or 3D building render and add any standard or custom Mohawk Group product in any installation method. This service also includes an installation guide, showing tile direction and colour reference to make specification a breeze.

Specifications

Art Style Collection
Metallic Path, Shared Path
Carpet Tile

DESIGN

Size	12" x 36" (304.8mm x 914.4mm)
Tile Thickness	3/16 inch (5mm)
Surface Appearance	Level Multi-Coloured Patterned Loop
Fibre Type	Colorstrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	
Metallic Path	Monolithic, Monolithic Stepping, Half-Lap, Plank Half-Lap, Brick Ashlar, Random, Herringbone, Basket Weave
Shared Path	Monolithic, Monolithic Stepping, Half-Lap, Plank Half-Lap, Brick Ashlar, Random, Herringbone, Basket Weave
Colours Available	
Metallic Path	6
Shared Path	6


PERFORMANCE

Construction	Tufted
Gauge	1/12" (47 rows per 10cm)
Stain/Soil Release Technology	Sentry Plus™ stain and soil protection
Backing Material	EcoFlex™ NXT
Flammability#	ASTM E 648 - Class 1 (Glue Down)
Smoke Density#	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV

SUSTAINABILITY

Certification	Declare Red List Free
Indoor Air Quality	Green Label Plus #1171
NSF 140	Gold

Installation Instructions:



These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

#Test results and certificates are available on request.

Specifications and colourations are subject to manufacturing tolerances. As part of the manufacturer's continuous improvement program, the manufacturer reserves the right to change the specifications of or delete colours of this product without notice.

These carpet tiles must be installed in accordance with AS2455 (Parts 1 & 2) and the Godfrey Hirst Carpet Tile Installation Instructions.

While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

For current and complete specifications please visit mohawkgroup.com.au or mohawkgroup.co.nz

To learn more or to get started on your next project, visit us at mohawkgroup.com.au or mohawkgroup.co.nz



Australia

Godfrey Hirst Australia Pty Ltd
(ABN 58 000 849 758)
1300 444 778
mohawkgroup.com.au

New Zealand

Godfrey Hirst New Zealand Limited
0800 500 210
mohawkgroup.co.nz