

**DURABLE HIGH CUT RESISTANT IMPACT GLOVE**

A durable and extremely flexible high cut resistant impact glove with a reinforced thumb crotch.

**FEATURES**

- › Cut resistance: level F / ANSI A8
- › Water repellent thin synthetic leather palm with high cut resistance fabric on palm feel like a classic mechanic's glove
- › Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand
- › Ergonomically designed TPR follow the hand movement reducing hand fatigue
- › Ergonomically curved fingers to reduce hand fatigue
- › Reinforced thumb crotch/saddle to prolong wear
- › Pull tab with ID area
- › 360 degree water repellent treatment to keep your hands dry
- › Lightweight stretchable spandex fabric cuff
- › Heat protection up to 250°C for a short period



**SUITABLE FOR**


**Typical Industries**

- Oil and Gas
- Construction
- Mining
- Transport
- Heavy Engineering
- Offshore
- Ports

**Suitable Applications**

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging

**CERTIFICATION**



See overleaf for explanation

PRODUCTION INFORMATION		
MATERIALS	LINER:	Foam laminated spandex fabric
	COATING:	Synthetic leather and knitted cut resistant fabric
COLOUR	Blue/Red	
LENGTH (mm)	250 (Size Dependent)	
CUFF STYLE	Loose neoprene cuff	

ORDERING DETAILS		
SIZE	CODE	PACKAGING
8/M	SKG00060CF	10 pairs per bag
9/L	SKG00060CH	
10/XL	SKG00060CJ	
11/XXL	SKG00060CL	
12/XXXL	SKG00060CN	60 pairs per case
13/XXXXL	SKG00060CP	

- ### RECOMMENDATIONS FOR USE
- USE: General handling glove with cut and impact protection. Not suitable for high thermal (beyond 100°C / 212°F), electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement
  - STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
  - CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
  - LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

### CERTIFICATION LEGENDS

MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*

0-4    0-5    0-4    0-4    A-F    P

Abrasion Resistance    Circular Blade Cut Resistance    Tear Resistance    Puncture Resistance    Straight Blade Cut Resistance (EN ISO: 13997)    Impact Resistance

\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

CLASSIFICATION FOR CUT RESISTANCE	
Measured breakthrough time	Permeation performance index (grams)
A1	≥ 200
A2	≥ 500
A3	≥ 1000
A4	≥ 1500
A5	≥ 2200
A6	≥ 3000
A7	≥ 4000
A8	≥ 5000
A9	> 6000

CLASSIFICATION FOR IMPACT RESISTANCE		
Performance level	Mean (kN)	All impacts (kN)
1	≤ 9	< 11.3
2	≤ 6.5	≤ 8.1
3	≤ 4	≤ 5

## GLOBUS

**EUROPE**  
[www.globusgroup.com](http://www.globusgroup.com)  
**E:** sales@globus.co.uk  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

**MIDDLE EAST & AFRICA**  
[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)  
**E:** gcc@globusgroup.com  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963

**GLOBUS AMERICAS**  
[www.globusgroup.com](http://www.globusgroup.com)  
**E:** americas@globusgroup.com