



# 8110

## UNCOATED FOOD SAFE CUT RESISTANT GLOVE

Long lasting, food safe and ambidextrous uncoated glove with HPPE providing high cut protection

### FEATURES

- › Cut resistance: Level E (EN 388:2016)
- › A flexible easy-maintenance glove providing effective protection against cuts and with very good durability
- › Optimal dexterity and tactile feel retained
- › Lower allergy risks
- › No irritation by seams in contact with the skin
- › Fully launderable, with effective comfort
- › Can easily be one-hand used
- › Great freedom of movement for the wrist
- › Ambidextrous



### SUITABLE FOR

#### Typical Industries

- Food
- Glass
- Manufacturing

#### Suitable Applications

- Food packing & handling
- Glass & window fixing
- Bottling
- Poultry, meat & seafood processing
- Drinks production & handling

### CERTIFICATION

CAT II



EN 388:2016



2X43E



See overleaf for explanation



# 8110

## PRODUCT INFORMATION

MATERIALS	LINER:	10 gauge HPPE, nylon
	COATING:	Uncoated
COLOUR	Blue	
LENGTH (mm)	240 - 320 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

## RECOMMENDATIONS FOR USE

- **USE:** Cut resistant glove. Not suitable for thermal, electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement.
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight.
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.

## ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS	BST81100	12 singles per bag 12 singles per case
7/S	BST81101	
8/M	BST81102	
9/L	BST81103	
10/XL	BST81104	

## CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016  
PERFORMANCE LEVELS\*

0-4	0-5	0-4	0-4	A-F	P
Abrasion Resistance		Circular Blade Cut Resistance	Tear Resistance	Puncture Resistance	Impact Resistance
Straight Blade Cut Resistance (EN ISO: 13997)					

\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



FOOD CONTACT  
DIRECTIVE EC 10/2011

### EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

### MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2022 Globus (Shetland) Ltd | SHO-DATA-8110\_0422\_1