

PROTECTION FROM HEAT, ARC FLASH AND CUTS

Forged with flame-resistant materials, the Showa 240 provides high performance protection against arc flash burns, flames and cuts. A supple and durable sponge neoprene coating allows good grip in challenging environments.

FEATURES

- › 13 Gauge knitted liner containing Kevlar®, Modacrylic, and Fibreglass
- › Protects against arc flash burns: Arc Flash level 2 (ATPV 9.2 cal/cm²)
- › Cut resistance: Level C (EN 388:2016)
- › EN407 Level 4 resistance to flammability
- › Flat dipped sponge neoprene coating provides excellent grip and durability
- › Inherently flame resistant materials
- › Seamless liner prevents irritation
- › Comfortable anatomical design helps prevent hand fatigue
- › Colouring helps to extend wearable life



SUITABLE FOR


Typical Industries

- Construction
- Electric and Gas Utilities
- Manufacturing
- Metallurgy
- Mining
- Oil and Gas

Suitable Applications

- Electrical Maintenance
- Fracking
- Handling Metal and Wire
- Handling Warm and Hot Components
- Resistance Welding

CERTIFICATION



See overleaf for explanation

PRODUCT INFORMATION		
MATERIALS	LINER:	13 gauge Kevlar®, modacrylic, glass fibre
	COATING:	Sponge neoprene
COLOUR	Grey/black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

- ### RECOMMENDATIONS FOR USE
- **USE:** General handling glove with cut protection. Not suitable for high thermal, electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement
 - **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
 - **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
 - **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

ORDERING DETAILS

SIZE	CODE	PACKAGING
7/S	SHO2401	12 pairs per pack 72 pairs per case
8/M	SHO2402	
9/L	SHO2403	
10/XL	SHO2404	

CERTIFICATION LEGENDS

MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS*

*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

HEAT AND FIRE EN 407

EUROPE
www.globusgroup.com
E: sales@globus.co.uk
T: +44 (0)161 877 4747
F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA
www.globusgroup.com/gcc
E: gcc@globusgroup.com
T: +971 4 882 9962
F: +971 4 882 9963

