

## UNCOATED, CUT LEVEL F GLOVE

Uncoated spandex liner reinforced with stainless steel and aramid.

### FEATURES

- › Cut resistant: Level F (EN 388:2016)
- › 13 gauge plaited-knit spandex liner with aramid & stainless steel
- › Contact heat level 1
- › Exceptional cut resistant performance due to superior blend of aramid and stainless steel
- › Seamless, plaited-knit liner avoids scratchy fibres touching the skin, ensuring comfort for long lasting wear
- › Excellent dexterity thanks to flexible properties of spandex
- › Lightweight, breathable liner that reduces sweat and keeps hands dry
- › An ideal inner glove for extra cut protection
- › Ambidextrous and launderable for multiple use, less waste and cost reduction



### SUITABLE FOR

#### Typical Industries

- Automotive
- Glass
- Manufacturing
- Mechanical

#### Suitable Applications

- Intricate parts handling
- Glass and window handling
- Dry & oily parts assembly
- Mechanical and engineering
- Mounting & dismantling

### CERTIFICATION



See overleaf for explanation

## PRODUCT INFORMATION

MATERIALS	LINER:	10 gauge Para aramid, stainless steel, polyester
	COATING:	Uncoated
COLOUR	Black/yellow	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

## ORDERING DETAILS

SIZE	CODE	PACKAGING
6/S	SHO257X1	12 pairs per bag
7/M	SHO257X2	
8/L	SHO257X3	72 pairs per case
9/XL	SHO257X4	
10/XXL	SHO257X5	

## RECOMMENDATIONS FOR USE

- **USE:** Cut resistant glove. Not suitable for thermal, electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS




### MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



### HEAT AND FIRE EN 407



### EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

**E:** sales@globus.co.uk  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

### MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** gcc@globusgroup.com  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963

