LPHA A-SERIES A-3V





The A SERIES range of respirators combine the benefits of a fold flat respirator with a colour coded alphamesh shell to prevent collapse onto the face. Suitable for protection against a broad range of particulate hazards.

KEY FEATURES

- Electrostatic filter media for low breathing resistance
- Lightweight alphamesh shell designed to maintain shape
- Vertical fold flat design for easy storage in a pocket
- Individually packed
- Continuous loop head strap for easy fitting
- Preformed nose bridge; does not require frequent adjustment
- Colour coded for ease of identification
- Metal free
- Conforms to EN 149: 2001 + A1: 2009 FFP3 NR



PREFORMED NOSEBRIDGE Ensures continuity of fit

ADJUSTABLE HEADSTRAP
Wide continuous loop with
adjustment distributes

LOW PROFILE EXHALATION VALVE Helps to reduce heat and moisture build up







ORDERING INFORMATION

Part Number: A-3V

Packaging: 20 singles per box

10 boxes per case

Certification: EN149: 2001 + A1: 2009

FFP3 NR

SUITABLE APPLICATIONS

Recommended applications include:

- Textile Industry
- Craft Work
- Iron & Steel Industry
- Mining
- Underground Civil Engineering
- Woodworking
- Welding Work

- Cutting & Casting of Metals
- Hospital
- Laboratory & Disease Control
- Pharmaceutical Industry
- Disposal of Toxic Waste
- Manufacture of Batteries (Ni-Cad)



LPHA A-SERIES A-3V



P3 DISPOSABLE RESPIRATOR

TECHNICAL SPECIFICATIONS

MATERIALS

COMPONENT	MATERIAL
Mesh Shell:	Polypropylene
Filter Outer Layer:	Polypropylene
Filter Inner Layer:	Polypropylene
Filter Internal Media:	Melt-Blown [Polypropylene] + Polyester
Headstrap:	Woven Elastic [Latex-Free Rubber]
Headstrap Adjuster:	Polypropylene
Exhalation Valve: Valve Housing:	Polypropylene & ABS
Valve Membrane:	Synthetic Rubber

DIMENSIONS

ITEM	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	
Respirator	165	110	170	
Nosebridge	25	40	40	
Headband	700	9	0.4	
Headband clip	57	12	9	
Valve	40	11	40	

CERTIFICATION

EU Certification according to Regulation (EU) 2016/425 issued by: BSI Group, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes, MK5 8PP, United Kingdom. [N.B. No.0086].

RECOMMENDATIONS FOR USE

This respirator is disposable and recommended for single shift use only.

Do not attempt to clean or re-use.

PRODUCT SELECTOR GUIDANCE CHART

Approval EN 149:2001 + A1:2009	Mesh Colour	Product Codes	APF (Assigned Protection Factor) (x WEL)	Non-Toxic Dusts	Fine / Toxic Dusts / Mists / Fumes	VeryFine / Toxic Dusts / Mists / Fumes	Odours/ Organic Vapours (Below WEL)	Metal Fumes	Oil/Water Based Particulates
FFP1 NR	White	A-1	4						
FFP1 NR	White	A-1V	4						
FFP2 NR	Blue	A-2	10	0				0	
FFP2 NR	Blue	A-2V	10	0				0	
FFP2 NR	Grey	A-2CV	10	0					
FFP3 NR	Orange	A-3V	20	0					

= Recommended = Alternative

www.alphasolway.com T: +44 (0)1461 202452 E: alphasolway.sales@globusgroup.com

ALPHA SOLWAY LTD, Factory 1, Queensberry Street, Annan, DG12 5BL, UK

