# **ASKYTEC** TRC750

### HIGH CUT RESISTANT FULLY COATED LATEX GLOVE

A fully dipped latex glove offering high cut and water protection, comfort and flexibility. Ideal to work in damp conditions

#### **FEATURES**

- > Cut resistant: Level E / A5
- ▶ 13g liner with HPPE on the inside provides cut protection and a sensation of freshness
- Fully encapsulated steel and nylon on the outside strengthens the protection against burrs and sharp edges
- Double dipped latex (smooth latex fully coated / foam latex palm) offers an excellent water protection and high grip in wet conditions
- Contact heat protection up to 100°C / 212°F for a short period (15 sec max)
- > Seamless knit prevents irritation
- > Elasticated wrist provides a secure fit
- > RCS (Recycled Claim Standard) certified
- > 1 pair = 1 PET bottle of 500ml recycled
- ▶ 29g of CO₂ reduced vs virgin polyester alternative













#### **SUITABLE FOR**

#### **Typical Industries**

- Construction
- Maintenance
- Manufacturing
- Recycling
- Glass industry
- Waste management

#### **Suitable Applications**

- Outside construction works
- Handling sharp and wet parts
- Glass handling

# CAT II EN 388:2016 + A1:2018 EN 407:2020 ANSI/ISEA 105 A5 X X See overleaf for explanation





# **ASKYTEC** TRC750

#### **PRODUCTION INFORMATION**

MATERIALS	LINER:	13 gauge HPPE, steel fibre, nylon	
	COATING:	Smooth latex / foam latex	
COLOUR	Green/black		
LENGTH (mm)	250 (Size Dependent)		
CUFF STYLE	Elasticated knit wrist		


#### ORDERING DETAILS


SIZE	CODE	PACKAGING
7/S 8/M 9/L 10/XL 11/XXL	SKG00080ED SKG00080EF SKG00080EH SKG00080EJ SKG00080EL	10 pairs per paper wrap 120 pairs per case

#### **RECOMMENDATIONS FOR USE**

- USE: General handling glove with cut protection. Not suitable for thermal (beyond 100C / 212F), electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

#### **CERTIFICATION LEGENDS**







EN 407

#### PERFORMANCE LEVELS



## GLOBUS

## **EUROPE**

#### www.globusgroup.com

E: sales@globus.co.uk T: +44 (0)161 877 4747 F: +44 (0)161 877 4746

#### **MIDDLE EAST & AFRICA**

#### www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +97148829962 F: +97148829963

#### Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

## **GLOBUS AMERICAS**

#### www.globusgroup.com

E: americas@globusgroup.com

© 2024 Globus (Shetland) Ltd | SKY-DATA-TRC750-0224\_1