



RILEY

SWARM RX

Ideal for environments prone to dust or water droplets

Swarm RX features unique wraparound designs with a protective browguard, ideal for dusty or wet environments. Available in two variants, both include a protective browguard, with the blue waterproof foam option offering replacement. Soft TPR nose pads and dual-injected temples ensure comfort for the wearer.

- | | |
|--|--|
| ☐ RX | ☐ TRANSITION SINGLE VISION |
| ☐ BIFOCAL | ☐ SINGLE VISION 1 LENS |
| ☐ TRANSITION VARIFOCAL | ☐ TRANSITION BIFOCAL |
| ☐ SINGLE VISION PAIR | ☐ VARIFOCAL |



Blue/Black



Blue/Black



Grey/Black



Blue/Black



SOFT TPE



SPORTS STYLE

FEATURES

- + Stylish sports style frame
- + Integrated deep fit lateral protection
- + Slim fit textured temples
- + Soft TPE nose pads
- + Supplied with a microfibre storage pouch
- + Black/Blue model features removable browguard
refill packs available
- + Polycarbonate lenses

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747



RILEY®

SWARM RX

LENS TYPE		REF	LENS MARKING	FRAME MARKING	PROTECTS AGAINST	COATINGS
TRANSITION SINGLE VISION	☐	RLYRX004101			Impacts,UV Radiation	
BIFOCAL	☐	RLYRX00413			Impacts,UV Radiation	
SINGLE VISION 1 LENS	☐	RLYRX00411			Impacts,UV Radiation	
TRANSITION VARIFOCAL	☐	RLYRX004103			Impacts,UV Radiation	
TRANSITION BIFOCAL	☐	RLYRX004102			Impacts,UV Radiation	
SINGLE VISION PAIR	☐	RLYRX00412			Impacts,UV Radiation	
VARIFOCAL	☐	RLYRX00414			Impacts,UV Radiation	
BIFOCAL	☐	RLYRX00418			Impacts,UV Radiation	
SINGLE VISION PAIR	☐	RLYRX00417			Impacts,UV Radiation	
TRANSITION SINGLE VISION	☐	RLYRX004151			Impacts,UV Radiation	
TRANSITION BIFOCAL	☐	RLYRX004152			Impacts,UV Radiation	
SINGLE VISION 1 LENS	☐	RLYRX00416			Impacts,UV Radiation	
TRANSITION VARIFOCAL	☐	RLYRX004153			Impacts,UV Radiation	
VARIFOCAL	☐	RLYRX00419			Impacts,UV Radiation	
RX	☐	RLYRX00410	Vision Lab 1 F CE	EN166 FT CE UKCA	Impacts,UV Radiation	Hard Coat (HC), Anti-Reflective (AR), Transition
RX	☐	RLYRX00415	Vision Lab 1 F CE		Impacts,UV Radiation	

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747

GENERAL SPECIFICATION

LENS BASE	6mm
WEIGHT	33g

PACKAGING

PER BOX	10
PER CASE	200

COMPONENT SPECIFICATION

COMPONENT	MATERIAL
LENS	Polycarbonate
FRAME	Polycarbonate
NOSE BRIDGE	Thermoplastic Rubber (TPR)
TEMPLE	Polycarbonate, Thermoplastic Rubber (TPR)

ADDITIONAL INFORMATION

CERTIFICATION LEGEND



or click [here](#)

DECLARATION OF CONFORMITY



or click [here](#)

VIEW PRODUCT ONLINE



or click [here](#)

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747