

Notified body N° 0075

#### EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1120/162/02/13/0128 EXT 01/02/13

Is given to the following model of personal protective equipment:

Issued to:

Globus (Shetland) Ltd

Globus Building, 38 wheel forge way, Trafford Park, Manchester, M171EH

UK

Distributor:

Globus (Shetland) Ltd

Globus Building, 38 wheel forge way, Trafford Park, Manchester, M171EH

UK

**Product reference:** 

Rhyolite

**Description:** 

PPE Type:

Protective gloves against mechanical risks.

Reference standard:

EN 388: 2003.

Category:


H

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere

Head of CE marking

Date of issue: February 19th, 2013











In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law.

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers:

# CE TYPE EXAMINATION CERTIFICATE 0075/1120/162/02/13/0128 EXT 01/02/13

To the following model of personal protective equipment:

\* protective glove against

mechanical risks.

\* reference of the model:

Rhyolite

\* responsible for placing on the market :

#### Globus (Shetland) Ltd

Globus Building,38 wheel forge way,Trafford Park,Manchester,M171EH UK

\* distributor:

Globus (Shetland) Ltd

Globus Building,38 wheel forge way,Trafford Park,Manchester,M171EH UK

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 19th, 2013

Issued by Lionel GAUDILLERI

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R 4313-38 of the French Code of Work.



# **DESCRIPTION OF THE PROTECTIVE GLOVE**

According to the technical file index : 01

Reference: Rhyolite

Minor Variant of the model: PU3103

Dated: FEBRUARY, 2013

13G grey glove coated with grey PU

**Available sizes:** 

10/XL 11/XXL 6/XS 7/S 9/L

Visual description:



#### **Material:**

	Colour	Material	Gauges	Thikness
	Grey	PU		
PALM	Grey	Nylon	13gauges/ inch	
BACK	Grey	Nylon	13gauges/ inch	
LINING				
CUFF	Grey	Nylon	13gauges/ inch	
BINDING	Grey	Polyester		



# 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods
- \* EN 388:2003
- Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62091-12, SH62638-12		SH62091-12
Azo	SH62091-12		
EN 388	SH62091-12		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm



# Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* C € marking
- \* reference of the model: Rhyolite
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

#### Marking example:



# Globus (Shetland) Ltd

# **MANUFACTURER'S TECHNICAL FILE**

Reference of the product : Rhyolite

Technical file index : 01

Last update : FEBRUARY, 2013

## **IDENTIFICATION**

Reference of the product : : : Rhyolite Minor Variant of the model : : PU3103

Technical file index:

Last update: FEBRUARY, 2013

# CE Type Examination Applicant:

Globus (Shetland) Ltd

Globus Building, 38 wheel forge way, Trafford Park, Manchester, M171EH

UK

Tel; 0161 877 4747 Fax: 0161 877 4746

#### Manufacturer:

Globus (Shetland) Ltd

Globus Building, 38 wheel forge way, Trafford Park, Manchester, M171EH

UK

Tel: 0161 877 4747 Fax: 0161 877 4746

## **Distributor**:

Globus (Shetland) Ltd

Globus Building, 38 wheel forge way, Trafford Park, Manchester, M171EH

UK

Tel: 0161 877 4747 Fax: 0161 877 4746

# **GLOVE DESCRIPTION**

# Glove description:

13G grey glove coated with grey PU

## Visual description:



# Available sizes:

Minimum length of glove (mm)	Sizes	
220	6/XS	
230	7/S	
240	8/M	
250	9/L	
260	10/XL	
270	11/XXL	

# **Glove constitution:**

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
		Grey	PU	63g/m2		
PALM		Grey	Nylon	160g/m2	13gauges/ inch	
BACK		Grey	Nylon	160g/m2	13gauges/ inch	
LINING						
CUFF		Grey	Nylon	360g/m2	13gauges/ inch	
BINDING		Grey	Polyester			

### **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

#### **GENERAL REQUIREMENTS**

### Standard EN 420 : 2003 + A1 : 2009

Dexterity:

- 5

PH of glove and lining is greater than 3.5 and lower than 9.5:

yes

Chromium VI lower than the detection limit:

conform

Size: conform

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

# SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

## Mechanical hazard EN 388: 2003

Protection offered	Performance levels	
Abrasion resistance	4	
Blade cut resistance	1	
Tear strength resistance	3	
Puncture resistance	1	

## **TEST REPORTS**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62091-12, SH62638-12		SH62091-12
Azo	SH62091-12		
EN 388	SH62091-12		

# **MARKING - PACKAGING**

### Information printed on the glove:

Logo of the authorized representative :

Logo (

Glove's reference: Rhyolite

Size indicator

Pictograms related to risks against which protection is offered with performance levels Information pictogram

## Marking example:



ART. Rhyolite SIZE: 10/XL







## Method of marking on the glove:

printed on the back

## Packaging:

1 doz/pe bag,20 doz/carton

#### INSTRUCTION FOR USE

## Globus (Shetland) Ltd

# Globus Building,38 wheel forge way,Trafford Park,Manchester,M171EH

Available sizes:

6/XS 7/S

8/M 9/L

10/XL 11/XXL

#### Glove description:

13G grey glove coated with grey PU

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE: innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (OO75)

4. rue Hermann Frenkel

69367 LYON Cedex 07

**FRANCE** 

#### Applicable standards:

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5 Moreover, this glove has been designed for the following applications :



Application : Mechanical hazard - EN 388





4131 Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

#### Protection limit:

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entaglement by moving parts of machines.

#### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.