



RILEY®

SCRIPT RX

No separate side guard needed with a prescription lens version

The sports-style design of Riley SCRIPT will appeal to a wide selection of your workforce. SCRIPT sits snugly to the side of the face and the protection offered from the deep side arms means no separate side guard is needed for those requiring a prescription lens version.

- | | | | |
|-----------------------|--------------------------|-----------------------|----------------------|
| <input type="radio"/> | RX | <input type="radio"/> | SINGLE VISION 1 LENS |
| <input type="radio"/> | BIFOCAL | <input type="radio"/> | TRANSITION BIFOCAL |
| <input type="radio"/> | VARIFOCAL | <input type="radio"/> | SINGLE VISION PAIR |
| <input type="radio"/> | TRANSITION SINGLE VISION | <input type="radio"/> | TRANSITION VARIFOCAL |



SOFT TPE



SPORTS STYLE

FEATURES

- + Stylish sports style frame
- + Integrated deep fit lateral protection
- + Slim fit textured temples
- + Soft TPE nose pads
- + Supplied with a microfibre storage pouch

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747



RILEY | SCRIPT RX

LENS TYPE	REF	LENS MARKING	FRAME MARKING	PROTECTS AGAINST	COATINGS
SINGLE VISION 1 LENS	○ RLYRX00401			Impacts,UV Radiation	
BIFOCAL	○ RLYRX00403			Impacts,UV Radiation	
TRANSITION BIFOCAL	○ RLYRX00406			Impacts,UV Radiation	
VARIFOCAL	○ RLYRX00404			Impacts,UV Radiation	
SINGLE VISION PAIR	○ RLYRX00402			Impacts,UV Radiation	
TRANSITION SINGLE VISION	○ RLYRX00405			Impacts,UV Radiation	
TRANSITION VARIFOCAL	○ RLYRX00407			Impacts,UV Radiation	
RX	○ RLYRX00400	Vision Lab 1 F CE	EN166 FT CE UKCA	Impacts,UV Radiation	Hard Coat (HC), Anti-Reflective (AR), Transition

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747



RILEY | SCRIPT RX

GENERAL SPECIFICATION

LENS BASE	6mm
WEIGHT	29g

PACKAGING

PER CASE	200
----------	-----

COMPONENT SPECIFICATION

COMPONENT	MATERIAL
NOSE BRIDGE	Thermoplastic Elastomers (TPE)
TEMPLE	Thermoplastic TR90
HINGE	Metal

ADDITIONAL INFORMATION

CERTIFICATION LEGEND



or click [here](#)

DECLARATION OF CONFORMITY



or click [here](#)

VIEW PRODUCT ONLINE



or click [here](#)

Europe

sales@globus.com
+44 (0)161 877 4747
+44 (0)161 877 4746

Middle East & Africa

sales.gcc@globusgroup.com
+971 4 882 9962
+971 4 882 9963

Americas

salesusa@globusgroup.com
+1 83 337 54747

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES
Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment.
The manufacturer reserves the right to make any modifications it deems necessary. Published date: 27/03/2026

