∆SKYTEC TX430[™]

SINGLE USE GLOVE, 100% NITRILE, POWDER FREE, 300MM LONG, 0.10MM THICK

High performance, powder-free, extended cuff nitrile single use examination glove. Significantly stronger alternative to latex, dual certified (Industrial and Medical) and food safe.

FEATURES

- > High quality nitrile, soft and durable
- > Palm thickness 0.10mm (4 mil), weight: 6.5g size M
- > High resistance to penetration and projections of many chemicals
- > Textured finish on fingertips for improved grip and touch
- > Extended cuff (300mm length)
- Powder-free, latex free, non-sterile, AQL 1.5 Chlorinated inside to offer more comfort and reduce friction when donning
- > Antistatic properties due to inherent antistatic properties of nitrile
- > Approved for food handling
- > Dual labelling: PPE and medical
- Medical device compliant (MDD 93/42/EEC), conforms to EN455 (all parts) Tested against chemotherapy drugs according to ASTM D6978-05 Compliant with ASTM D6319-2019 and ASTM D5151-2019



SUITABLE FOR


Typical Industries

- Aerospace
- Chemical
- Electronics
- Food
- Pharmaceutical
- Manufacturing
- Oil and Gas

Suitable Applications

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination

CERTIFICATION



See overleaf for explanation



∧SKYTEC TX430[™]

PRODUCTION INFORMATION

MATERIALS	LINER:	Nitrile
	COATING:	_
COLOUR	Blue	
LENGTH (mm)	300	
CUFF STYLE	Beaded	

ORDERING DETAILS

SIZE	CODE	PACKAGING
7/S 8/M 9/L 10/XL	SKG00430DD SKG00430DF SKG00430DH SKG00430DJ	100 singles per box 10 boxes per case

CERTIFICATION LEGENDS



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5 VIRUS = Glove has passed ISO 16604: 2004 (method B)



FOOD CONTACT DIRECTIVE 2002 / 72 EC

Cŀ

Μ

Ac

Ac Di Ca

To Di

Te Et

RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CE TO CHEIVIICAL PERIVIEATION - EN ISO 574:2010						
HEMICAL lethanol cetone	CODE J K	CHEMICAL n-Heptane Sodium hydroxide 40%	TYPE OF GLOVES			
cetonitrile ichloromethane	L Sulphuric acid 96% ane M 65% Nitric acid	A				
arbon Disulfide oluene iethylamine etrahydrofurane thyl acetate	N O	99% Acetic acid 25% Ammonium hydroxide 30% Hydrogen peroxide 40% Hydrofluoric acid 37% Formaldehyde	В			
	Р S T		С			

GLOBUS

CODE

R

D

G

н

EUROPE

www.globusgroup.com

- E: sales@globus.co.uk
- T: +44 (0)161 877 4747
- F: +44 (0)161 877 4746

MIDDLE EAST & AFRICA

≥30 min for at least

6 chemicals

≥30 min for at least 3 chemicals

≥10 min for at least

1 chemical

www.globusgroup.com/gcc

- E: gcc@globusgroup.com
- T: +9714 882 9962
- F: +97148829963

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA EU Type-Examination Certificate issued by SATRA Technology Europe Limited. Bracetown Business Park. Clonee. D15VN2P. Republic of Ireland. (Notified Body No. 2777)

RECOMMENDATIONS FOR USE

- USE: Single use glove. Not suitable for mechanical, thermal, heat, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

GLOBUS AMERICAS

www.globusgroup.com

E: americas@globusgroup.com

© 2023 Globus (Shetland) Ltd | SKY-DATA-TX430-1123_1

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.