



SINGLE USE GLOVE, 100% NITRILE, POWDER FREE, 300MM LONG, 0.12MM THICK

Single use nitrile glove suitable for use in clean room environments.

FEATURES

- > Latex-free to avoid type I and type IV latex allergies
- ➤ 100% nitrile, powder free
- Laundered with 0.2 micron filtered high resistivity
 D.I. water
- Certified and suitable for use in a class 100 cleanroom environment
- > Textured finish on fingertips to enhance grip
- Low-modulus formulation to improve fit and reduce fatigue
- > Rolled cuff prevents dirt entering the glove
- > AQL 1.5 / Force at break: 16N
- > Length: 300mm (12")
- Thickness: 0.12mm (5 mil)





SUITABLE FOR

Typical Industries


- Cleanrooms
- Healthcare
- Laboratory
- Pharmaceutical

Suitable Applications

- Biotechnology
- Cytostatics
- Hospital & medical care
- Laboratory, pharma & analysis
- Life sciences
- Medical
- Pharmaceuticals & API

CAT III EN ISO 3741:2016/Type C EN ISO 3745:2016 VIRUS See overleaf for explanation







C9905PF

PRODUCT INFORMATION

MATERIALS	LINER:	Nitrile
	COATING:	N/A
COLOUR	White	
LENGTH (mm)	300	
CUFF STYLE	Beaded	

ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS 7/S 8/M 9/L 10/XL	BSTC99050 BSTC99051 BSTC99052 BSTC99053 BSTC99054	100 singles per bag 10 bags per case

RECOMMENDATIONS FOR USE

- USE: Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CHEMICAL	CODE	CHEMICAL
Methanol	J	n-Heptane
Acetone	K	Sodium hydroxide 40%
Acetonitrile	L	Sulphuric acid 96%
Dichloromethane	M	65% Nitric acid
Carbon Disulfide	N	99% Acetic acid
Toluene	0	25% Ammonium hydroxide
Diethylamine	P	30% Hydrogen peroxide
Tetrahydrofurane	S	40% Hydrofluoric acid
Ethyl acetate	T	37% Formaldehyde
	Methanol Acetone Acetonitrile Dichloromethane Carbon Disulfide Toluene Diethylamine Tetrahydrofurane	Methanol J Acetone K Acetonitrile L Dichloromethane M Carbon Disulfide N Toluene O Diethylamine P Tetrahydrofurane S

TYPE OF GLOVES	BREAKTHROUGH TIME
А	≥30 min for at least 6 chemicals
В	≥30 min for at least 3 chemicals
С	≥10 min for at least 1 chemical



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)

EUROPE

www.globusgroup.com

E: sales@globus.co.uk T: +44 (0)161 877 4747 F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com T: +971 4 882 9962 F: +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2020 Globus (Shetland) Ltd | SHO-DATA-C9905PF-_0620_1