

# SKYTEC™ | CH301

## FLOCKLINED CHLOROPRENE OVER NATURAL RUBBER CHEMICAL RESISTANT GLOVE WITH AN EMBOSSED GRIP

SKYTEC CH301 features a multi layer chloroprene over natural rubber latex chemical resistant glove offering long lasting grip, comfort and chemical protection against various chemicals.

### FEATURES

- › The combination of Natural rubber with Chloroprene allows high chemical protection and flexibility
- › Honeycomb finish on palm enhances grip properties in all conditions
- › Flocklined for extra comfort and sweat absorption
- › Resistant to a broad range of chemicals
- › Impermeable for working in damp environments
- › Forearm well protected
- › Length: 30cm
- › Thickness: 0.60mm



### SUITABLE FOR

#### Typical Industries

- Aerospace
- Automotive
- Chemical
- Manufacturing

#### Suitable Applications

- Acid Components
- Assembly
- Battery Manufacturing
- Chemical Processing
- Pesticide Maintenance
- Printing Maintenance

### CERTIFICATION

CAT III	EN 388:2016 + A1:2018	EN ISO 374-1:2016/ Type A	EN ISO 374-5:2016	ANSI/ISEA 105
0598	2110X	AKLM-NPST	Virus	A1 3 1

See overleaf for explanation

## PRODUCTION INFORMATION

<b>MATERIALS</b>	LINER:	Cotton flock
	COATING:	Chloroprene over natural rubber
<b>COLOUR</b>	Blue/Yellow	
<b>LENGTH (mm)</b>	300 (Size dependant)	
<b>CUFF STYLE</b>	Gauntlet	

## ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS	SKG00075DB	10 pairs per bag
7/S	SKG00075DD	
8/M	SKG00075DF	120 pairs per case
9/L	SKG00075DH	
10/XL	SKG00075DJ	


## RECOMMENDATIONS FOR USE

- USE: Chemical resistant glove. Not suitable for thermal, electrical, cut protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## CERTIFICATION LEGENDS



### MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



### RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%	B	≥30 min for at least 3 chemicals
C	Acetonitrile	L	Sulphuric acid 96%	C	≥10 min for at least 1 chemical
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid		
F	Toluene	O	25% Ammonium hydroxide		
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofuran	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		



### PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604:2004 (method B)

### CLASSIFICATION FOR CUT RESISTANCE

Measured breakthrough time	Permeation performance index (grams)
A1	≥ 200
A2	≥ 500
A3	≥ 1000
A4	≥ 1500
A5	≥ 2200
A6	≥ 3000
A7	≥ 4000
A8	≥ 5000
A9	> 6000

### ANSI/ISEA 105-2016 ABRASION RATING CHART

Abrasion Level Rating	0	1	2	3	4	5	6
Gram Load	500	500	500	500	1000	1000	1000
Abrasion Cycles to Fail	<100	≥100	≥500	≥1,000	≥3,000	≥10,000	≥20,000

### ANSI/ISEA PUNCTURE RESISTANCE

ANSI Puncture Level	Puncture Resistance (newtons)
1	10-19
2	20-59
3	60-99
4	100-149
5	150+

Puncture Resistance (ANSI/ISEA 105): Puncture resistance is determined by the max force that it takes, exerted from a probe, to puncture the fabric.

# GLOBUS

## EUROPE

[www.globusgroup.com](http://www.globusgroup.com)

E: [sales@globus.co.uk](mailto:sales@globus.co.uk)

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

## MIDDLE EAST & AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

E: [gcc@globusgroup.com](mailto:gcc@globusgroup.com)

T: +971 4 882 9962

F: +971 4 882 9963

## GLOBUS AMERICAS

[www.globusgroup.com](http://www.globusgroup.com)

E: [americas@globusgroup.com](mailto:americas@globusgroup.com)

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES  
 Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

EU Type-Examination Certificate issued by SATRA Technology Europe Limited, Bracetown Business Park, Clonee, D15YN2P, Republic of Ireland. (Notified Body No. 2777).