

# Alpha Solway Chemsol Plus CPBH

The fabric choice of many safety professionals, Chemsol Plus is crafted using a soft and tactile 340gm<sup>2</sup> EPVC/ Polyester with additional electrostatic and limited flame spread properties.

## Features

- ▲ Limited flame spread and anti-static properties, offering enhanced safety
- ▲ Double storm facing velcro closure for increased protection
- ▲ Ring-pull zip for easy donning and doffing when wearing gloves
- ▲ Helmet-compatible hood with elasticated drawcord adjustment
- ▲ Garment can be reused if not contaminated or damaged
- ▲ Elastomised PVC coated polyester for flexibility and comfort
- ▲ Tested to EN 14605, EN ISO 14116 & EN 1149-5, ASTM F903 & ASTM D6413/D6413M



## Certifications

CAT III	EN 1149-5: 2008	EN 14605:2005 +A1:2009	EN 14116:2008	EN 14605:2005 +A1:2009	EN 14605:2005 +A1:2009
			Index 1/5H/40	Type 3	Type 4

## Suitable industries & applications

### Industries

- ▲ Maritime

### Applications

- ▲ Chemical Handling and Containment
- ▲ Infrastructure Engineering
- ▲ Fossil Fuel Extraction and Refining

### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

### Americas

salesusa@globusgroup.com  
+1 83 337 54747

# Alpha Solway Chemsol Plus CPBH


## Ordering information

<b>S</b>	CCCPB/005700/GN1	Items per Case 10 x Pieces
<b>M</b>	CCCPB/005700/GN2	
<b>XL</b>	CCCPB/005700/GN4	
<b>XXXL</b>	CCCPB/005700/GN6	
<b>XXXXL</b>	CCCPB/005700/GN7	

## Product options

<b>Colour</b>	Green
<b>Length</b>	400mm

## Additional information

<p>Certification legend</p>  <p>or click <a href="#">here</a></p>	<p>Declaration of conformity</p>  <p>or click <a href="#">here</a></p>	<p>View product online</p>  <p>or click <a href="#">here</a></p>
--	---	---

### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

### Americas

salesusa@globusgroup.com  
+1 83 337 54747