

FLEXIBLE IMPACT PROTECTION GLOVE WITH OIL GRIP AND CUT PROTECTION

A durable and extremely flexible impact resistant glove with a reinforced thumb crotch. High-Vis for efficient hand signalling in poorly lit conditions.

FEATURES

- › Cut resistant: Level D / ANSI A4
- › Breathable foam laminated stretch spandex suitable for year-round comfort
- › Palm extends over the thumb crotch for an enhanced cushioned grip
- › Dotted synthetic leather palm and fourchettes
- › Continuous impact panel for full coverage protection
- › Spandex and neoprene wrist for easy donning and doffing
- › Double-stitched Kevlar® thread to bolster high wear areas
- › Pull tab with ID tag
- › Hi-vis colour for efficient hand signalling
- › Anatomically curved finger design helps



SUITABLE FOR


Typical Industries

- Oil and Gas
- Construction
- Mining
- Transport
- Heavy Engineering
- Offshore
- Ports

Suitable Applications

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging

CERTIFICATION



See overleaf for explanation

PRODUCTION INFORMATION

MATERIALS	LINER:	Polyester Fabric Laminated Spandex with TPR
	COATING:	Synthetic leather and aramid lining with PVC dots
COLOUR	Orange/Black	
LENGTH (mm)	250 (Size Dependent)	
CUFF STYLE	Loose neoprene cuff	

ORDERING DETAILS

SIZE	CODE	PACKAGING
8/M	SKG00006GF	10 pairs per bag
9/L	SKG00006GH	
10/XL	SKG00006GJ	60 pairs per case
11/XXL	SKG00006GL	
12/XXXL	SKG00006GN	
13/XXXXL	SKG00006GP	


RECOMMENDATIONS FOR USE

- USE: General handling glove with cut and impact protection. Not suitable for high contact heat (beyond 100°C), electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement.
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

CLASSIFICATION FOR CUT RESISTANCE

Measured breakthrough time	Permeation performance index (grams)
A1	≥ 200
A2	≥ 500
A3	≥ 1000
A4	≥ 1500
A5	≥ 2200
A6	≥ 3000
A7	≥ 4000
A8	≥ 5000
A9	> 6000

CLASSIFICATION FOR IMPACT RESISTANCE

Performance level	Mean (kJ)	All impacts (kJ)
1	≤ 9	< 11.3
2	≤ 6.5	≤ 8.1
3	≤ 4	≤ 5

GLOBUS

EUROPE

www.globusgroup.com

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST & AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963

GLOBUS AMERICAS

www.globusgroup.com

E: americas@globusgroup.com

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES
 Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

© 2023 Globus (Shetland) Ltd | SKY-DATA-TORQ-SIROCCO-1123,1

EU compliance certificate delivered by the notified body INTERTEK ITALIA SPA, Via Guido Miglioli, 2/A - 20063 Cernusco sul Naviglio (MI) - Italia (Notified Body No. 2575)
 UKCA compliance certificate delivered by the notified body ITS Testing Services UK Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom (Approved Body No. 0362)

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.