



SINGLE USE GLOVE, 100% NITRILE, POWDER FREE, 240MM LONG, 0.12MM THICK

Premium performance, powder-free, nitrile single use glove. Dual certified (Industrial and Medical), extremely strong and higher chemical and puncture resistance than regular nitrile disposables.

FEATURES

- > 100% premium quality nitrile
- > Palm thickness 0.12mm (5 mil)
- High resistance to penetration and projections of many chemicals
- Chlorinated inside to offer more comfort and reduce friction when donning
- > Powder-free, latex free, non-sterile, AQL 1.5
- > Approved for food handling
- > Dual labelling: PPE and medical
- Medical device compliant (MDD 93/42/EEC), conforms to EN455 (all parts)
- Antistatic properties due to inherent antistatic properties of nitrile
- Silicone free to allow usage in bonding / painting operations (paints, coatings, primers, adhesive)







SUITABLE FOR

Typical Industries

- Chemicals
- Electronics
- Food
- Manufacturing
- Oil and Gas
- Pharmaceutical
- Repair and Finishing

Suitable Applications

- Chemical Handling
- Food Preparation
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

CAT III SO 374-1:2016/ ENISO 374-1:2016 5:2016



CERTIFICATION





See overleaf for explanation







PRODUCTION INFORMATION MATERIALS LINER: Nitrile COATING: COLOUR Green LENGTH (mm) 240 mm CUFF STYLE Beaded

ORDERING DETAILS

			VENDING OPTION		
SIZE	CODE	PACKAGING	CODE	PACKAGING	
5½-6/XS 6½-7/S 7½-8/M 8½-9/L 9½-10/XL 10½ - 11/XXL	SKYTEALO SKYTEAL1 SKYTEAL2 SKYTEAL3 SKYTEAL4 SKYTEAL5	100 singles per box 10 boxes per case	SKYVTEAL1 SKYVTEAL2 SKYVTEAL3 SKYVTEAL4	20 singles per box 50 boxes percase	

RECOMMENDATIONS FOR USE

- USE: Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE A	CHEMICAL Methanol	CODE	CHEMICAL n-Heptane	TYPE OF GLOVES	BREAKTHROUGH TIME
В	Acetone	K	Sodium hydroxide 40%		≥30 min for at least
C D	Acetonitrile Dichloromethane	L M	Sulphuric acid 96% 65% Nitric acid	Α	6 chemicals
E	Carbon Disulfide	N	99% Acetic acid		≥30 min for at least
F	Toluene	0	25% Ammonium hydroxide	В	3 chemicals
G	Diethylamine	P	30% Hydrogen peroxide		
Н	Tetrahydrofurane	S	40% Hydrofluoric acid	_	≥10 min for at least
1	Ethyl acetate	T	37% Formaldehyde		1 chemical



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



FOOD CONTACT DIRECTIVE 2002 / 72 EC

GLOBUS

EUROPE

www.globus group.com

E: sales@globus.co.uk T: +44 (0)1618774747 F: +44 (0)1618774746

MIDDLE EAST & AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +97148829962 F: +97148829963

GLOBUS AMERICAS

www.globusgroup.com

E: americas@globusgroup.com

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

© 2024 Globus (Shetland) Ltd | SKY-DATA-TEAL-0624_1

EU Type-Examination Certificate issued by SATRA Technology Europe Limited. Bracetown Business Park. Clonee. D15YN2P. Republic of Ireland. (Notified Body No. 2777) and the contraction of the properties of the