



# RILEY®

## R104

Prescription strength up to a combined maximum of +/- 12.00

The R104 is a contemporary style safety frame with slim, metal construction with transparent side shields. Available in two sizes (Standard and small) and three colours. Certified to EN166 with a prescription strength up to a combined maximum of +/- 12.00.

- CLEAR
- BIFOCAL
- TRANSITION VARIFOCAL
- TRANSITION BIFOCAL
- SINGLE VISION PAIR
- TRANSITION SINGLE VISION
- VARIFOCAL



RLYRX0004 Teal



RLYRX0004 Teal



RLYRX0008 Gunmetal



RLYRX0009 Navy



ADJUSTABLE NOSE BRIDGE

### FEATURES

- + Metal Frame
- + Adjustable nose bridge
- + Transparent side shields

#### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

#### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

#### Americas

Sales@GlobalGlove.com  
763-450-0110



# RILEY® | R104

LENS TYPE	REF	LENS MARKING	FRAME MARKING	PROTECTS AGAINST	COATINGS
SINGLE VISION PAIR	<input type="radio"/> RLYRX00041			Impacts,UV Radiation	
BIFOCAL	<input type="radio"/> RLYRX00042			Impacts,UV Radiation	
TRANSITION SINGLE VISION	<input type="radio"/> RLYRX00044			Impacts,UV Radiation	
TRANSITION VARIFOCAL	<input type="radio"/> RLYRX00046			Impacts,UV Radiation	
VARIFOCAL	<input type="radio"/> RLYRX00043			Impacts,UV Radiation	
TRANSITION BIFOCAL	<input type="radio"/> RLYRX00045			Impacts,UV Radiation	
SINGLE VISION PAIR	<input type="radio"/> RLYRX00081			Impacts,UV Radiation	
TRANSITION BIFOCAL	<input type="radio"/> RLYRX00085			Impacts,UV Radiation	
VARIFOCAL	<input type="radio"/> RLYRX00083			Impacts,UV Radiation	
TRANSITION SINGLE VISION	<input type="radio"/> RLYRX00084			Impacts,UV Radiation	
BIFOCAL	<input type="radio"/> RLYRX00082			Impacts,UV Radiation	
TRANSITION VARIFOCAL	<input type="radio"/> RLYRX00086			Impacts,UV Radiation	
CLEAR	<input type="radio"/> RLYRX0009	Vision Lab 1 F CE	REN166 FT CE UKCA	Impacts,UV Radiation	Hard Coat (HC), Anti-Reflective (AR), Transition
CLEAR	<input type="radio"/> RLYRX0008	Vision Lab 1 F CE		Impacts,UV Radiation	
CLEAR	<input type="radio"/> RLYRX0004	Vision Lab 1 F CE		Impacts,UV Radiation	

## Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

## Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

## Americas

Sales@GlobalGlove.com  
763-450-0110



# RILEY | R104

## GENERAL SPECIFICATION

LENS BASE	4mm
-----------	-----

## PACKAGING

PER BOX	10
PER CASE	1

## COMPONENT SPECIFICATION

COMPONENT	MATERIAL
FRAME	Metal
NOSE BRIDGE	Thermoplastic Elastomers (TPE)
TEMPLE	Thermoplastic TR90, Thermoplastic Elastomers (TPE)
HINGE	Thermoplastic TR90, Metal

## ADDITIONAL INFORMATION

<p>CERTIFICATION LEGEND</p>  <p>or click <a href="#">here</a></p>	<p>DECLARATION OF CONFORMITY</p>  <p>or click <a href="#">here</a></p>	<p>VIEW PRODUCT ONLINE</p>  <p>or click <a href="#">here</a></p>
--	---	---

### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

### Americas

Sales@GlobalGlove.com  
763-450-0110