




orloital











## ORBITAL

Crossing galactic paths.

Orbital paths of multicolored celestial bodies with hypnotically glowing cores. This ingenious design of hand-blown glass lenses, held together by a metal mounting, creates a fascinating visual experience from different angles.

Design by Studio deFORM



loommo



loommo









patina gold fitting







Glass options: polaris white, venus pink, mercury black, clear Fitting options: gold, silver, patina gold



polaris white patina gold fitting



venus pink patina gold fitting



mercury black gold fitting



clear patina gold fitting

wall & ceiling

Glass options: polaris white, venus pink, mercury black, clear Fitting options: gold, silver, patina gold

bommo



polaris white patina gold fitting



venus pink silver fitting



mercury black gold fitting



clear patina gold fitting

table

Glass options: polaris white, venus pink, mercury black, clear Fitting options: gold, silver, patina gold



polaris white + venus pink gold fitting



mercury black + neptune blue black fitting



Glass options: polaris white, venus pink, mercury black, clear Fitting options: gold, silver, patina gold


# technical informations

# **ORBITAL** pendant

Design by Studio deFORM All Bomma products are hand-made from mouth-blown lead-free crystal.

Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



## LIGHTING DESCRIPTION

Size	360 × 254 × 360 mm
	14,2 × 10 × 14,2 inch
Cable	black textile braid 2,5 m / 98,4 inch
Weigh	9 kg / 19,8 lb
Material	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Neptune blue, Mercury black and Pluto green
Mounting Materials	brushed stainelss steel with titan coating / polished stainless steel / polished stainless steel with nitride titan coating / stainless steel with black powder coating
Mounting Colors	patina gold / silver
Protection	IP 20
Nominal voltage	220-230V / A.C. 50 hz (EU)
	100-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

### LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

### **PACKAGING**

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch

Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) represented by Bohemia Machine s.r.o.





## **ORBITAL** table lamp

Design by Studio deFORM All Bomma products are hand-made from mouth-blown lead-free crystal.

Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.





## LIGHTING DESCRIPTION

Size	360 × 435 × 252 mm
	14,2 × 17,1 × 9,9 inch
Cable	black textile braid 1,8 m / 70,9 inch
Weigh	12 kg / 26,4 lb
Material	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Neptune blue, Mercury black and Pluto green
Mounting Materials	brushed stainelss steel with titan coating / polished stainless steel / polished stainless steel with nitride titan coating / stainless steel with black powder coating
Mounting Colors	patina gold / silver
Protection	IP 20
Nominal voltage	220-230V / A.C. 50 hz (EU)
	100-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

## LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

## **PACKAGING**

Material	Cardboard	
Size	510 × 430 × 430 mm	
	20,1 × 16,9 × 16,9 inch	

Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) represented by Bohemia Machine s.r.o.




## **ORBITAL**

# wall & ceiling lighting

Design by Studio deFORM All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



### LIGHTING DESCRIPTION

Size	360 × 155× 360 mm
	14,2 × 6,1 × 14,2 inch
Weigh	6,8 kg / 15 lb
Material	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Neptune blue, Mercury black and Pluto green
Mounting Materials	brushed stainelss steel with titan coating / polished stainless steel / polished stainless steel with nitride titan coating / stainless steel with black powder coating
Mounting Colors	patina gold / silver
Protection	IP 20
Nominal voltage	220-230V / A.C. 50 hz (EU)
	100-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

### LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

## **PACKAGING**

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch


Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) represented by Bohemia Machine s.r.o.



# **ORBITAL** floor lamp

Design by Studio deFORM All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Orbital Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.



## LIGHTING DESCRIPTION

Size	360 × 1500 mm
	14,2 × 59 inch
Cable	black, textile braid 3 m / 118,1 inch
Weigh	35 kg / 77 lb
Material	mouth-blown lead-free crystal with in Moon clear, Venus pink, Polaris white, Neptune blue, Mercury black and Pluto green
Mounting Materials	brushed stainelss steel with titan coating / polished stainless steel / polished stainless steel with nitride titan coating / stainless steel with black powder coating
Mounting Colors	black / gold
Protection	IP 20
Nominal voltage	220-230V / A.C. 50 hz (EU)
	100-120 V / A.C. 60 Hz (USA)
Class	II. EU / I. USA

## LIGHT SOURCE

Туре	G80, 6W LED, 510 lm
Base	E27 EU / E26 USA
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner. Dimmer within the power cable.

## **PACKAGING**

Material	Cardboard
Size	510 × 430 × 430 mm
	20,1 × 16,9 × 16,9 inch
	1550 × 540 × 540 mm
	61 × 21,3 × 21,3 inch
	T



BMRC Group s.r.o. Hvězdova 1716/2b, Prague 4, 140 00, Czech Republic

info@bomma.cz

# step beyond