


GLV 070-08	Sungrow Power Supply Co. L	RT series	
C10/26 - DECLARATION OF CONFORMITY for power-generating units GLV ed2.1.2 (12/2019)			
for the application of annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019)			

The undersigned,	Manufacturer:	Sungrow Power Supply Co., Ltd.	Represented by:	Ion Gherga
	Address:	No. 1699 Xiyou Road, New and High Technology Industrial Development Zone 230088, Hefei, China	Country:	Germany
			email:	i.gherga@sungrow-emea.com
			Telephone:	+44 7585 159507

Hereby declares that each production unit completed in the list in tab 'list of power-generating units' of this homologation application complies with the following conditions:


- The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019).
- In order to substantiate this, a separate technical file has been submitted at least for each separate product series of the 'C10/26 list of power-generating units' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D, duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.

2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is a declaration of honour by the manufacturer, the manufacturer declares by signing and dating this declaration of conformity the correctness of the information (conform / not conform / not applicable) provided by him or her in columns K, L and M of this checklist.

2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate, the necessary test reports and/or certificates are available * in the technical file:

- Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.
- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.

2.3 A list of the document references or the certificates of conformity referred to in the checklist Annex D is also available in the technical file.




Done at:	Munich, Germany			Homologated by Synergrid on: 04/08/2021
On:	02.08.2021			Stamp Synergrid & signature:
(stamp manufacturer & signature)				SYNERGRID a.s.b.l.-v.z.w. Galerie Ravensteingalerij 4/2 BE-1000 Bruxelles/Brusset T.V.A./B.T.W : BE 0402.958.091

* Transition period till 01/05/2020 (see exceptions in chapter 3 of C10/11 ed 2.1 (01/09/2019));

If at the time of submission of this homologation application it is not yet possible to submit all the necessary certificates and/or test reports (exception 3) or the title holder does not yet have all the required characteristics (exceptions 1 and 2), a **temporary homologation** may be granted. All necessary certificates and/or test reports must be in the possession of the title holder at the latest on 30/04/2020 in order to obtain a final homologation. If this is not the case, the temporary C10/26 homologation will be withdrawn.

SYNERGRID
SYNERGRID
BE-1009 Bruxelles/Brussel
TVA BE/NW: BE 0402.958.091



FINAL
HOMOLOGATION



POWER-GENERATING UNITS TO BE HOMOLOGATED FOR LIST C10/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION C10/11 ed2.1 (01/09/2019)
 2. C10/26 list with power-generating units in accordance with annex D of C10/11 ed2.1 (01/09/2019)

GLV 070-01 | Sungrow | RT Series
 checklist ed 2.1.2 (12/2019)

1	2	3	4	5	6		7		8	9	10	11					12			13			14	15				
					ONLY for units (suitable for) energy storage: Name and reference of the power control system		POWER					ADDITIONAL CHARACTERISTICS					LIMITATIONS			APPLICATION			Synergrid approval date					
					power control system type EnFluRI	other power control system	P _{rated} (active) power (W)	S _{max} maximum apparent power (VA)				1-phase or 3-phase	D 3 integrated automatic separation system	D 4 1 "RIG type B ready" = suitable for use if installation ≥ 1 MW	D 4 2 additional operating frequency range (51,5 Hz - 52,5 Hz)	D 4 3 power response to underfrequency	D 7 2 active power reduction (PV)	0 compliant power control system provided (e.g. EnFluRI)	D 7 1 only homologated for "small power-generating installations"	D 4 3 only homologated for connection to HV-network	D 9 1 only homologated for use in modules ≤ 800W	(...) only homologated as a backup power system according to SZ 1.1	Solar energy	Wind energy	CHP (combined heat & power)	Backup power system	Energy storage	Other
	Sungrow	SG3.0RT	SG3.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	3000	3300	3-phase	X	X	X	X			X												
	Sungrow	SG4.0RT	SG4.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	4000	4400	3-phase	X	X	X	X			X												
	Sungrow	SG5.0RT	SG5.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	5000	5000	3-phase	X	X	X	X			X												
	Sungrow	SG6.0RT	SG6.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	6000	6000	3-phase	X	X	X	X			X												
	Sungrow	SG7.0RT	SG7.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	7000	7000	3-phase	X	X	X	X			X												
	Sungrow	SG8.0RT	SG8.0RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	8000	8000	3-phase	X	X	X	X			X												
	Sungrow	SG10RT	SG10RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	10000	10000	3-phase	X	X	X	X			X												
	Sungrow	SG12RT	SG12RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	12000	12000	3-phase	X	X	X	X			X												
	Sungrow	SG15RT	SG15RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	15000	15000	3-phase	X	X	X	X			X												
	Sungrow	SG17RT	SG17RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	17000	17000	3-phase	X	X	X	X			X												

SYNERGRID a.s/b.j.-v.z.w.
 Galerie Ravensteingalerij 4/2
 BE-1000 Bruxelles/Brussel
 T.V.A./B.T.W : BE 0402.958.091

**FINAL
 HOMOLOGATION**

Sungrow	SG20RT	SG20RT	LCD_BERYL-S_V11_V01_A / MDSP_BERYL-S_V11_V01_A	-	-	20000	20000	3-phase	X		X	X	X				X		


SYNERGRID a.s.b.l.-v.z.w.
 Galerie Ravensteingalerij 4/2
 BE-1000 Bruxelles/Brussel
 T.V.A./B.T.W. - BE 0402.958.091



EXPLANATIONS FOR THE COMPLETION OF THE TABLE

Column	Title	Remarks
1	SYNERGRID reference number (GLVxxx-yy-zzzz)	In the case of a positive homology, each C10/26-homologated power-generating unit is given a unique Synergrid reference number: xxx = unique reference or the manufacturer yy = serial number of manufacturer xxx's record xxx zzzz = unique unit reference for the manufacturer xxx <i>Note: "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring".</i>
2	Brand name	Brand name under which the unit is marketed on the Belgian market.
3	Name of the product series	Name of the product range. <i>Note: For each separate product range (or each group of units with common characteristics) a separate checklist according to Appendix D is required (sheet 3) together with the corresponding conformity proof documents.</i>
4	Reference of the model / type of the unit	Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference.
5	Firmware version	Reference of the firmware version of the unit.
6	power control system type EnFluRi	This case is only applicable for units (suitable for) energy storage, provided with a power control system of type EnFluRi: Name and reference of the power control system of type EnFluRi, compliant to the requirements in C10/11 ed2.1 (01/09/2019) §4.1.7 and §7.11.2.1
7	other power control system	This case is only applicable for units (suitable for) energy storage, provided with a power control system of another type than EnFluRi: Name and reference of the power control system, compliant to the requirements in C10/11 ed2.1 (01/09/2019) §7.11.2.2
8	P _{ac} : rated (active) power (W)	Active (electrical) power in W at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and nameplate. (For photovoltaic inverters: see also definition in §3.2.5 of IEC 62894 2016-11)
9	S _{max} - maximum apparent power (VA)	Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure.
10	1-phase or 3-phase	Indicate whether the unit is single- or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network to which the unit can be connected.
11	Additional characteristics	In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file. Put an "X" at each relevant additional characteristic. <i>Note: Only units < 1 MW that are "type B ready" may be applied in an installation ≥ 1 MW (installation "type B" according to the European Network Code RfG). A unit < 1 MW is only "type B ready" if it complies with all optional properties ticked in column I of the checklist Annex D.</i>
12	Limitations	These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex D and the corresponding technical file. Put an "X" to each relevant limitation.
13	Application	Indicate the applications for which the unit is suitable. Include an "X" with each application for which the unit can be used.
14	Synergrid approval date Temporary homology (expires on 01/05/2020)	Date on which the submitted homology file was approved by Synergrid for a limited period of time. - A temporary homology is granted if the applicant invokes exceptions in chapter 3 of C10/11 ed2.1 (01/09/2019) and has not yet submitted all the test reports required for a definitive homology with his homology application (exception 3), or if the units do not yet have all the required properties (exceptions 1 and 2). - The expiry date for a temporary homology is 01/05/2020 - see conditions in chapter 3 of C10/11 ed.2.1 (01/09/2019).


FINAL HOMOLOGATION



15	Synergrid approval date Final homologation	<p>Date on which the submitted homologation file was definitely approved by Synergrid.</p> <ul style="list-style-type: none"> - A final approval will be granted as soon as Synergrid has a fully compliant homologation dossier. - A final homologation only remains valid under the following conditions: <ul style="list-style-type: none"> - No changes that have an influence on the initial approval are made to (the production of) the units. - There is no new edition of prescription C10/11. - The validity date of the test reports in the technical file submitted for approval has not been exceeded. <p>See also the general Synergrid procedure S1/01 for homologation of material, which is applicable. (1)</p>
----	---	--

(1) - S1/01 Technical specification: procedure for application for homologation and renewal of homologation of materials

SYNERGRID a.s.b.l.-v.z.w.
Galerie Ravensteingalerij 4/2
BE-1000 Bruxelles/Brussel
T.V.A./B.T.W : BE 0402.958.091



**FINAL
HOMOLOGATION**



[Faint handwritten notes]