| GLV269-06 | ANKER | Anker SOLIX Solarbank 3 E2700 Pro |
|---|---|---|

# C10/26 - DECLARATION OF CONFORMITY for power-generating units

GLV ed2.1.3 (03/2025)

**for compliance with annex D "*Technical basic requirements regarding the power-generation units* "of the Synergrid prescription C10/11 ed2.3 (17/10/2024).**

| | | | | |
|---|---|---|---|---|
| The undersigned, | Manufacturer: | Anker Innovations Limited | Represented by: | Charlie Zeng |
| | Address: | Unit 56, 8th Floor, Tower 2, Admiralty Centre, | Country: | China |
| | | 18 Harcourt Road, Central and Western | email: | charlie.zeng@anker-in.com |
| | Country: | District, HONG KONG, China | Telephone: | 134173262617 |

**Hereby declares that each production unit completed in the list in tab 2 '*list of power-generating units* ' of this homologation application complies with the following conditions:**

1. The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.3 (17/10/2024).

2. In order to substantiate this, a technical file has been submitted for each product series of the '*C10/26 list of power-generating units* ' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D, duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.

2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is **a declaration of honour** by the manufacturer, no additional documents are needed. By signing and dating this declaration of conformity, the manufacturer declares the correctness of the information (compliant / non-compliant / not applicable) provided by him or her in columns K, L and M of this checklist.

2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate, the necessary test reports and/or certificates are available in the technical file:

- Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.
- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.

| | | | |
|---|---|---|---|
| Manufacturer's signature: | **Digitally signed, see last page** | Homologated by Synergrid on: | 12/06/2025 |
| | | Synergrid signature: | **Digitally signed, see last page** |

**POWER-GENERATING UNITS TO BE HOMOLOGATED FOR THE LIST C10/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION C10/11 ed2.3 (17/10/2024)**

**2. C10/26 list with power-generating units in accordance with annex D of C10/11 ed2.3 (17/10/2024)**

| | | |
|---|---|---|
| **GLV269-06** | ANKER | Anker SOLIX Solarbank 3 E2700 Pro |

checklist ed2.1.3 (03/2025)

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | | | 12 | | | | 13 | | | | | | 14 | 15 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | ONLY for units (suitable for) energy storage: Name and reference of the power control system | | POWER | | | ADDITIONAL CHARACTERISTICS | | | | | | LIMITATIONS | | | | APPLICATION | | | | | | | |
| | | | | | | | | | | D.3 | (...) | D.4.1 | D.6.2 | D.7.2 | () | D.7.1 | D.4.3 | D.9.1 | (...) | | | | | | | | |
| **SYNERGRID reference number (GLVxxx-yy-zzzz)** | **BRAND NAME** | **Name of the product SERIES** | **REFERENCE of the model / type of the unit** | **FIRMWARE VERSION** | **power control system type EnFluRi** | **other power control system** | **$P_{ac,r}$ rated (active) power (W)** | **$S_{max}$ maximum apparent power (VA)** | **1-phase or 3-phase** | integrated automatic separation system | "RfG type B ready" = suitable for use in installation ≥ 1MW | additional operating frequency range (51,5 Hz - 52,5 Hz) | power response to underfrequency | active power reduction P(U) | compliant power control system provided (e.g. EnFluRi) | only homologated for "small power-generating installations" | only homologated for connection to HV-network | only homologated for use in module < 800W | only homologated as a backup power system according to §2.1.1 | Solar energy | Wind energy | CHP (combined heat & power) | Energy storage | Backup power system | Other | Additional information | **Synergrid homologation approval date** |
| GLV269-06-0001 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0002 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-1 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0003 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-2 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0004 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-3 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0005 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-4 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0006 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-5 | V1.0 | Anker A17X7 | | 800 | 800 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0007 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0008 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20-1 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0009 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20-2 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0010 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20-3 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0011 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20-4 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |
| GLV269-06-0012 | Anker | Anker SOLIX Solarbank 3 E2700 Pro | A17C53Z1-20-5 | V1.0 | Anker A17X7 | | 1,200 | 1,200 | 1-phase | X | | | X | X | X | | | | | X | | | X | X | | Plug&play | 12/06/2025 |

**EXPLANATIONS FOR THE COMPLETION OF THE TABLE**

| Column | Title | Remarks |
|---|---|---|

| | | |
|---|---|---|
| 1 | SYNERGRID reference number<br>(GLVxxx-yy-zzzz) | In the case of a positive homologation, each C10/26-homologated power-generating unit is given a unique Synergrid reference number:<br>xxx = unique reference or the manufacturer<br>yy = serial number of manufacturer xxx's record xxx<br>zzzz = unique unit reference for the manufacturer xxx<br>Note : "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring". |
| 2 | Brand name | Brand name under which the unit is marketed on the Belgian market. |
| 3 | Name of the product series | Name of the product range.<br>Note: For each separate product range (or each group of units with common characteristics) a separate checklist according to Appendix D is required (sheet 3) together with the corresponding conformity proof documents. |
| 4 | Reference of the model / type of the unit | Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference. |
| 5 | Firmware version | Reference of the firmware version of the unit. |
| 6 | power control system type EnFluRi | This case is only applicable for units (suitable for) energy storage, provided with a power control system of type EnFluRi: Name and reference of the power control system of type EnFluRi, compliant to the requirements in C10/11 ed2.3 (17/10/2024) §4.1.7 and §7.11.2.1 |
| 7 | other power control system | This case is only applicable for units (suitable for) energy storage, provided with a power control system of another type than EnFluRi: Name and reference of the power control system, compliant to the requirements in C10/11 ed2.3 (17/10/2024) §7.11.2.2 |
| 8 | $P_{ac,r}$ rated (active) power (W) | Active (electrical) power in W at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and nameplate.<br>(For photovoltaic inverters: see also definition in §3.2.5 of IEC 62894 2016-11) |
| 9 | Smax - maximum apparent power (VA) | Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure. |
| 10 | 1-phase or 3-phase | Indicate whether the unit is single- or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network to which the unit can be connected. |
| 11 | Additional characteristics | In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file.<br>Put an "X" at each relevant additional characteristic.<br>**Note:** Only units < 1 MW that are "type B ready" may be applied in an installation ≥ 1 MW (installation "type B" according to the European Network Code RfG). A unit < 1 MW is only "type B ready" if it complies with all optional properties ticked in column I of the checklist Annex D. |
| 12 | Limitations | These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex D and the corresponding technical file.<br>Put an "X" to each relevant limitation. |
| 13 | Application | Indicate the applications for which the unit is suitable.<br>Include an "X" with each application for which the unit can be used. |
| 14 | Additional information | Additional information about the application of the unit(s): Plug&play, Suitable for V2G, Generator (gas), Generator (hydro), Generator (diesel), Generator (biomass), … . |
| 15 | Synergrid homologation approval date | Date on which the submitted homologation file was approved by Synergrid.<br>- An approval will be granted as soon as Synergrid has a fully compliant homologation dossier.<br>- A homologation only remains valid under the following conditions:<br>- No changes that have an influence on the initial approval are made to (the production of) the units.<br>- There is no new edition of prescription C10/11, or the homologation remains valid under the most recent edition of the prescription C10/11.<br>- The validity date of the test reports in the technical file submitted for approval has not been exceeded.<br>See also the general Synergrid procedure S1/01 for homologation of material, which is applicable.<br>See also the general Synergrid procedure S1/01 for homologation of material, which is applicable. |

PENNEO

*The signatures in this document are legally binding. The document is signed using Penneo™ secure digital signature. The identity of the signers has been recorded, and are listed below.*

*"By my signature I confirm all dates and content in this document."*

**Charlie Zeng**
**Signataire 1**
*Serial number: charlie.zeng@anker-in.com*
*IP: 63.222.xxx.xxx*
*2025-06-20 04:17:29 UTC*

**Malbrancke Marc August M**
**Signataire 2**
*Serial number: 75:27:E9:A0:9E[…]A2:08:FC:D6:E*
*IP: 78.29.xxx.xxx*
*2025-06-20 05:25:20 UTC*