



TECHNICAL FILE
FS985
TRIPOD KIT

**FALL
SAFE**
We do it. You're safe!

FS985 TRIPOD KIT

FS970 | TWO PERSON ALUMINUM TRIPOD

- Provides a safe anchor point
- Height 1,55-2,55m
- Weight 15 Kg
- CE EN795-B



FS833 | LOAD WINCH 250 KG LOADS

- Swing Cheek Pulley for attaching a Load Winch Cable when a Load Winch is mounted onto an FS970 Aluminium Rescue Tripod.
- This Swing Cheek Pulley is clipped onto the eye bolt at the top of the tripod with the Load Winch Cable passing through it.
- Material: Stainless Steel



FS833

FS971 | BRACKET FOR TRIPOD

- Mounting Bracket for the attachment of an I Aluminium Tripod FS970
- This Mounting Bracket is mounted onto one leg of the Tripod and then allows the Load winch to be attached to the Tripod
- Weight 1.0kg



FS971

FS960-18M | FALL ARREST BLOCK ALUMINUM HOUSING WIRE WINCH

- The fall arrest block is equipped with a winching unit that can easily be attached into place by a second person in a rescue situation after a fall or in the event of unconsciousness resulting from gases in shafts.
- The person who has suffered the accident can therefore be rescued quickly and safely.
- The interior parts are made from stainless steel and case in aluminium.
- The Tripod was especially developed for a rapid setup in conjunction with fall arrest block FS960, does not have loose parts and can be assembled and disassembled within minutes during an application.
- It's corrosion-resistant coating, high quality and reliability.



FS960-18