



## PROFESSIONAL

### FS243.01

#### SPINDEL® COMBO 1

SPINDEL® COMBO 1 is the original SPINDEL® harness. This is a joining of the FS243.04 Chest and the FS243.03 Belt, making it a full body harness. The top of the harness surrounds the user with its four arms, which significantly increases the support of the user's torso, allowing the user to maintain a correct position even after long hours in suspension. Both the top and bottom have the usual Croc 3.0 padding, whose various layers have been designed to allow airflow without sacrificing comfort. This ensures that the wearer stays cool even in the hottest weather conditions. This harness is identified with RFID tag, S/N tag and QR code for easy tracking and control.



#### TECHNICAL INFORMATION

|              |                                                       |
|--------------|-------------------------------------------------------|
| LIFESPAN     | 10                                                    |
| MAXIMUM LOAD | CE - 140kg                                            |
| INSPECTION   | Yearly                                                |
| TRACEABILITY | S/N<br>RFID<br>QR Code                                |
| STANDARDS    | CE - EN361:2002<br>CE - EN358:2018<br>CE - EN813:2008 |
| INTRASTAT    | 63079098                                              |

PRODUCT PHOTOS



**SPECIFICATIONS**

|                                |                                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| METAL PARTS                    | Aluminium, steel                                                                                                         |
| TEXTILE PARTS                  | Polyester                                                                                                                |
| OTHER COMPONENTS MATERIAL      | PA6, silicone                                                                                                            |
| WEBBING TYPE                   | PES 45mm water-repellent                                                                                                 |
| D-RINGS                        | Front, back, ventral and side                                                                                            |
| ANCHOR POINTS (A)              | 5                                                                                                                        |
| SHOULDER PADDING               | Yes - Croc Smooth Padding 3.0                                                                                            |
| LUMBAR PADDING                 | Yes - Croc Smooth Padding 3.0                                                                                            |
| LEG PADDING                    | Yes                                                                                                                      |
| PADDING MATERIAL               | TPU, EVA, PA, high visibility mesh and fabric PES                                                                        |
| SEAT CONNECTION POINT          | Yes                                                                                                                      |
| TOOL HOLDERS                   | 9                                                                                                                        |
| TOOL HOLDERS MAX LOAD          | 15kg                                                                                                                     |
| ADJUSTMENT POINTS              | 9                                                                                                                        |
| BUCKLES                        | 4 ALU IZY quick connect buckles; 5 ST 3-bar buckles                                                                      |
| FALL ARREST INDICATORS         | Yes                                                                                                                      |
| LANYARD KEEPERS                | Yes                                                                                                                      |
| WEIGHT PER SIZE   EAN PER SIZE | FS243.01-S/M - 2.10kg - 5605423571172<br>FS243.01-L/XL - 2.45kg - 5605423571080<br>FS243.01-XXL - 2.80kg - 5605423820188 |



## PROFESSIONAL

### FS243.01

#### SPINDEL® COMBO 1

SPINDEL® COMBO 1 é o arnês SPINDEL® original. Este é uma junção do peito FS243.04 e do cinto FS243.03, tornando-se um arnês de corpo inteiro. O topo do arnês envolve o utilizador com os seus quatro braços, o que aumenta significativamente o suporte do tronco do utilizador, permitindo que mantenha uma posição correta mesmo após longas horas em suspensão. Tanto a parte superior como a parte inferior têm o habitual padding Croc 3.0, cujas várias camadas foram projetadas para permitir o fluxo de ar sem prescindir do conforto. Isto garante que o utilizador se mantenha fresco, mesmo em condições meteorológicas mais quentes. Este arnês está identificado com tag RFID, etiqueta S/N e código QR para fácil rastreabilidade e controlo.



#### Informação Técnica

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| TEMPO DE VIDA ÚTIL | 10                                                    |
| CARGA MÁXIMA       | CE - 140kg                                            |
| INSPEÇÃO           | Yearly                                                |
| RASTREABILIDADE    | S/N<br>RFID<br>QR Code                                |
| NORMAS             | CE - EN361:2002<br>CE - EN358:2018<br>CE - EN813:2008 |
| INTRASTAT          | 63079098                                              |

## Imagens do Produto



**ESPECIFICAÇÕES**

|                                           |                                                                                                                          |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| COMPONENTES METÁLICOS                     | Aluminium, steel                                                                                                         |
| COMPONENTES TÊXTEIS                       | Polyester                                                                                                                |
| OUTROS MATERIAIS                          | PA6, silicone                                                                                                            |
| TIPO DE FITA                              | PES 45mm water-repellent                                                                                                 |
| D-RINGS                                   | Front, back, ventral and side                                                                                            |
| PONTOS DE ANCORAGEM (A)                   | 5                                                                                                                        |
| PADDING OMBROS                            | Yes - Croc Smooth Padding 3.0                                                                                            |
| PADDING LOMBAR                            | Yes - Croc Smooth Padding 3.0                                                                                            |
| PADDING PERNA                             | Yes                                                                                                                      |
| MATERIAL DO PADDING                       | TPU, EVA, PA, high visibility mesh and fabric PES                                                                        |
| PONTO LIGAÇÃO DE CADEIRA                  | Yes                                                                                                                      |
| SUPORTE DE FERRAMENTAS                    | 9                                                                                                                        |
| CAPACIDADE MÁX. DO SUPORTE DE FERRAMENTAS | 15kg                                                                                                                     |
| PONTOS DE AJUSTE                          | 9                                                                                                                        |
| FIVELAS                                   | 4 ALU IZY quick connect buckles; 5 ST 3-bar buckles                                                                      |
| INDICADORES DE QUEDA                      | Yes                                                                                                                      |
| SUPORTE DE LONGES                         | Yes                                                                                                                      |
| PESO POR TAMANHO   EAN POR TAMANHO        | FS243.01-S/M - 2.10kg - 5605423571172<br>FS243.01-L/XL - 2.45kg - 5605423571080<br>FS243.01-XXL - 2.80kg - 5605423820188 |