

PROFESSIONAL

FS883

TOGGLE ANCHOR



FALL SAFE® FS883 is a versatile, portable steel anchor used exclusively for fall protection. The toggle lock can be placed on horizontal, vertical and overhead/ceiling surfaces. It has a 20mm expander screw.



TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN795:2012-B
INTRASTAT	73269098

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	Steel alloy
CLASS	B
MAX STRENGTH	12kN
MAX RATED LOAD	140kg
MAX USERS NO.	1
WEIGHT PER SIZE EAN PER SIZE	FS883 - 0.27kg - 5605423820348

PROFESSIONAL

FS883

TOGGLE ANCHOR



FALL SAFE® FS883 é uma ancoragem versátil, portátil de aço, usada exclusivamente para proteção contra quedas. A trava de alternância pode ser colocada em superfícies horizontais, verticais e superiores/teto. Possui um parafuso expensor de 20mm.



Informação Técnica

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN795:2012-B
INTRASTAT	73269098

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	Steel alloy
CLASSE	B
FORÇA MÁX	12kN
CARGA MÁXIMA	140kg
Nº MÁX UTILIZADORES	1
PESO POR TAMANHO EAN POR TAMANHO	FS883 - 0.27kg - 5605423820348