

NLG Small D Ring Tool Tether

101361



NLG Small D Ring Tool Tether

Product code: 101361

PRODUCT BRIEF / 101361

Attach the Small D Ring Tool Tether with Tether Tape to create an instant attachment point on any small hand tool.

NLG D Ring Tool Tethers form part of NLG's unique Instant Tether System™ for stopping dropped objects and is well established as the preferred option for workers at height. They can be retro-fitted to almost any tool avoiding the unnecessary expense of buying new tools or the associated downtime of sending tools off site to be adapted for tethering.

When used with Tether Tape™, the NLG D Ring Tether Points provide a solution to a multitude of tools commonly used at work – pliers, scaffold spanners, nips, chisels, knives etc – in fact, almost any hand tool up to a maximum weight limit of 1kg, or up to 3kg if used in conjunction with its big brother.

As an integral part of a tool kit, the NLG D-Ring Tether and Tether Tape™ provide a versatile and quick solution to keep tools safe when working at height and means that no worker will have to waste time again on site through a lack of correctly tethered tools.

INSTRUCTIONS

- 1/ Select the correct D Ring Tether for you tool.
- 2/ Cut a length of Tether Tape long enough to wrap around the tool at least 8 times. Remove the plastic backing.
- 3/ Check the tool is clean and locate the D Ring Tether, ensuring that the label is facing up. Wrap the Tether Tape around the D Ring Tether, leaving the webbing catch exposed.
- 4/ Ensure that the Tether Tape is firmly stretched during application. The self-fusing technology is activated when stretched between 5-10% and causes it to fuse permanently.
- 5/ Test the tether point before putting the tool into use.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

VIDEO GUIDE



Watch online:
neverletgo.com/tool-tether-guide

Specification

- Super strong welded D Ring
- Extended product life with high strength, wear resistant webbing
- Extra deep catch design for ultimate security
- Faster visual inspections with contrast stitching
- Works with Tether Tape™
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 60mm x 12mm
- Max Load: 1KG [2.2lbs]

MAX LOAD (SWL)

1KG / 2.2LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA


Weight: 12 Grams
EAN (GTIN-13): 5060572180055
HTS Code: 6307.90.9899



Third party
tested and
certified

See the
Test Certificate
on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-106361

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
1 KG

Product:
Small D Ring Tool Tether

Safety Factor:
2 : 1

Reference:
101361

Test Load:
2 KG

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
20-03-17

Position:
Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101361106**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101361
 DESCRIPTION: Small D Ring Tool Tether
 LOAD RATING: 1 KG / 2.2 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-106361
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity

ANSI/ISEA 121-2018

REFERENCE NUMBER: 121101361106

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101361
 DESCRIPTION: Small D Ring Tool Tether
 LOAD RATING: 1 KG / 2.2 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)
 BSTL, Whittle Road
 Ferndown Ind. Estate, BH21 7RL, UK
 CERTIFICATE NUMBER: 43332DTA-NLG-106466
 DATE: 20-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





NLG Small D Ring Tool Tether

Product code: 101361

View online

neverletgo.com/small-d-ring-tool-tether/

Get all the Product Briefs

neverletgo.com

Tool Tethering Experts
neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.