


Product Brief

# NLG Short Coil Tool Lanyard, Quick Clip

101364



# NLG Short Coil Tool Lanyard, Quick Clip

Product code: 101364

The ultra compact design of the Short Coil Tool Lanyard makes it ideal for wristband use or confined spaces.

The NLG Short Coil Lanyard is the tool lanyard of choice for workers using tools up to 3kg. Designed to be used in conjunction with the NLG Adjustable Wristband it allows the tools to be very quickly connected and disconnected.

The Short Coil Tool Lanyard has 360° Quick Clip™ connectors facilitating the movement of all types of rotating tools from screwdrivers to spanners and is comfortable enough to use for a whole shift as the Quick Clips™ are specially adapted for use with gloves.

---

## INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

## Specification

- Ultra compact design stays neatly out of the way and reduces snagging hazards
- Ideal for use with NLG Wristband
- Equipped with Quick Clips™ for rapid connection and effortless use with gloves
- Dual spin connector design eradicates coil tension during use
- Anti-puncture wipe clean sleeve makes cleaning easy
- PU core is both strong and lightweight
- Toughened inspection tag is built for harsh environments
- Unique serial number for easy identification and tracking
- CE marked
- Dynamic load tested and third party certified [2:1 safety factor]
- Dimensions: Extends from 4cm to 70cm
- Max Load: 3KG [6.6lbs]

---

MAX LOAD (SWL)

3KG / 6.6LBS

---

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

---

PRODUCT DATA

Weight: 90 Grams  
EAN (GTIN-13): 5060572180192  
HTS Code: 7326.90.9890



Third party  
tested and  
certified

See the  
Test Certificate  
on page 5







## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42815DT-NLG-125364

#### PRODUCT IDENTIFICATION

**Manufacturer:**  
NLG

**Max Load (WLL):**  
3 KG

**Product:**  
Short Coil Tool Lanyard, Quick Clip

**Safety Factor:**  
2 : 1

**Reference:**  
101364

**Test Load:**  
6 KG

#### TEST TECHNICIAN

**Signature:**

**Name:**  
Gary Paterson

**Date:**  
21-03-17

**Position:**  
Senior Lab Technician

#### TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101364125**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101364  
 DESCRIPTION: Short Coil Tool Lanyard, Quick Clip  
 LOAD RATING: 3 KG / 6.6 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42815DT-NLG-125364  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





# NLG Short Coil Tool Lanyard, Quick Clip

Product code: 101364

View online

[neverletgo.com/short-coil-tool-lanyard/](https://neverletgo.com/short-coil-tool-lanyard/)

Get all the Product Briefs

[neverletgo.com](https://neverletgo.com)

**Tool Tethering Experts**

[neverletgo.com](https://neverletgo.com)

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.