Product Brief

NLG Bungee Tool Lanyard





NLG Bungee Tool Lanyard Product code: 101372

The Bungee Tool Lanyard is one of the most popular and versatile lanyards for tool tethering because of its easy-stretch durable webbing and anti-tangle 360° carabiner.

Widely recognised as the first choice in tool tethering, the NLG Bungee Lanyard is in a class of its own. The convenience of the self-retracting bungee webbing keeps the lanyard out of the way, ensuring it has minimal resistance to movement in the most gruelling reach work.

A dual action carabiner that rotates freely through 360° avoiding twists and tangles and the tough climbing cord loop allows attachment to an anchor point or directly to a captive hole or handle on the tool itself.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Lightweight, fully anodised aluminium carabiner with antitangle swivel mechanism
- High-performance secure locking gate prevents accidental opens
- Extended product life with high strength, wear resistant webbing
- Rugged climbing cord loop allows for quick cinching
- Faster visual inspections with contrast stitching
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified [2:1 safety factor]
- Dimensions: Extends 80cm to120cm
- Max Load: 5KG (11lbs)

MAX LOAD (SWL)

5KG / 11LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 90 Grams EAN (GTIN-13): 5060572180246 HTS Code: 5609.00.4000



Third party tested and certified

> See the Test Certificate on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42815DT-NLG-131372

PRODUCT IDENTIFICATION Manufacturer: NLG

Product: Bungee Tool Lanyard

Reference: 101372

Max Load (WLL): 5 KG

Safety Factor: 2:1

Test Load: 10 KG

TEST TECHNICIAN

Signature: Date: 21-03-17

Name: Gary Paterson

Position: Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

 United Kingdom Accreditation Service

 Inited Kingdom Accreditation Service

 ACCREDITATION CERTIFICATE

 Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

 • Fully Equipped Laboratory for CE Type Approval Testing

 • Product Trial testing for specific test

 • CE Technical File review and consultancy advice

 • CE Certification facilitation through a partner Notified Body

 08444 915 1111

 17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101372131

01 / Manufacturer

NAME:	NLG	CODE:	101372	
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	Bungee Tool Lanyard	
	Poole, Dorset, BH12 4NQ	LOAD RATING:	5 KG / 11 LBS	
	United Kingdom			

02 / Product

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation [EU] 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop perfomance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42815DT-NLG-131372

ISSUED BY:	BSTL, Whittle Road
	Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	25 / 04 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go

121101372131

REFERENCE NUMBER:

Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions

01 / Manufacturer

02/	Product	

NAME:	NLG	CODE:	101372
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	Bungee Tool Lanyard
	Poole, Dorset, BH12 4NQ	LOAD RATING:	5 KG / 11 LBS
	United Kingdom		
-			

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY:	[Independent third party]
	BSTL, Whittle Road
	Ferndown Ind. Estate, BH217RL, UK
CERTIFICATE NUMBER:	43333DTA-NLG-131466
DATE:	21-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	13 / 09 / 18	

Tool Tethering Experts neverletgo.com







NLG Bungee Tool Lanyard Product code: 101372

View online neverletgo.com/bungee-tool-lanyard/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.