


NLG Tool Holster

101470



NLG Tool Holster

Product code: 101470

PRODUCT BRIEF / 101470

With two approved anchor points and a universal attachment for all belts and harnesses, the NLG Tool Holster has been specifically developed for use with tools used at height.

The NLG Tool Holster has been specifically developed for use with tools used at height. With two load-rated anchor points for tool lanyards and incorporating the unique Magnox™ magnetic plate for added tool security in the event of holster becoming inverted, the NLG Tool Holster provides a proven solution for those using hand tools when working at height.

The Quick Connect™ clips on the rear of the bag allow it to be attached to a belt or harness.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Unique Magnox™ magnetic plate ensures added security and holds tools in place once inserted in the holster
- Mega Mesh™ lining for improved visibility and wear
- 2 Integrated anchor points for convenient tool lanyard attachment
- Universal fit with Quick Connect™ buckles for easy attachment to belt, or harness
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 22cm (H) x 10cm (W) x 5cm (D)
- D Ring Anchor Max Load: 5KG (11lbs)
- Max Load: 5KG (11lbs)

MAX LOAD (SWL)

5KG / 11LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA



Weight: 315 Grams
EAN (GTIN-13): 5060572180543
HTS Code: 4202.92.9890



Third party
tested and
certified

See the
Test Certificate
on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

43151DT-NLG-154470

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
5 KG

Product:
Tool Holster

Safety Factor:
2 : 1

Reference:
101470

Test Load:
10 KG

TEST TECHNICIAN

Signature:

Name:

Gary Paterson

Date:

23-03-17

Position:

Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101470154

01 / Manufacturer

NAME: NLG
ADDRESS: 6 Mannings Heath Road
Poole, Dorset, BH12 4NQ
United Kingdom

02 / Product

CODE: 101470
DESCRIPTION: Tool Holster
LOAD RATING: 5 KG / 11 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 43151DT-NLG-154470
ISSUED BY: BSTL, Whittle Road
Ferndown Ind. Estate, BH21 7RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
NAME: Julian Aris
POSITION: Managing Director
DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity
ANSI/ISEA 121-2018

REFERENCE NUMBER: 121101470154

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG
ADDRESS: 6 Mannings Heath Road
Poole, Dorset, BH12 4NQ
United Kingdom

02 / Product

CODE: 101470
DESCRIPTION: Tool Holster
LOAD RATING: 5 KG / 11 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby
declares that the product described in [02] meets all
applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1
TEST FACILITY: (Independent third party)
BSTL, Whittle Road
Ferndown Ind. Estate, BH21 7RL, UK
CERTIFICATE NUMBER: 43334DTA-NLG-154466
DATE: 22-08-18

04 / Authorised Person

I herewith certify that the equipment
identified above in [02] conforms to
the requirements as detailed above:

SIGNED: 
NAME: Julian Aris
POSITION: Managing Director
DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





NLG Tool Holster

Product code: 101470

View online

neverletgo.com/tool-holster/

Get all the Product Briefs

neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.