


# NLG Coil Tool Lanyard

101370



# NLG Coil Tool Lanyard

Product code: 101370

PRODUCT BRIEF / 101370

The NLG Coil Tool Lanyard combines great reach and compact lightweight design with tangle-free double action carabiners.

The NLG Non-conductive Short Coil Tool Lanyard has been developed for use in areas demanding metal-free products - for example electrical work, hygiene areas and nuclear industries. The heat and puncture resistant coating encapsulates a reinforced, non-conductive core with plastic connectors each end.

This tool lanyard has been developed for use with the Adjustable Wristband and is ideal for the quick connection of smaller hand tools and working in confined work areas. The specially designed connectors rotate through 360° making the lanyard suitable for use with screwdrivers and other tools that must rotate freely up to a weight limit of 1kg.

---

## INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

## Specification

- Ultra compact design stays neatly out of the way and reduces snagging hazards
- Lightweight, fully anodised aluminium carabiner with anti-tangle swivel mechanism
- High-performance secure locking gate prevents accidental opens
- Dual spin connector design eradicates coil tension during use
- Anti-puncture wipe clean sleeve makes cleaning easy
- Robust aircraft cable core builds in dependable protection
- Toughened inspection tag is built for harsh environments
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: Extends from 10cm to 170cm
- Max Load: 3KG (6.6lbs)

---

MAX LOAD (SWL)

3KG / 6.6LBS

---

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

---

PRODUCT DATA

Weight: 135 Grams  
EAN (GTIN-13): 5060572180215  
HTS Code: 7326.90.9890



Third party  
tested and  
certified

See the  
Test Certificate  
on page 5







## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42815DT-NLG-127370

#### PRODUCT IDENTIFICATION

Manufacturer:  
NLG

Max Load (WLL):  
3 KG

Product:  
Coil Tool Lanyard

Safety Factor:  
2 : 1

Reference:  
101370

Test Load:  
6 KG

#### TEST TECHNICIAN

Signature:

Name:  
Gary Paterson

Date:  
21-03-17

Position:  
Senior Lab Technician

#### TEST RESULTS

| SAMPLE NUMBER | FACTOR 0 | FACTOR 1 DROP 1 | FACTOR 1 DROP 2 | FACTOR 1 DROP 3 | FACTOR 2 DROP 1 | FACTOR 2 DROP 2 | FACTOR 2 DROP 3 |
|---------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 2             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 3             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |

#### United Kingdom Accreditation Service

##### ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101370127**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101370  
 DESCRIPTION: Coil Tool Lanyard  
 LOAD RATING: 3 KG / 6.6 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42815DT-NLG-127370  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)



# Declaration of Conformity

## ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101370127**

American National Standard for  
Dropped Objects Prevention Solutions

### 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

### 02 / Product

CODE: 101370  
 DESCRIPTION: Coil Tool Lanyard  
 LOAD RATING: 3 KG / 6.6 LBS

### 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)  
 BSTL, Whittle Road  
 Ferndown Ind. Estate, BH21 7RL, UK  
 CERTIFICATE NUMBER: 43333DTA-NLG-127466  
 DATE: 21-08-18

### 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 13 / 09 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





# NLG Coil Tool Lanyard

Product code: 101370

View online

[neverletgo.com/coil-tool-lanyard/](https://neverletgo.com/coil-tool-lanyard/)

Get all the Product Briefs

[neverletgo.com](https://neverletgo.com)

**Tool Tethering Experts**  
[neverletgo.com](https://neverletgo.com)

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.