

NLG



NLG MEWP Bag

Product code: 101423

The MEWP Tool Bag is a large tool bag designed to quickly attach an approved rail on an elevated working platform or scaffold.

The NLG MEWP Tool Bag is specifically designed for workers at height or on elevated working platforms that need a secure tool bag. It can be attached quickly and securely to any approved rail on a MEWP, scissor lift, cherry picker or scaffold using its unique $TriLock^{TM}$ attachment system.

Utilising a range of advanced materials, this exceptionally durable bag has 6 load-rated attachment rings internally and 2 externally, a main compartment divided into 3 pockets, lined with a high-vis mesh for improved visibility within the pockets and small mesh pockets on the front of the bag for the storage small items. Additional elasticated loops at the base of the bag prevent any tilting of the bag in use.

The NLG MEWP Tool Bag is ideal for shared workspaces and has been proven to perform in some of the harshest working conditions known.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

Specification

- Main compartment divided into 3 organisation pockets making it ideal for shared workspaces
- Features lightweight hi vis NLG Mega Mesh™ lining for improved internal visibility
- 4 External pockets for storage of small parts and tools
- 7 Integrated anchor points (5kg each) for multiple tool lanyard attachment
- TriLock™ Velcro mounting straps for easy attachment to rail or scaffolding
- Stabilisation loops attach quickly to a lower rail to provide extra stability
- Constructed from heavy duty PVC which is both UV stabilised and mildew resistant
- Structurally engineered to withstand dynamic impact forces
- Easy wipe clean coating makes light work of maintenance
- 3 drain vents built in to keep tool bag ventilated and dry
- Hi vis reflective bars improve safety and detection in low light conditions
- Unique serial number for easy identification and tracking
- CE marked
- Load tested and third party certified (4:1 safety factor)
- Dimensions: 37cm (H) x 45cm (W) x 15cm (D)
- D Ring Anchor Max Load: 5KG (11lbs) Each
- Max Load: 30KG [66lbs]

MAX LOAD (SWL)

30KG / 66LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 1130 Grams


EAN [GTIN-13]: 5060572180512 HTS Code: 6307.90.9889



Third party tested and certified

See the Test Certificate on page 5







Breathe Safety Testing Laboratory

DROP TEST CERTIFICATE

42817DT-NLG-161423

Manufacturer: **PRODUCT** Max Load (WLL):

IDENTIFICATION NLG 30 KG (D Ring Anchor: 5 KG)

> **Product:** Safety Factor:

MEWP Bag 5:1 (D Ring Anchor: 2:1)

Reference: Test Load:

150 KG (D Ring Anchor: 10 KG) 101423

TEST TECHNICIAN Signature: Name: Gary Paterson

Position:

Date:

23-03-17 Senior Lab Technician

TEST RESULTS *D Ring Anchor Test

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
2	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
3	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*

United Kingdom Accreditation Service ACCREDITATION CERTIFICATE



Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the $laboratory. \ Any\ deviations\ from\ specific\ test\ methods\ are\ described\ in\ the\ relevant\ section\ of\ the\ report.$

- Fully Equipped Laboratory for CE Type Approval Testing
 Product Trial testing for specific tests
 CE Technical File review and consultancy advice
 CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101423161

01 / Manufacturer

02 / Product

NAME:	NLG	CODE:	101
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	ME
	Poole, Dorset, BH12 4NQ	LOAD RATING:	30
	United Kingdom		

CODE:	101423
DESCRIPTION:	MEWP Bag
LOAD RATING:	30 KG / 66 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby Dynamic drop performance testing conducted at 2:1 weight declares that:

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER:	42817DT-NLG-161423
ISSUED BY:	BSTL, Whittle Road
	Ferndown Ind. Estate. BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami
NAME:	Julian Aris
POSITION:	Managing Director
DATE:	25 / 04 / 18

Tool Tethering Experts neverletgo.com



Never Let Go



NLG MEWP Bag Product code: 101423

View online neverletgo.com/mewp-bag/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.