

Product Brief

NLG Tether Loop™

101380 / 120mm

101381 / 150mm

101413 / 170mm



NLG Tether Loop™

PRODUCT BRIEF / TETHER LOOP

Product code: 101380 / 120mm; 101381 / 150mm; 101413 / 170mm

Tether Loops™ make great all-round tether points that are effortless to self-install, anywhere at anytime.

NLG Tether Loops™ create a rapid tether points suitable for any tool with a captive hole or handle – or even a shaped tool. So whether it's a hammer, saw or spanner, Tether Loops™ are effortless to self-install anywhere at anytime.

With its specially developed one-way thread and Lock Alert™ indicator for checking it is correctly installed, NLG Tether Loops™ are a simple and time saving method of creating an attachment point that is approved and third-party tested. Each Tether Loop™ comes with its own unique serial number. A tough aircraft grade steel core with an extended thread mechanism ensures a fail-safe attachment point for tools up to 3kg in weight.

Available in three sizes.

INSTRUCTIONS

- 1/ Select the correct size of Tether Loop that allows enough room for lanyard connection.
- 2/ Pass the Tether Loop through a captive hole or handle in the tool.
- 3/ Align the thumb screw and the threaded head and tighten until fully locked.
- 4/ Permanent Fixture Option - Apply a small amount of Loctite threadlocking glue to the thread before finally tightening.
- 5/ Test the tether point before putting the tool into use.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

VIDEO GUIDE



Watch online:
neverletgo.com/tool-tether-guide

Specification

- Installation is fast and easy with secure locking thumb screw
- Tough aircraft grade steel core
- Anti-puncture, abrasion resistant PU protective sleeve makes maintenance effortless
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions:
 - 120mm diameter [101380]
 - 150mm diameter [101381]
 - 170mm diameter [101413]
- Max Load: 3KG [6.6lbs]

MAX LOAD (SWL)

3KG / 6.6LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

101380

Weight: 5 Grams

EAN (GTIN-13) : 5060572180079

101381

Weight: 5 Grams

EAN (GTIN-13) : 5060572180086

101413

Weight: 5 Grams

EAN (GTIN-13) : 5060572180093

HTS Code: 7326.90.9890

Third party
tested and
certified

See the
Test Certificate
on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-108380

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
3 KG

Product:
Tether Loop, 120

Safety Factor:
2 : 1

Reference:
101380

Test Load:
6 KG

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
20-03-17

Position:
Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101380108**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101380
 DESCRIPTION: Tether Loop, 120
 LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-108380
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity

ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101380108**

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101380
 DESCRIPTION: Tether Loop, 120
 LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)
 BSTL, Whittle Road
 Ferndown Ind. Estate, BH21 7RL, UK
 CERTIFICATE NUMBER: 43332DTA-NLG-108466
 DATE: 20-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-109381

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
3 KG

Product:
Tether Loop, 150

Safety Factor:
2 : 1

Reference:
101381

Test Load:
6 KG

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
20-03-17

Position:
Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101381109**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101381
 DESCRIPTION: Tether Loop, 150
 LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-109381
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity

ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101381109**

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG

ADDRESS: 6 Mannings Heath Road
Poole, Dorset, BH12 4NQ
United Kingdom

02 / Product

CODE: 101381

DESCRIPTION: Tether Loop, 150

LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)
BSTL, Whittle Road
Ferndown Ind. Estate, BH21 7RL, UK

CERTIFICATE NUMBER: 43332DTA-NLG-109466

DATE: 20-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 

NAME: Julian Aris

POSITION: Managing Director

DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-110413

PRODUCT IDENTIFICATION

Manufacturer:
NLG

Max Load (WLL):
3 KG

Product:
Tether Loop, 170

Safety Factor:
2 : 1

Reference:
101413

Test Load:
6 KG

TEST TECHNICIAN

Signature:

Name:
Gary Paterson

Date:
20-03-17

Position:
Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: **364101413110**

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101413
 DESCRIPTION: Tether Loop, 170
 LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-110413
 ISSUED BY: BSTL, Whittle Road
 Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 25 / 04 / 18

Tool Tethering Experts
neverletgo.com



Declaration of Conformity

ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101413110**

American National Standard for
Dropped Objects Prevention Solutions

01 / Manufacturer

NAME: NLG
 ADDRESS: 6 Mannings Heath Road
 Poole, Dorset, BH12 4NQ
 United Kingdom

02 / Product

CODE: 101413
 DESCRIPTION: Tether Loop, 170
 LOAD RATING: 3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)
 BSTL, Whittle Road
 Ferndown Ind. Estate, BH21 7RL, UK
 CERTIFICATE NUMBER: 43332DTA-NLG-110466
 DATE: 20-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 
 NAME: Julian Aris
 POSITION: Managing Director
 DATE: 13 / 09 / 18

Tool Tethering Experts
neverletgo.com





NLG Tether Loop™

Product code:

101380 / 120mm

101381 / 150mm

101413 / 170mm

View online

neverletgo.com/tether-loop/

Get all the Product Briefs

neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.