

Product Brief

# NLG Tether Ring™

101466 / 19mm

101273 / 25mm

101275 / 38mm



MAX LOAD  
**1KG** 2.2LBS

**NLG**

# NLG Tether Ring™

PRODUCT BRIEF / TETHER RING

Product code: 101466 / 19mm; 101273 / 25mm; 101275 / 38mm

Tether Rings™ are the economical answer for creating a tether point on tools with a shaped mid-section or captive hole.

NLG Tether Rings™ are an economical solution for creating a tether point on a tool that has a captive hole. Shaped tools, such as spanners, are also particularly suited to this type of attachment as the Tether Rings™ move freely along the length of the tool and allows the tool to rotate through 360 degrees.

Quick and simple to apply, the NLG Tether Ring™ only requires a pair of pliers to open and wind onto the tool in a similar manner as a key ring.

The NLG Tether Rings™ are specially coated to prevent corrosion and will provide a dependable tether point for the harshest working environments.

---

## INSTRUCTIONS

- 1/ Select the correct size of Tether Ring that allows enough room for lanyard connection. For shaped tools, ensure that it is small enough not to slide off.
- 2/ Use pliers to separate the Tether Ring and thread onto the tool, in the same manner as a key ring.
- 3/ Test the tether point before putting the tool into use.

---

## INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

---

## VIDEO GUIDE



Watch online:  
[neverletgo.com/tool-tether-guide](https://neverletgo.com/tool-tether-guide)

## Specification

- Cost effective tether point for broad range of tools
- Straightforward installation process
- Anti-corrosion coating for use in harsh environments
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified
- Dimensions:
  - 19mm diameter [101466]
  - 25mm diameter [101273]
  - 38mm diameter [101275]
- Max Load: 1KG [2.2lbs]

---

### MAX LOAD (SWL)

1KG / 2.2LBS

---

### SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

---

### PRODUCT DATA

#### 101466

Weight: 3 Grams

EAN (GTIN-13) : 5060572180000

#### 101273

Weight: 4 Grams

EAN (GTIN-13) : 5060572180017

#### 101275

Weight: 10 Grams

EAN (GTIN-13) : 5060572180024

HTS Code: 7326.90.9890

Third party  
tested and  
certified

See the  
Test Certificate  
on page 5







## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42814DT-NLG-100466

#### PRODUCT IDENTIFICATION

Manufacturer:  
NLG

Max Load (WLL):  
1 KG

Product:  
Tether Ring, Small

Safety Factor:  
1 : 1

Reference:  
101466

Test Load:  
1 KG

#### TEST TECHNICIAN

Signature:

Name:  
Gary Paterson

Date:  
20-03-17

Position:  
Senior Lab Technician

#### TEST RESULTS

| SAMPLE NUMBER | FACTOR 0 | FACTOR 1 DROP 1 | FACTOR 1 DROP 2 | FACTOR 1 DROP 3 | FACTOR 2 DROP 1 | FACTOR 2 DROP 2 | FACTOR 2 DROP 3 |
|---------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 2             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 3             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |

#### United Kingdom Accreditation Service

##### ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101466100**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101466  
 DESCRIPTION: Tether Ring, Small  
 LOAD RATING: 1 KG / 2.2 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-100466  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)



# Declaration of Conformity

## ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101466100**

American National Standard for  
Dropped Objects Prevention Solutions

### 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

### 02 / Product

CODE: 101466  
 DESCRIPTION: Tether Ring, Small  
 LOAD RATING: 1 KG / 2.2 LBS

### 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)  
 BSTL, Whittle Road  
 Ferndown Ind. Estate, BH21 7RL, UK  
 CERTIFICATE NUMBER: 43332DTA-NLG-100466  
 DATE: 20-08-18

### 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 13 / 09 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42814DT-NLG-101273

#### PRODUCT IDENTIFICATION

Manufacturer:  
NLG

Max Load (WLL):  
1 KG

Product:  
Tether Ring, Medium

Safety Factor:  
1 : 1

Reference:  
101273

Test Load:  
1 KG

#### TEST TECHNICIAN

Signature:

Name:  
Gary Paterson

Date:  
20-03-17

Position:  
Senior Lab Technician

#### TEST RESULTS

| SAMPLE NUMBER | FACTOR 0 | FACTOR 1 DROP 1 | FACTOR 1 DROP 2 | FACTOR 1 DROP 3 | FACTOR 2 DROP 1 | FACTOR 2 DROP 2 | FACTOR 2 DROP 3 |
|---------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 2             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 3             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |

#### United Kingdom Accreditation Service

##### ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101273101**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101273  
 DESCRIPTION: Tether Ring, Medium  
 LOAD RATING: 1 KG / 2.2 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-101273  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)



# Declaration of Conformity ANSI/ISEA 121-2018

REFERENCE NUMBER: 121101273101

American National Standard for  
Dropped Objects Prevention Solutions

### 01 / Manufacturer

NAME: NLG

---

ADDRESS: 6 Mannings Heath Road

---

Poole, Dorset, BH12 4NQ

---

United Kingdom

---

### 02 / Product

CODE: 101273

---

DESCRIPTION: Tether Ring, Medium

---

LOAD RATING: 1 KG / 2.2 LBS

---

### 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

---

TEST FACILITY: (Independent third party)

---

BSTL, Whittle Road

---

Ferndown Ind. Estate, BH21 7RL, UK

---

CERTIFICATE NUMBER: 43332DTA-NLG-101466

---

DATE: 20-08-18

---

### 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED: 

---

NAME: Julian Aris

---

POSITION: Managing Director

---

DATE: 13 / 09 / 18

---

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

42814DT-NLG-102275

#### PRODUCT IDENTIFICATION

Manufacturer:  
NLG

Max Load (WLL):  
1 KG

Product:  
Tether Ring, Large

Safety Factor:  
1 : 1

Reference:  
101275

Test Load:  
1 KG

#### TEST TECHNICIAN

Signature:

Name:  
Gary Paterson

Date:  
20-03-17

Position:  
Senior Lab Technician

#### TEST RESULTS

| SAMPLE NUMBER | FACTOR 0 | FACTOR 1 DROP 1 | FACTOR 1 DROP 2 | FACTOR 1 DROP 3 | FACTOR 2 DROP 1 | FACTOR 2 DROP 2 | FACTOR 2 DROP 3 |
|---------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 2             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |
| 3             | PASS     | PASS            | PASS            | PASS            | PASS            | PASS            | PASS            |

**United Kingdom Accreditation Service**

**ACCREDITATION CERTIFICATE**



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101275102**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101275  
 DESCRIPTION: Tether Ring, Large  
 LOAD RATING: 1 KG / 2.2 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-102275  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 25 / 04 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)



# Declaration of Conformity

## ANSI/ISEA 121-2018

REFERENCE NUMBER: **121101275102**

American National Standard for  
Dropped Objects Prevention Solutions

### 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

### 02 / Product

CODE: 101275  
 DESCRIPTION: Tether Ring, Large  
 LOAD RATING: 1 KG / 2.2 LBS

### 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)  
 BSTL, Whittle Road  
 Ferndown Ind. Estate, BH21 7RL, UK  
 CERTIFICATE NUMBER: 43332DTA-NLG-102466  
 DATE: 20-08-18

### 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 13 / 09 / 18

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





## NLG Tether Ring™

Product code:

101466 / 19mm

101273 / 25mm

101275 / 38mm

View online

[neverletgo.com/tether-ring/](https://neverletgo.com/tether-ring/)

Get all the Product Briefs

[neverletgo.com](https://neverletgo.com)

**Tool Tethering Experts**

[neverletgo.com](https://neverletgo.com)

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.