

Safety Data Sheet

Issue Date: 08-Aug-2011 Revision Date: 17-Mar-2015 Version 1.1

1. IDENTIFICATION

Product Identifier

Product Name Oxy Pac

Other Means of Identification

Product Code 323700

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Powdered dish detergent portion pack. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc. 140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Blue-Green Physical State Powder Odor Clean

Classification*

| Acute Toxicity – Oral | Category 5 |
|-----------------------------------|---------------------------|
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 Sub-category A |

Signal Word Warning

Hazard Statements

May be harmful if swallowed. Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves and eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

<u>Precautionary Statements – Storage</u>

No other specific measures identified.

<u>Precautionary Statements – Disposal</u>

No other specific measures identified.



Hazards Not Otherwise Classified (HNOC)

None known.

Unknown Acute Toxicity

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS*

| Chemical Name | CAS No | Weight-% |
|---|-------------|----------|
| Sodium Chloride | 7647-14-5 | 15-40 |
| Sodium Carbonate | 497-19-8 | 15-40 |
| Sodium Metasilicate | 6834-92-0 | 5-10 |
| Sodium Percarbonate | 15630-89-4 | 5-10 |
| Sodium Tripolyphosphate | 7758-29-4 | 3-7 |
| Sodium Sulfate | 7757-82-6 | 1-5 |
| Modified Fatty Alcohol Polyglycol Ether | Proprietary | 1-5 |
| Tetrasodium EDTA | 64-02-8 | 1-5 |
| Polymer | Proprietary | 1-5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Exposure may cause irritation and redness. Rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin Contact Prolonged or repeated exposure may dry skin and cause irritation. Flush skin with water for

15 minutes. If irritation or rash persists, get medical attention.

Inhalation If breathing becomes difficult, remove victim to fresh air. Call a physician if you feel unwell.

Ingestion Rinse mouth and drink plenty of water. Do NOT induce vomiting unless directed to do so by a

qualified medical personnel. Never give anything by mouth to an unconscious person. If any

discomfort persists, obtain medical attention.

Most Important Symptoms and Effects

Symptoms Contact with eyes may cause irritation and redness. Prolonged or repeated contact may dry

skin and cause irritation. Repeated contact may cause allergic reactions in very susceptible

persons.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal PrecautionsUse personal protection recommended in Section 8.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal,

state and local regulations. Use a water rinse for final clean up.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid

breathing dust or fume. Use only in well-ventilated areas. Avoid contact with eyes and skin.

Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Incompatible Materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|---|--|------------|
| Sodium Chloride 7647-14-5 | TWA: 15 mg/m ³ | - | - |
| Sodium Carbonate 497-19-8 | - | 15mg/m³ | - |
| Sodium Metasilicate 6834-92-0 | 2mg/m ³⁺ | 2mg/m³ | - |
| Sodium Percarbonate 15630-89-4 | 10mg/m³ (SAEL) | 5mg/m³ | - |
| Sodium Tripolyphosphate 7758-29-4 | 15mg/m³ | 15mg/m³ | - |
| Modified Fatty Alcohol Polyglycol Ether Proprietary +(Inhalable particles/respirable particles) | 10mg/m ³⁺ 3mg/m ³⁺ | 15mg/m ³ (Total dust) | - |
| Tetrasodium EDTA 64-02-8 | - | 15mg/m³ (total dust) 5mg/m³ (respirable fraction) | - |
| Polymer Proprietary | 10mg/m ³ | - | - |

Appropriate Engineering Controls

Engineering Controls General ventilation sufficient.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Eye protection should be worn when splashing may occur.

Skin and Body Protection Wear suitable gloves when handling this product.

Respiratory ProtectionNo protective equipment is needed under normal use conditions.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Tag Open Cup

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Powder **Appearance** Blue-Green

Odor Clean Color Blue-Green **Odor Threshold** Not determined

Property Values Remarks • Method (1% solution)

pH (1%) 10.5-11.0 **Melting Point/Freezing Point** Not determined

Boiling Point/Boiling Range Not determined Flash Point None (not flammable)

Evaporation Rate Not determined Flammability (Solid, Gas) Not flammable **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** Not Applicable

Water Solubility Moderate in water @ 25 ℃

Not determined Solubility in other solvents **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Avoid concentrated acids, bases, heavy metal salts, flammable materials, combustible materials, and moisture.

Incompatible Materials

None known.

Hazardous Decomposition Products

Thermal decomposition may result in the formation of oxides of sulfur, carbon dioxide, hydrogen, and oxygen.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes eye irritation.

Skin Contact May cause skin irritation or rash.

Inhalation Avoid breathing dust.

Ingestion May be harmful if swallowed.

Chronic Effects Excessive, long term contact may produce "soda ulcers" on hands and perforation of the

nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure. Risk

of throat, nose bleeds and chronic bronchitis.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--------------------|-----------------------|--------------------------------|
| Sodium Chloride 7647-14-5 | 3000mg/kg | 10000mg/kg | >42000mg/m³ (Rat) |
| Sodium Carbonate 497-19-8 | = 4090mg/kg (Rat) | 2000mg/kg | 800mg/m³ (Guinea Pig) |
| Sodium Metasilicate 6834-92-0 | 1280mg/kg | 1380mg/kg | - |
| Sodium Percarbonate 15630-89-4 | 1034mg/kg | 2000mg/kg | >4580mg/m³ (Rat) |
| Sodium Tripolyphosphate 7758-29-4 | = 3100 mg/kg (Rat) | > 7940 mg/kg (Rabbit) | - |
| Sodium Sulfate 7757-82-6 | > 10000mg/kg (Rat) | 4000mg/kg | - |
| Modified Fatty Alcohol Polyglycol Ether Proprietary | 2000mg/kg | 2000mg/kg | - |
| Tetrasodium EDTA 64-02-8 | 1780mg/kg | - | 1000-5000mg/m ³ 4hr |
| Polymer Proprietary | 5000mg/kg | 4000mg/kg | - |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical Measures of Toxicity

Not determined

<u>Unknown Acute Toxicity</u> None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------|----------------------|----------------------------------|----------------------------|-----------------------|
| Sodium Chloride | _ | 5840mg/L | _ | 1661mg/L |
| 7647-14-5 | | (Bluegill 96hr) | - | (Daphnia 48hr) |
| Sodium Carbonate | 14mg/L | 300-320mg/L | | 265mg/L |
| 497-19-8 | (Phytoplankton 7d) | (Bluegill 96hr) | - | (Daphnia 45hr) |
| Sodium Metasilicate | | 2320mg/L | | 247mg/L |
| 6834-92-0 | - | (Mosquito fish 96hr) | - | (Daphnia 96hr) |
| Sodium Percarbonate | | 71mg/L | | 4.9mg/L |
| 15630-89-4 | - | (Fathead minnow) | - | (Daphnia 96hr) |
| Sodium Tripolyphosphate | | 1650: 48 h Leuciscus idus | | |
| 7758-29-4 | - | mg/L LC50 | - | - |
| Sodium Sulfate | | 56mg/L | | 3150mg/L |
| 7757-82-6 | - | (96hr) | - | (Daphnia 48hr) |
| Modified Fatty Alcohol | | | | |
| Polyglycol Ether | >100mg/L | >100mg/L | - | - |
| Proprietary | _ | | | |
| Tetrasodium EDTA | >300mg/L 72h Algae | >1000mg/L 96h (Rainbow Trout) | - | 140mg/L 48h (Daphnia) |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Sodium Carbonate 497-19-8 | Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Sodium Percarbonate: 100lbs.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

SARA 313

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

The following ingredients appear on various state right to know lists and/or California's Proposition 65 list:

| 9 9 | |
|------------------------------|------------|
| Chemical Name | State List |
| Sodium Chloride 7647-14-5 | NJ, PA |

| Sodium Percarbonate 15630-89-4 | NJ |
|--------------------------------------|------------|
| Sodium Tripolyphosphate 7758-29-4 | MA, PA |
| Sodium Sulfate 7757-82-6 | NJ, MA, PA |

AZ- Arizona Ambient Air Quality Guidelines CT- Connecticut Hazardous Air Pollutants

CA- California Director's List of Hazardous Substances

CAP65- California Prop65 FL- Florida Substances List

ID- Idaho Non-Carcinogen Toxic Air Pollutants

IL- Illinois Toxic Air Contaminate- Carcinogenic

MA- Massachusetts Right to Know List

MN- Minnesota Hazardous Substances List

NJ- New Jersey Right to Know List

PA- Pennsylvania Right to Know List

RI- Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth Hazards
2Flammability
0Physical Hazards
0Personal Protection
Not determined

 Issue Date:
 08-Aug-2011

 Revision Date:
 17-Mar-2015

Revision Note: Updated classification information and ingredient list Version 1.1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.