SAFETY DATA SHEET



FACILIPRO ALKALINE FLOOR CLEANER

Section 1. Chemical product and company identification

Product name : FACILIPRO ALKALINE FLOOR CLEANER

Recommended use and

restrictions

: Floor Cleaner

Use only for the purpose on the product label.

Product dilution information : Up to 1 oz/gal or 8 mL/L in water

Supplier's information : Ecolab Inc. Institutional Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-352-5326

Code : 910682-03 Date of issue : 18 Jul 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification : SKIN CORROSION/IRRITATION - Category 1

SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract

irritation] - Category 3

GHS label elements

Signal word : Danger

Symbol :





Hazard statements: Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary statements

Prevention: Wear protective gloves. Wear eye or face

protection. Wear protective clothing. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after

handling.

Response: IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a

Product AT USE DILUTION

SKIN CORROSION/IRRITATION - Category

1

SERIOUS EYE DAMAGE/ EYE IRRITATION

- Category 1

Danger



Causes severe skin burns and eye damage.

Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

Page: 1/8

Section 2. Hazards identification

POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

: No other specific measures identified.

Disposal : See section 13 for waste disposal information.

Other hazards : None known.

Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

No other specific measures identified.

See section 13 for waste disposal information.

None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Product AS SOLD

Storage

Hazardous ingredients	Concentration Range (%)	CAS number
ETHANOLAMINE	5 - 20	141-43-5
SODIUM XYLENE SULFONATE	1 - 5	1300-72-7
SODIUM SILICATE	1 - 5	1344-09-8
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	1 - 5	160875-66-1
TETRASODIUM EDTA	1 - 5	64-02-8

Product AT USE DILUTION

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

Section 4. First aid measures

	Product AS SOLD	Product AT USE DILUTION
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Skin contact	: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.	Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	: Get medical attention immediately. Rinse mouth. Do not induce vomiting.	Get medical attention immediately. Rinse mouth. Do not induce vomiting.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves.

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing

media

: Use water spray, fog or foam.

Specific hazards arising from the chemical Hazardous thermal

decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Specific fire-fighting methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions

Product AS SOLD

- : Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.
- Environmental precautions Methods for cleaning up
- : Avoid contact of spilled material and runoff with soil and surface waterways.
- : Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Avoid contact of spilled material and runoff with soil and surface waterways.

Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Section 7. Handling and storage

Product AS SOLD

Handling

: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

: Keep out of reach of children. Keep container tightly closed.

Store between the following temperatures: 10 and 45°C

Product AT USE DILUTION

Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Keep out of reach of children. Keep container tightly closed.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
ETHANOLAMINE	ACGIH TLV (United States, 3/2012). STEL: 15 mg/m³ 15 minutes. STEL: 6 ppm 15 minutes. TWA: 7.5 mg/m³ 8 hours. TWA: 3 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 6 mg/m³ 8 hours. TWA: 3 ppm 8 hours. NIOSH REL (United States, 6/2009). TWA: 3 ppm 10 hours. TWA: 8 mg/m³ 10 hours. STEL: 6 ppm 15 minutes. STEL: 15 mg/m³ 15 minutes.

Product AS SOLD

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the

goggles.

Hand protection Skin protection

: Use chemical-resistant, impervious gloves.

: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Respiratory protection

Hygiene measures

: A respirator is not needed under normal and intended conditions of product use.

Product AT USE DILUTION

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Use chemical-resistant, impervious gloves. Use synthetic apron, other protective equipment as necessary to prevent skin

A respirator is not needed under normal and intended conditions of product use.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Section 9. Physical and chemical properties

Product AS SOLD

Physical state : Liquid.

Color : Green [Dark] Odor : Fragrance-like Hq : 12.5 to 14 (100%)

Flash point : > 100°C **Explosion limits** Flammability (solid,

Not available.

: Not available. gas)

Melting point

: Not available.

Product AT USE DILUTION

Liquid.

contact.

Green [Light] Fragrance-like

10 to 13 > 100°C

Section 9. Physical and chemical properties

Boiling point : Not available. **Evaporation rate**

: Not available.

(butyl acetate = 1)

Vapor pressure : Not available. Vapor density : Not available. Relative density : 1.073 (Water = 1) Solubility : Not available. Partition coefficient: : Not available.

n-octanol/water

Auto-ignition temperature

: Not available.

Decomposition

: Not available.

temperature

: Not available.

Odor threshold Viscosity : Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data. Materials to avoid

: Highly reactive or incompatible with the following materials: acids. Slightly reactive or incompatible with the following materials: metals.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

: Skin contact, Eye contact, Inhalation, Ingestion Route of exposure

Product AS SOLD

Symptoms

Eye contact : Adverse symptoms may include the following:

> pain watering redness

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation : Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Ingestion : Adverse symptoms may include the following:

stomach pains

Acute toxicity

Eye contact : Causes serious eye damage.

Skin contact : Causes severe burns.

Inhalation : May cause respiratory irritation.

Ingestion : May cause burns to mouth, throat and stomach.

Product AT USE DILUTION

Adverse symptoms may include the following:

pain watering redness

Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Adverse symptoms may include the following:

stomach pains

Causes serious eye damage.

Causes severe burns.

May cause respiratory irritation.

May cause burns to mouth, throat and

stomach.

Section 11. Toxicological information

Toxicity data

Product/ingredient name

2-aminoethanol LD50 Dermal Rabbit 1025 mg/kg LD50 Oral Rat 1089 mg/kg Benzenesulfonic acid, dimethyl-, sodium salt LC50 Inhalation >6.2 mg/l Rat

Dusts and mists

LD50 Dermal >2000 mg/kg Rabbit LD50 Oral >7000 mg/kg Rat

LD50 Oral Rat >2000 mg/kg silicic acid, sodium salt poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-Rat

LD50 Oral

>2000 mg/kg

w-hydroxy-

acetic acid, (ethylenedinitrilo)tetra-, LD50 Oral Rat 1700 mg/kg

tetrasodium salt

Chronic toxicity

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity : This material is harmful to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name Result **Species Exposure** Daphnia 48 hours 2-aminoethanol Acute EC50 65 mg/l Benzenesulfonic acid, dimethyl-, sodium salt (1: Acute EC50 230 mg/l Aquatic plants 96 hours silicic acid, sodium salt Acute LC50 210 mg/l Fish 96 hours poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-Acute EC50 10 mg/l Daphnia 48 hours hydroxyacetic acid, (ethylenedinitrilo)tetra-, tetrasodium Acute LC50 121 mg/l Fish 96 hours

: No known significant effects or critical hazards. Other adverse effects

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product

completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

RCRA classification: Unused product is D002 (Corrosive)

Product AT USE DILUTION

Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification UN2491

DOT Proper shipping name Ethanolamine solutions

Page: 6/8

Section 14. Transport information

Class 8
Packing group III

IMO/IMDG

IMO/IMDG Classification UN2491

IMO/IMDG Proper shipping name ETHANOLAMINE SOLUTION

Class 8
Packing group III

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

SARA 313 Product name CAS number Concentration

Form R - Reporting : No listed substance


requirements

<u>California Prop. 65</u> : No listed substance

Section 16. Other information

Product AS SOLD

Hazardous Material Information System (U.S.A.)




National Fire Protection Association (U.S.A.)



Date of issue : 18 Jul 2013
Prepared by : Regulatory Affairs
1-800-352-5326

Notice to reader



Section 16. Other information

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Page: 8/8