

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL
Other means of identification	:	Not applicable
Recommended use	:	Metal Cleaner
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Ecolab Inc. 370 N. Wabasha Street St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	08/20/2015
SECTION 2. HAZARDS IDEN	ITIF	FICATION
GHS Classification		
Flammable aerosols	:	Category 2
GHS Label element		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	Flammable aerosol.
Precautionary Statements	:	 Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Intentional misuse by deliberate inhalation may be harmful or fatal. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Other hazards

Aliphatic hydrocarbons

: None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture	:	Mixture
Chemical Name white mineral oil, petroleum		

CAS-No. 8042-47-5 106-97-8 **Concentration (%)** 10 - 30 5 - 10

distillates (petroleum), hydrotreated light propane	74-98-6	5 - 10	
SECTION 4. FIRST AID MEASURES			

In case of eye contact	:	Rinse with plenty of water.
In case of skin contact	:	Rinse with plenty of water.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	No specific measures identified.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Pressurised container: May burst if heated. Flammable aerosols
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Contents under pressure. Do not puncture. Wash hands thoroughly after handling.
Conditions for safe storage	:	Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 45 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
Aliphatic hydrocarbons	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1

Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipment	t
Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.
SECTION 9. PHYSICAL AND	HEMICAL PROPERTIES
Appearance	: liquid

Color : opaque, white

Odor	:	citrus
рН	:	Not applicable
Flash point	:	Not applicable, Sustains combustion
Odor Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.8802
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	3100.000 mm2/s (40 °C)
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	No data available
VOC	:	No data available
Heat of combustion	:	10.04 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact exposure

Potential Health Effects

Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use. Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human exp	osı	ire
Eye contact	:	No symptoms known or expected.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.
Toxicity		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	:	No data available
Serious eye damage/eye irritation	:	No data available
Respiratory or skin sensitization	:	No data available
Carcinogenicity	:	No data available
Reproductive effects	:	No data available
Germ cell mutagenicity	:	No data available
Teratogenicity	:	No data available
STOT-single exposure	:	No data available
STOT-repeated exposure	:	No data available
Aspiration toxicity	:	No data available
Ingredients		
Acute inhalation toxicity	:	Aliphatic hydrocarbons 4 h LC50 Rat: 280000 ppm

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	:	This product has no known ecotoxicological effects.
Product		
Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Ingredients		
Toxicity to fish	:	white mineral oil, petroleum 96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l
		Aliphatic hydrocarbons 96 h LC50 Fish: 22.03 mg/l
		distillates (petroleum), hydrotreated light 96 h LC50: > 1,000 mg/l
Ingredients		
Toxicity to daphnia and other aquatic invertebrates	:	distillates (petroleum), hydrotreated light 72 h EC50: > 1,000 mg/l
Ingredients		
Toxicity to algae	:	distillates (petroleum), hydrotreated light 48 h EC50: > 1,000 mg/l
Persistence and degradabili	ty	
No data available	-	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		
SECTION 13. DISPOSAL CO	NS	IDERATIONS
Disposal methods	:	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	:	D001 (Ignitable)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)	
UN number	: 1950
Description of the goods	: Aerosol, flammable
Class	: 2.1
Environmentally hazardous	: no
Sea transport (IMDG/IMO) UN number Description of the goods Class Marine pollutant	: 1950 : Aerosol, flammable : 2.1 : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ammonia	7664-41-7	100	117647

SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Ammonia	7664-41-7	100	117647

SARA 311/312 Hazards	Ire Hazard	
SARA 302	lo chemicals in this material are subject to the reporting requi f SARA Title III, Section 302.	irements
SARA 313	his material does not contain any chemical components with AS numbers that exceed the threshold (De Minimis) reportin stablished by SARA Title III, Section 313.	

California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

distillates (petroleum), hydrotreated light 64742-47-8

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Japan. ISHL - Inventory of Chemical Substances (METI) : not determined

Korea. Korean Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION



Issuing date	:	08/20/2015
Version	:	1.1
Prepared by	:	Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.