

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	XY-12
Other means of identification	:	Not applicable
Recommended use	:	Sanitizer
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	No dilution information provided.
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	04/02/2018

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids Acute toxicity (Oral) Skin corrosion Serious eye damage	Category 2 Category 4 Category 1A Category 1	
GHS label elements		
Hazard pictograms		
Signal Word	Danger	
Hazard Statements	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage.	
Precautionary Statements	Prevention: Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Wash skin thoroughly after handling. Do not eat, drink or smoke whe using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminate clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water f several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash	d n

XY-12		
	contaminated clothing before reuse. In case chemical or alcohol-resistant foam to extingu Storage: Store locked up. Disposal: Dispose of contents/ container to an approve	uish.
Other hazards	Mixing this product with acid or ammonia rel	eases chlorine gas.
SECTION 3. COMPOSITION	ORMATION ON INGREDIENTS	
Pure substance/mixture	Mixture	
Chemical name sodium hypochlorite	CAS-No. 7681-52-9	Concentration (%) 8.4
SECTION 4. FIRST AID MEA	RES	
In case of eye contact	Rinse immediately with plenty of water, also least 15 minutes. Remove contact lenses, if Continue rinsing. Get medical attention imm	present and easy to do.
In case of skin contact	Wash off immediately with plenty of water fo a mild soap if available. Wash clothing befor shoes before reuse. Get medical attention in	e reuse. Thoroughly clean
If swallowed	Rinse mouth with water. Do NOT induce vor anything by mouth to an unconscious persor immediately.	
If inhaled	Remove to fresh air. Treat symptomatically. symptoms occur.	Get medical attention if
Protection of first-aiders	If potential for exposure exists refer to Section protective equipment.	on 8 for specific personal
Notes to physician	Treat symptomatically.	
Most important symptoms and effects, both acute and delayed	See Section 11 for more detailed information symptoms.	n on health effects and
SECTION 5. FIRE-FIGHTING	ASURES	

SECTION 5. FIRE-FIGHTING	MEASURES
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Oxidizer. Contact with other material may cause fire.
Hazardous combustion products	 Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SAFETY DATA SHEET

XY-12

Special protective equipment : for fire-fighters	Use personal protective equipment.
Specific extinguishing : methods	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
SECTION 6. ACCIDENTAL REL	EASE MEASURES
	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions :	Do not allow contact with soil, surface or ground water.
Methods and materials for : containment and cleaning up	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
SECTION 7. HANDLING AND S	TORAGE
Advice on safe handling :	Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.

away from reducing agents. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.	Conditions for safe storage	:	Keep out of reach of children. Keep container tightly closed. Store in
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------	---	------------------------------------------------------------------------

Storage temperature : -15 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	AIHA WEEL
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m3	NIOSH REL
		С	1 ppm 3 mg/m3	OSHA Z1

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	:	Wear eye protection/ face protection.
Hand protection	:	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Odor	:	Chlorine
рН	:	12.5, (100 %)
Flash point	:	Not applicable
Odor Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.154
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SAFETY DATA SHEET

XY-12

Molecular weight	:	No data available
VOC	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid	:	None known.
Incompatible materials	:	Acids Metals
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

Potential Health Effects

Eyes	: C	Causes serious eye damage.
Skin	: C	Causes severe skin burns.
Ingestion	: H	Harmful if swallowed. Causes digestive tract burns.
Inhalation	: N	May cause nose, throat, and lung irritation.
Chronic Exposure	: H	lealth injuries are not known or expected under normal use.
Experience with human expo	sure	
Eye contact	: R	Redness, Pain, Corrosion
Skin contact	: R	Redness, Pain, Corrosion
Ingestion	: C	Corrosion, Abdominal pain
Inhalation	: R	Respiratory irritation, Cough
Toxicity		
Product		
Acute oral toxicity	: A	Acute toxicity estimate : 300 - 2,000 mg/kg
Acute inhalation toxicity	Т	h LC50 Rat: > 5 mg/l Fest substance: Product Fest atmosphere: dust/mist
Acute dermal toxicity	: N	No data available

Skin corrosion/irritation	:	Corrosive
Serious eye damage/eye irritation	:	Corrosive
Respiratory or skin sensitization	:	No data available
Carcinogenicity	:	No data available
Reproductive effects	:	No data available
Germ cell mutagenicity	:	No data available
Teratogenicity	:	No data available
STOT-single exposure	:	No data available
STOT-repeated exposure	:	No data available
Aspiration toxicity	:	No data available
Ingredients		
Acute dermal toxicity	:	sodium hypochlorite LD50 Rabbit: > 10,000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Environmental Effects	: Toxic to aquatic life.
Product	
Toxicity to fish	: 96 h LC50 Oncorhynchus mykiss (rainbow trout): 2.1 mg/l
	96 h LC50 Inland Silverside: 7.6 mg/l
Toxicity to daphnia and other aquatic invertebrates	: 48 h LC50 Daphnia dubia (Water flea): 0.57 mg/l
	48 h LC50 Americamysis bahia: 18.1 mg/l
Toxicity to algae	: No data available
Persistence and degradability	,
Not applicable - Biocide	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
SECTION 13. DISPOSAL CON	SIDERATIONS
Disposal methods	: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	:	D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number	: 1791
Description of the goods	: Hypochlorite solutions
Class	: 8
Packing group	: 111
Environmentally hazardous	: no

Sea transport (IMDG/IMO)

UN number Description of the goods	-	1791 HYPOCHLORITE SOLUTION (sodium hypochlorite)
Class	:	8
Packing group	:	III
Marine pollutant	:	yes

SECTION 15. REGULATORY INFORMATION

EPA Registration number : 1677-52

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hypochlorite	7681-52-9	100	1190

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	 Oxidizer (liquid, solid or gas) Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

United States TSCA Inventory :

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :


On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION



Issuing date

: 04/02/2018

Version Prepared by

: 1.2 : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.