

makes a difference









INCREASE YOUR PRODUCTIVITY WITH THE UPDATED SENSOR® XP.

The industry standard upright vac with automatic brush-height adjustment

Often imitated, never duplicated.

With a proven reputation of reliability, performance, and ease of maintenance the Sensor® XP is the industry-leading vacuum for reliability and convenience. Featuring automatic brush-height adjustment, this machine efficiently removes soils that could ruin your carpets and hard floors, which saves you time and money. Trust the Windsor Kärcher Group Sensor® XP to clean your floors efficiently and reliably for many years to come. With 1200 watts of power, the Sensor® XP's vacuum motor pulls even more dirt and grime from your carpets. This machine utilizes a single 1.6 hp motor to cut down on handle weight in order to reduce operator fatigue and increase productivity.









1 Reliability leader

- Industry-proven track record of durability and reliability
- We have been building quality upright vacuums since 1979

2 Productivity in mind

- Automatic brush-height adjustment for optimum cleaning performance
- Ultra-light handle weight allows for strain-free operation
- Cleaning paths of 12", 15" and 18" are available to suit any need
- Flat-to-floor feature allows for easy cleaning under beds and furniture
- No-tool brush removal for easy maintenance
- Detail cleaning tools conveniently located on the back of the machine

3 Breathe easier

- The Sensor* XP comes standard with a high-efficiency filter that traps up 99.6% of particles at 0.3 microns
- Optional HEPA filtration is available
- Meets CRI standards for indoor air quality

4 Smart vacuuming

- Equipped with indicator lights to notify if the vacuum bag is full, brush height needs adjustment, or if there is a brush jam
- Machine shuts down if indicator lights are ignored for self-preservation
- Quiet operation at only 69 dBA

Technical data and equipment.





| | | SENSOR® XP 12 | SENSOR® XP 15 | SENSOR® XP 18 |
|---------------------------|--------|---------------|---------------|---------------|
| TECHNICAL SPECIFICATIONS | | | | |
| Cleaning path | in | 12 | 15 | 18 |
| Productivity (practical) | ft²/hr | 2,655 | 3,451 | 3,659 |
| Dust bag (triple layer) | in³ | 323 | 323 | 323 |
| Brush motor | hp | 1.6 | 1.6 | 1.6 |
| Brush speed | rpm | 2,700 | 2,700 | 2,700 |
| Brush contacts per minute | # | 5,400 | 5,400 | 5,400 |
| Operating noise level | dBA | 69 | 69 | 69 |
| Power cord | ft | 40 | 40 | 40 |
| Weight | lbs | 18 | 18 | 19 |
| Height | in | 46 | 46 | 46 |

EQUIPMENT

| Order No. | Description |
|-------------|----------------------------|
| 1.012-611.0 | Sensor® XP 12, 120 V/60 Hz |
| 1.012-612.0 | Sensor® XP 15, 120 V/60 Hz |
| 1.012-613.0 | Sensor® XP 18, 120 V/60 Hz |

ACCESSORIES

| AC | CESSURIES | | | | | |
|----|-------------|--|--|--|--|--|
| | Order No. | Description | | | | |
| | 8.600-050.0 | Package of 10 Sensor® dust bags | | | | |
| | 9.840-643.0 | Case of 25 packs of 10 Sensor® dust bags (total count = 250) | | | | |
| | 8.600-522.0 | Replacement 0.3 micron Sensor® Air Quality MicroFilter | | | | |
| | 8.628-485.0 | Sensor® HEPA filter kit (includes: filter and 8 high efficiency bags) | | | | |
| | 8.643-406.0 | Replacement Sensor® exhaust filter for Sensor® XP | | | | |
| | 8.614-140.0 | Replacement exhaust filter for Sensor® S | | | | |
| | 8.600-495.0 | Replacement double row brush for Sensor® XP 12 and Sensor® S 12 | | | | |
| | 8.613-881.0 | Replacement double row brush for Sensor® XP 15 | | | | |
| | 8.613-877.0 | Replacement double row brush for Sensor® XP 18 | | | | |
| | 8.614-243.0 | Replacement Sensor® gray handle with cable | | | | |
| | 8.614-086.0 | Crevice nozzle | | | | |
| | 8.613-769.0 | Sensor® extension hose | | | | |
| | 8.614-090.0 | Sensor® demonstration dirt scope | | | | |
| | 8.628-474.0 | Dusting brush kit, includes: dusting brush and holding clip to mount on handle | | | | |
| | 8.625-413.0 | Sensor® 12 Soft Vac cover | | | | |

[■] Included □ Optional

Please contact your Guest Supply Territory Manager for more information. Or call: 800-772-7676

www.guestsupply.com