

All Spec

INFO

Category
Pro:Centric Smart

ACCESSORIES

Power Cable N/A (Attached)	Remote type S-Con /mmR (Option)
-------------------------------	------------------------------------

BROADCASTING SYSTEM

Analog (NTSC / SECAM / PAL) NTSC	Digital ATSC / Clear QAM
-------------------------------------	-----------------------------

MECHANICAL

Kensington Lock YES	VESA Compatible 400 x 400mm
------------------------	--------------------------------

STANDARD

EMC FCC	Safety UL
------------	--------------

VIDEO

HDR_HDR 10 Pro YES	HDR_HLG (Hybrid Log Gamma) YES
-----------------------	-----------------------------------

AUDIO (SOUND)

AI Acoustic Tuning
YES (Ready,mmR Required)

LG Sound Sync
YES

AI Sound
YES

Speaker (Audio Output)
20W

DISPLAY

Brightness (Typ.)
330 nit

Size (Inch)
75

Resolution
4K Ultra HD (3,840 x 2,160)

POWER SPEC.

Power Consumption(Typ)
110W

Standby Power Consumption
Under 0.5W

Power Supply (Voltage, Hz)
AC 120V, 50/60Hz

Power Consumption(Max)
225W

HOSPITALITY SOLUTION

Pro:Centric Direct
YES

Pro:Centric Smart
YES

Pro:Idiom (DRM)
YES

Quick Menu (Customizable Portal)
YES

Pro:Centric Cloud
YES

Pro:Centric Server
YES

Pro:Centric V
YES

Pro:Idiom Media (DRM)
YES

webRTC (Real Time Communication)
YES

DIMENSIONS/WEIGHT

Bezel Width (L/R/U/B, Off Bezel)
7.9/7.9/7.9/18.4mm

Bezel Width (L/R/U/B, On Bezel)
13.9/13.9/13.9/19.9mm

Dimension in Shipping (W x H x D)
1820 x 1205 x 228mm

Weight in Shipping
44.5kg

Dimension with Stand (W x H x D)
1678 x 1045 x 378mm

Dimension without Stand (W x H x D)
1678 x 964 x 59.9mm

Weight without Stand
31.4kg

Weight with Stand
34.6kg

HOSPITALITY FEATURE

Diagnostics
YES (IP Remote)

EzManager
YES

HTNG-CEC (Version)
YES (1.4)

Instant ON
YES

Lock mode
YES (Limited)

Port Block
YES

SNMP
YES

Wake on RF
YES

WOL
YES

External Speaker Out / Line Out
YES (Line Out)

One Channel Map
YES (LCM)

Energy Saving mode
YES

Hotel Mode / PDM / Installer Menu
YES

Insert Image
YES

IR Out
YES (RS-232C, MPI)

Multi IR Code
YES

Simplink(HDMI-CEC) (Version)
YES (1.4)

USB Cloning
YES

Welcome Screen (Splash Image)
YES

b-LAN
YES

RJP (Remote Jack Pack) Compatibility
YES

V-Lan Tag
YES

SMART FUNCTION

Bluetooth
YES

DIAL

Bluetooth Audio Playback
YES

HDMI-ARC

YES

YES (HDMI2)

Screen Share

Soft AP

YES

YES

webOS version

Web Browser

webOS 5.0

YES

Wi-Fi

IoT

YES

YES

Magic Remote Compatibility

Voice Recognition (Standalone/Solution)

YES (Ready)

YES

Gallery Mode

YES

VERTICAL FUNCTION (CORPORATE/RETAIL)

BEACON

NTP sync timer

YES

YES

Video Tag

YES (2 Video)

CONNECTIVITIES

HDMI In

LG SVC only (Phone jack type)

YES (3ea)

YES

MPI Port (RJ12 jack)

RF In

YES

YES (1ea)

RJ45 (Usage Purpose)

USB (Ver.)

2 (Ethernet, Aux)

YES (1ea / 2.0)

Digital Audio Out (Optical)

TV link Configuration (Phone jack type)

YES

YES

RS-232C (D-Sub 9pin / Phone jack)

Audio Line Out(3.5mm Phone jack)

YES (Phone jack)

YES

DESIGN

Front Color

Stand Type

Ashed Blue

1 Pole (Fixed)

Tool Name

UP8000