

Give your guests the freedom to roam, the cordless accessory handset features 3 speed dials and a USB charging port on the charging cradle. Guests will appreciate the cordless freedom, while the hotels will welcome speed dials right on the handset for easy communication. Since this accessory phone registers to the cordless base, there's no need to install a phone line or PBX port for installation. The result: lower infrastructure costs and a better guest experience.

Contemporary Analog Cordless Accessory Handset

1-Line CTM-A241SDU | 2-Line CTM-A242SDU

Key Features

- DECT 6.0 technology delivers superior sound quality while reducing telecom costs
- Cordless handset speakerphone
- Three non-removable, programmable speed dials on handset
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB charging port makes it easy for guests to charge smart phones and other electronic devices

Phone Features

- CTM-A241SDU requires base phone: CTM-A2510 or CTM-A2411 or CTM-A2411-BATT
 - CTM-A242SDU requires base phone: CTM-A2421 or CTM-A2421-BATT
 - Handset Battery life: up to 7 hours of talk time with 7 days of standby time
 - Charge LED feature ensures handset battery is charging
 - Low battery indicator on cordless handset for easy maintenance
 - Visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
 - Answer a call by simply picking up the handset
 - Two non-removable, programmable speed dials on handset
 - One non-removable, programmable message retrieval speed dial on handset
 - Conference*, Flash, Hold and Mute
 - 1 or 2 lines with line key indication*
 - Automatic line selection*
 - Backlit handset dialpad
 - Redial the last number called with the touch of a button; automatically expires in 15 minutes to protect guest privacy
 - Multi-step volume control for ring tones and handset
 - Side handset volume control for easy access
 - 2-year limited warranty
- * 2-line model only



Silver and Black



Matte Black



Silver and Pearl



Contemporary Analog Cordless Accessory Handset
1-Line CTM-A241SDU | 2-Line CTM-A242SDU

Specifications

Radio Frequency Baseband: Available in DECT 1.8GHz, and DECT 1.9GHz
 Colors: Silver and Black, Matte Black, Silver and Pearl
 Power Source: 6V DC External Power
 Message Waiting Signal Type: Varies by PBX
 Flash: Programmable timing (100/300/600ms)
 Humidity: 65% ± 20%
 Temperature: 25° C ± 10° C

Certifications:
 - HAC
 - FCC Part 15 Class B
 - FCC Part 68
 - IC
 - CE
 - ETL
 - RoHS
 - ENERGY STAR[®] qualified



Silver and Black



Matte Black



Silver and Pearl

Dimensions

Master Carton Measurements: 16.4 in. x 16.3 in. x 9.9 in., 23 lbs, 12 per carton
 Phone Measurements: 1.9 in. x 8.4 in. x 1.7 in., 1.0 lbs

Contemporary Analog Cordless Accessory Handset

1-Line CTM-A241SDU | 2-Line CTM-A242SDU

Product Part Numbers

	Silver and Black	Matte Black	Silver and Pearl
<ul style="list-style-type: none"> Model No. CTM-A241SDU: 1-Line Accessory Petite Cordless Handset with speed dials 	80-H0CB-06-000	80-H0CB-15-000	80-H0CB-11-000
<ul style="list-style-type: none"> Model No. CTM-A242SDU: 2-Line Accessory Cordless Handset with speed dials 	80-H0CC-06-000	80-H0CC-15-000	80-H0CC-11-000



Silver and Black



Matte Black



Silver and Pearl