Date of Revision: January 31, 2018

1. IDENTIFICATION

ULTRA LIQ. SOUR **Product Identifier:**

Y973 **Product Code:**

Other Name(s): **Distributed By:**

Recommended Use and Restrictions on Use: laundry sour

Ostrem Chemical Co. Ltd. Manufactured By:

Phone: 780-440-1911 2310 - 80th Avenue NW In Case of Emergency Only, Phone

Edmonton, Alberta, Canada T6P 1N2 CANUTEC: 613-996-6666

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 1

> Skin Corrosion/Irritation - Category 1 Acute Toxicity, Oral - Category 4 Corrosive to Metals - Category 1

Label Elements:

Hazard Pictogram(s):



Signal Word: **DANGER**

Hazard Statement(s): Causes severe skin burns and eye damage.

> Harmful if swallowed. May be corrosive to metals.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Wear protective gloves, protective clothing, and eye/face protection.

Do not eat, drink or smoke when using this product.

Keep only in original packaging.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or

physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash

contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Storage: Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Conc.	CAS#	Common Names
fluorosilicic acid (22-23%)	30 - 60%	16961-83-4	hydrofluorosilicic a

hydrofluorosilicic acid, fluosilicic fluorosilicic acid (∠∠-∠ა%)

acid oxalic acid 1 - 5% 144-62-7

ethanedionic acid

ULTRA LIQ. SOUR Page 1 of 4

4. FIRST-AID MEASURES

Necessary Measures:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Most important symptoms, both acute and delayed:

Causes serious eye damage.

Causes severe skin burns and eye damage.

Harmful if swallowed.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

<u>Ingredient:</u> <u>Limit:</u>

fluorosilicic acid (22-23%)

oxalic acid

ACGIH TLV: 2.5 mg/m3

ACGIH STEL: 2 mg/m3

TLV-TWA: 1 mg/m3

ULTRA LIQ. SOUR Page 2 of 4

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.):red liquidOdour:not availableOdour threshold:not available

pH: 0.7; 1% solution: 2.3

not available Melting/Freezing point: Initial boiling point and range: not available not applicable Flash point: **Evaporation rate:** not available not available Flammability (solid, gas): Upper/lower flammability or explosive limits: not available not available Vapour pressure: Vapour density: not available 1.079 Relative density (specific gravity): Solubility(ies): 100% not available Partition co-efficient: n-octanol/water: Auto-ignition temperature: not available **Decomposition temperature:** not available Viscosity: not available

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

Reacts with metals

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: Harmful if inhaled.
Ingestion: Harmful if swallowed.

Eye contact: Causes serious eye damage.

Skin contact: Causes severe skin burns and eye damage.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not available

ULTRA LIQ. SOUR Page 3 of 4

Skin absorption: not available

Mutagenicity: not available

Carcinogenicity: This information, if applicable, can be found in Section 2.

Reproductive toxicity: This information, if applicable, can be found in Section 2.

Sensitization of product: This information, if applicable, can be found in Section 2.

Specific Target Organ Toxicity - single exposure: This information, if applicable, can be found in Section 2.

Specific Target Organ Toxicity - repeated exposure: This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

fluorosilicic acid (22-23%)
Oral LD50: 125 mg/kg (rat)
oxalic acid
Oral LD50: 475 mg/kg (rat)

Other Toxicological Information on Ingredients:

fluorosilicic acid (22-23%)

Liquid or vapours can cause burns which may not be apparent for hours. Prolonged exposure can result in: bone changes, corrosive effect on mucous membranes, ulceration of nose, throat and bronchial tubes, cough, shock, pulmonary edema, fluorosis, coma and death.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available
not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: UN 1760; CORROSIVE LIQUID, N.O.S. (FLUOROSILICIC ACID, OXALIC ACID); CLASS 8; PG

Ш

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation: February 13, 2017

Date of Revision: January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

End of Document

ULTRA LIQ. SOUR Page 4 of 4