SAFETY DATA SHEET



Issuing Date: 12-Mar-2015 Revision date 28-Feb-2020 Version 2

1. IDENTIFICATION

Product Name Dawn Ultra Power Dissolver

Product Identifier 95446855_RET_NG

Product Type: Finished Product - Retail

Recommended Use Dish Care.

Restrictions on useUse only as directed on label.

Details of the supplier of the safety

data sheet

PROCTER & GAMBLE - Fabric and Home Care Division

Ivorydale Technical Centre 5289 Spring Grove Avenue

Cincinnati, Ohio 45217-1087 USA

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 1-800-331-3774

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Hazard Category

Skin corrosion/irritation Category 1
Eye Damage / Irritation Category 1
Signal Word DANGER

Hazard Statements Hazard pictograms Causes severe skin burns and eye damage



Precautionary Statements Do not breathe mist

Wash hands thoroughly after handling

Use with ventilation.

Precautionary Statements -

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Drink 1 or 2 glasses of water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage None

Precautionary Statements - DisposalNone

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS No	Weight-%
Dipropylene Glycol Butoxy	2-Propanol,	No	29911-28-2	5 - 10
Ether	1-(2-butoxy-1-methyleth			
	oxy)-			
Phenoxyethanol	Phenoxyethanol	No	122-99-6	5 - 10
Monoethanolamine	Ethanol, 2-amino-	No	141-43-5	5 - 10
Benzenesulfonic acid,	Benzenesulfonic acid,	No	28348-53-0	1 - 5
(1-methylethyl)-, sodium salt	(1-methylethyl)-,			
(1:1)	sodium salt (1:1)			
Amine oxides,	Amine oxides,	No	70592-80-2	0.5 - 1.5
C10-16-alkyldimethyl	C10-16-alkyldimethyl			
Limonene	D-Limonene	No	5989-27-5	0.1 - 1.0

Additional information

Actual substance concentrations fall within the ranges stated. Maximum values do not necessarily represent the values present in the formula.

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eve contact Rinse with plenty of water. Immediately call a doctor.

Skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if

symptoms occur.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician or poison control center immediately.

Most important symptoms/effects,

acute and delayed

None under normal use conditions.

F. Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for emergency responders Use personal protective equipment as required.

Environmental precautionsShould not be released into the environment

Methods and materials for containment and cleaning up

Methods for containmentAbsorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS No	ACGIH TLV	OSHA PEL	Mexico PEL
Monoethanolamine	141-43-5	STEL: 6 ppm	TWA: 3 ppm	Mexico: TWA 3 ppm
		TWA: 3 ppm	TWA: 6 mg/m ³	Mexico: STEL 6 ppm
			(vacated) TWA: 3 ppm	Mexico: STEL 15 mg/m ³
			(vacated) TWA: 8 mg/m ³	
			(vacated) STEL: 6 ppm	
			(vacated) STEL: 15 mg/m ³	

Chemical Name	CAS No	Alberta	Quebec	Ontario TWAEV	British Columbia
Phenoxyethanol	122-99-6	Alberta	Quesco	TWA: 25 ppm TWA: 141 mg/m ³ Skin	British Goldman
Monoethanolamine	141-43-5	TWA: 3 ppm TWA: 7.5 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	TWA: 3 ppm TWA: 7.5 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures Distribution, Workplace and Household Settings:

Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Where reasonably practicable this should be achieved by the use of local exhaust

Revision date 28-Feb-2020

ventilation and good general extraction

Personal Protective Equipment

Eye Protection Distribution, Workplace and Household Settings:

Requires Eye Protection

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear safety glasses with side shields (or goggles)

If splashes are likely to occur, wear:

Tight sealing safety goggles

Hand Protection Distribution, Workplace and Household Settings:

Protective gloves

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection Distribution, Workplace and Household Settings:

Wear suitable protective clothing

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of inadequate ventilation wear respiratory protection

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid
Appearance opaque
Odor Scented

Odor threshold No information available

Property Values Remarks

pH 13

Melting point / freezing point No information available

95446855_RET_NG - Dawn Ultra Power Dissolver

Boiling point / boiling rangeNo information available
> 93.88 °C / > 201 °F

Evaporation rate
Flammability (solid, gas)

No information available
No information available

Flammability Limits in Air

Upper flammability or explosive

limits

Lower flammability or explosive

limits

No information available

No information available

Vapor pressureNo information availableVapor densityNo information available

Relative density 1.03 - 1.06 Water solubility 100%

Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Viscosity No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Revision date 28-Feb-2020

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to AvoidNone under normal processing.

Incompatible materialsNone in particular.

Hazardous decomposition products None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

InhalationNo known effect.Skin contactMay cause burns.IngestionNo known effect.

Eye contact Risk of serious damage to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

No known effect.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

Skin sensitization No known effect. Respiratory sensitization No known effect. Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. Reproductive toxicity No known effect. No known effect. **Developmental toxicity** Teratogenicity No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. No known effect. **Aspiration hazard** Carcinogenicity No known effect.

Component Information

Chemical Name	CAS No	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene Glycol Butoxy Ether	29911-28-2	3700 mg/kg bw (OECD	> 2000 mg/kg bw (OECD	> 2.04 mg/L air (OECD
		401)	402)	403)
Monoethanolamine	141-43-5	1089 mg/kg bw (//OECD	-	-
		401)		
Benzenesulfonic acid,	28348-53-0	> 7000 mg/kg bw (OECD	> 2000 mg/kg bw (//OECD	> 6.41 mg/L air
(1-methylethyl)-, sodium salt (1:1)		401)	402)	
Amine oxides, C10-16-alkyldimethyl	70592-80-2	LD50: 1064 mg/kg, bw.	LD50: > 2000 mg/kg, 24	-
		OECD 401. Species: Rat	hours, bw. OECD 402.	
			Species: Rat	

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Products covered by this SDS, in their original form, when disposed as waste, are corrosive hazardous waste, D002, according to Federal RCRA regulations (40 CFR 261). Disposal

should be in accordance with local, state and federal regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

14. TRANSPORT INFORMATION

<u>DOT</u>

UN no UN1760

UN Proper shipping name CORROSIVE LIQUIDS, N.O.S.

Description UN1760, CORROSIVE LIQUIDS, N.O.S.(monoethanolamine, sodium hydroxide), 8, II,

Marine pollutant

Hazard Class 8
Packing Group II
Packaging Exceptions 154
Bulk packaging 242
Non-bulk Packaging 202
Emergency Response Guide 154

Number

The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size Product may be shipped as Limited Quantity in retail packaging

IMDG

UN Number UN1760

95446855_RET_NG - Dawn Ultra Power Dissolver

Revision date 28-Feb-2020

CORROSIVE LIQUID, N.O.S. **UN proper shipping name**

Description UN1760, CORROSIVE LIQUID, N.O.S. (monoethanolamine, sodium hydroxide), 8, II,

Marine pollutant

Transport hazard class(es) **Packing Group** Ш EmS-No. F-A, S-B

The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size.

IATA

UN Number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S.

UN1760, CORROSIVE LIQUID, N.O.S. (monoethanolamine, sodium hydroxide), 8, II Description

Transport hazard class(es) Packing Group Ш **ERG Code** 8L

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	SARA 313 - Threshold Values %
Phenoxyethanol	122-99-6	1

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	CAS No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CAS No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	X

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

Chemical Name	CAS No	New Jersey
Monoethanolamine	141-43-5	X
Chemical Name	CAS No	Massachusetts
Monoethanolamine	141-43-5	X
Chemical Name	CAS No	Pennsylvania

Monoethanolamine	141-43-5	X
Sodium hydroxide	1310-73-2	X

International Inventories

United States

All intentionally-added components of this product(s) are listed on the US TSCA Inventory

Canada

This product is in compliance with CEPA for import by P&G

Legend

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA)

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

Issuing Date:12-Mar-2015Revision date28-Feb-2020

Disclaimer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS