

KÄRCHER

makes a difference




ECONOMIC CLEANING SOLUTION.

A quiet and flexible carpet extractor.

Economical and easy extraction.

Clean out the dirt from your carpets, not the money out of your wallet with this economical box and wand extractor. Health of your patrons and employees is important so we included an integrated HEPA-level filter standard. The box and wand design allows for maximum portability so you can address messes and spills as soon as they happen.



1 Extremely quiet

- Daytime cleaning and operation in noise-sensitive areas possible with the low noise level of 66 dBA.

2 Easy transport

- Large wheels enable simple and comfortable transport over thresholds and up and down stairs.
- Ergonomic operation and comfortable handling due to upright design.
- Easy transport - the machine can be moved lying on its back and with a full solution tank.

3 Easy to use

- Easy removal of the fresh water filter.
- Solution level indicator.
- On-board storage for accessories.

4 Improved accessibility

- Easily accessible fresh water fill port.
- Easy to remove recovery tank.

Technical data and equipment.



PUZZI™ 30/4

TECHNICAL SPECIFICATIONS

Air flow rate	cfm	157
Vacuum waterlift	in	102
Flow rate	gpm	0.8
Spray pressure	psi	58
Tank, fresh water	gal	8
Tank, dirt water	gal	4
Electrical system		120 V, 10 amp
Operating noise level	dba	66
Weight	lbs	62
Dimensions (L x W x H)	in	23 x 18 x 37

EQUIPMENT

Order No.	Description
1.101-126.0	Puzzi™ 30/4, with 13 foot hose with integrated water feed.

ACCESSORIES

Order No.	Description
■ 6.394-375.0	Suction hose (13 ft)
■ 4.130-011.0	Flexible floor nozzle (13.75")
■ 5.035-488.0	Home Base kit (adapter and cable hook)
■ 4.130-000.0	Handle with sight glass
□ 4.130-009.0	Floor nozzle
□ 4.130-001.0	Upholstery tool
□ 4.130-010.0	Crevice nozzle
□ 4.762-017.0	Hard surface adapter

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Denver, CO 80019
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us