Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

SECTION 1. IDENTIFICATION

Product name : Scott® Essential Continuous Air Freshener, Ocean Scent

Product code : 91072

Manufacturer or supplier's details

Company : Kimberly-Clark Corporation

1400 Holcomb Bridge Road

Roswell 30076-2199

USA

Telephone : 1-888-346-4652

Emergency telephone : 1-877-561-6587

Transport Emergency : CHEMTREC: 1-800-424-9300

E-mail address : sdscontact@kcc.com

Responsible/issuing person

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

Aspiration hazard : Category 1

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 7 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Dihydromyrcenol	18479-58-8	>= 30 - < 50
orange oil	8008-57-9	>= 10 - < 20
decanal	112-31-2	>= 5 - < 10
Dipropylene glycol methyl ether	34590-94-8	>= 1 - < 5
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	>= 1 - < 5
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-	28219-61-6	>= 1 - < 5

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

buten-1-ol		
2-methylundecanal	110-41-8	>= 1 - < 5
Citral	5392-40-5	>= 1 - < 5
dodecanal	112-54-9	>= 1 - < 5
METHYL ANTHRANILATE	134-20-3	>= 1 - < 5
Octanal	124-13-0	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : No hazards which require special first aid measures.

In case of skin contact : Not required under normal use.

In case of eye contact : Flush eyes with water as a precaution.

If eye irritation persists, consult a specialist.

If swallowed : Not required under normal use.

Most important symptoms and effects, both acute and

delayed

No hazards which require special first aid measures.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Dry chemical

Specific hazards during fire

fighting

No special precautions required.

Hazardous combustion

products

No hazardous combustion products are known

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Scott® Essential Continuous Air Freshener, Ocean Scent

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

Methods and materials for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special precautions required.

Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
orange oil	8008-57-9	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist - respirable)	5 mg/m3	NIOSH REL
Dipropylene glycol methyl ether	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		TWA	100 ppm 600 mg/m3	OSHA Z-1
		TWA	100 ppm 600 mg/m3	OSHA P0
		STEL	150 ppm 900 mg/m3	OSHA P0
		TWA	100 ppm 600 mg/m3	NIOSH REL
		ST	150 ppm 900 mg/m3	NIOSH REL
Citral	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH

Personal protective equipment

Respiratory protection : Not required under normal use.

Hand protection

Remarks : not required under normal use

Eye protection : Not required under normal use.

Skin and body protection : Not required under normal use.

Protective measures : No special protective equipment required.

Scott® Essential Continuous Air Freshener, Ocean Scent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice for diagnostics.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

No information available.

Odor : pleasant

No information available.

Odor Threshold : No information available.

Melting point/freezing point

Boiling point/boiling range

Flash point : 63 °C57 °C

Evaporation rate : No information available.

Relative vapor density : No information available.

Relative density : 0.885 - 0.889 (20 °C)

0.766 - 0.8

Solubility(ies)

Water solubility : No information available.

Partition coefficient: n-

octanol/water

: No information available.

Viscosity

Viscosity, kinematic : No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: None reasonably foreseeable.

Conditions to avoid : No data available

Scott® Essential Continuous Air Freshener, Ocean Scent

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

Incompatible materials : No information available.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Dihydromyrcenol:

Acute oral toxicity : LD50 Oral (Rat, male and female): 4,100 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

orange oil:

Acute oral toxicity : LD50 Oral (Rat, male): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: no

Dipropylene glycol methyl ether:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 4,580 mg/kg

Method: OECD Test Guideline 402

GLP: yes

2-methylundecanal:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 5,000 mg/kg

Method: Acute toxicity estimate

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 8,280 mg/kg

Method: No information available.

GLP: no

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

Citral:

Acute oral toxicity : LD50 Oral (Rat, male and female): 6,800 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg

dodecanal:

Acute oral toxicity : LD50 Oral (Rat, male and female): 23,100 mg/kg

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2,000 mg/kg

Method: Acute toxicity estimate

GLP: no

Octanal:

Acute oral toxicity : LD50 Oral (Rat, male): 4,617 mg/kg

Method: Acute toxicity estimate

GLP: no

Acute inhalation toxicity : LC50 (Rat, males): > 830 mg/m3

Exposure time: 8 h

Method: Acute toxicity estimate

GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg

Method: Acute toxicity estimate

GLP: no

Skin corrosion/irritation

Components:

Dihydromyrcenol:

Species: Rabbit

Result: Irritating to skin.

orange oil:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

GLP: yes

decanal:

Species: Rabbit

Result: No skin irritation

Dipropylene glycol methyl ether:

Result: No skin irritation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to skin.

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

2-methylundecanal:

Species: Rabbit Exposure time: 24 h

Method: No information available.

Result: irritating

GLP: no

Citral:

Assessment: Irritating to skin.

dodecanal:

Species: Rabbit Exposure time: 24 h Result: Skin irritation

GLP: no

Octanal:

Species: Rabbit

Method: Directive 67/548/EEC, Annex V, B.4.

Result: Irritating to skin.

GLP: yes

Serious eye damage/eye irritation

Components:

Dihydromyrcenol:

Species: Rabbit

Result: Moderate eye irritation

orange oil:

Species: Rabbit Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

decanal:

Species: Rabbit Result: Eye irritation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

Dipropylene glycol methyl ether:

Result: No eye irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to eyes.

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Result: Eye irritation

2-methylundecanal:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Citral:

Result: Eye irritation

dodecanal:

Species: Rabbit Result: Eye irritation Method: Draize Test

GLP: no

METHYL ANTHRANILATE:

Assessment: Irritating to eyes.

Octanal:

Species: Rabbit Result: Eye irritation

Method: Directive 67/548/EEC, Annex V, B.5.

GLP: yes

Respiratory or skin sensitization

Components:

Dihydromyrcenol:

Species: Mouse

Assessment: Does not cause skin sensitization.

Result: Did not cause sensitization on laboratory animals.

orange oil:

Species: Mouse

Method: OECD Test Guideline 429

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

Result: May cause sensitization by skin contact.

GLP: yes

decanal:

Species: Humans

Result: Does not cause skin sensitization.

Dipropylene glycol methyl ether:

Result: Did not cause sensitization on laboratory animals.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: The product is a skin sensitizer, sub-category 1B.

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Test Type: Maximization Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitization on laboratory animals.

GLP: yes

2-methylundecanal:

Species: Mouse

Assessment: The product is a skin sensitizer, sub-category 1B.

Method: OECD Test Guideline 429

Result: The product is a skin sensitizer, sub-category 1B.

GLP: yes

Citral:

Result: The product is a skin sensitizer, sub-category 1B.

dodecanal:

Species: Mouse

Method: OECD Test Guideline 429

Result: The product is a skin sensitizer, sub-category 1B.

GLP: yes

Octanal:

Test Type: Freund's complete adjuvant test

Species: Guinea pig

Method: No information available.

Result: Did not cause sensitization on laboratory animals.

GLP: No information available.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Aspiration toxicity

Components:

orange oil:

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dihydromyrcenol:

Toxicity to fish : LC50: 27.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 38 mg/l

Exposure time: 48 h

Toxicity to algae : EC50: 80 mg/l

Exposure time: 72 h

orange oil:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.62 mg/l

Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

GLP: no

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: no

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

decanal:

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

Toxicity to fish : LC50: 2.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 1.94 mg/l Exposure time: 48 h

Toxicity to algae : EC50: 4.5 mg/l

Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Dipropylene glycol methyl ether:

Toxicity to fish : LC50: > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: > 1,000 mg/l Exposure time: 96 h

Toxicity to algae : NOEC: 969 mg/l

Exposure time: 72 h

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.1 mg/l

Exposure time: 96 h

Test Type: flow-through test

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.63 mg/l

Exposure time: 48 h

Test Type: flow-through test

Method: Directive 67/548/EEC, Annex V, C.2.

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.5

mg/l

Exposure time: 96 h Test Type: static test

GLP: yes

2-methylundecanal:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.35 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.21 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: ves

Toxicity to algae EC50 (Pseudokirchneriella subcapitata (green algae)): 0.11

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Citral:

Toxicity to fish LC50: 6.78 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 6.8 mg/l

Exposure time: 48 h

Toxicity to algae : EC50: 6.8 mg/l

Exposure time: 48 h

dodecanal:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.27 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae EC50 (Pseudokirchneriella subcapitata (green algae)): 0.048

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

Octanal:

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.54 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 4.5

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Persistence and degradability

Components:

Dihydromyrcenol:

Biodegradability : Result: Readily biodegradable.

decanal:

Biodegradability : Result: Readily biodegradable.

Citral:

Biodegradability : Result: Readily biodegradable.

dodecanal:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Dihydromyrcenol:

Partition coefficient: n-

octanol/water

log Pow: 3.25

orange oil:

Partition coefficient: n-

octanol/water

log Pow: 2.78 - 4.88

decanal:

Partition coefficient: n-

octanol/water

: log Pow: 3.760

Dipropylene glycol methyl ether:

Partition coefficient: n-

octanol/water

: log Pow: -0.064

Scott® Essential Continuous Air Freshener, Ocean Scent

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Partition coefficient: n-

octanol/water

: log Pow: 4.4

2-methylundecanal:

Partition coefficient: n-

octanol/water

log Pow: 4.9

dodecanal:

Partition coefficient: n-

octanol/water

log Pow: 4.9 (35 °C)

METHYL ANTHRANILATE:

Partition coefficient: n-

octanol/water

log Pow: 1.88

Octanal:

Partition coefficient: n-

octanol/water

log Pow: 3.5

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

UN number : UN 1169

Proper shipping name : EXTRACTS, AROMATIC, LIQUID

Class : 3
Packing group : III
Labels : 3

IATA-DGR

Not permitted for transport

IMDG-Code

Not permitted for transport

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1169

Proper shipping name : EXTRACTS, AROMATIC, LIQUID

Class : 3 Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 127 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Aspiration hazard

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01-30-2020

 1.2
 02-28-2020
 N00109107203
 Date of first issue: 01-28-2020

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Dipropylene glycol methyl ether	34590-94-8
Octanal	124-13-0

Pennsylvania Right To Know

alkanes, C9-12-iso-	90622-57-4
Dihydromyrcenol	18479-58-8
orange oil	8008-57-9
allyl (3-methylbutoxy)acetate	67634-00-8
decanal	112-31-2
exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl	125-12-2
acetate	
Dipropylene glycol methyl ether	34590-94-8

SECTION 16. OTHER INFORMATION

Full text of other abbreviations


AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act

Version Revision Date: SDS Number: Date of last issue: 01-30-2020 1.2 02-28-2020 N00109107203 Date of first issue: 01-28-2020

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 02-28-2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8