

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : | SCRUB FREE BATHROOM CLEANER & DISINFECTANT |
|-------------------------------|---|--|
| Other means of identification | : | Not applicable |
| Recommended use | : | Cleaning product |
| Restrictions on use | : | Reserved for industrial and professional use. |
| Product dilution information | : | 1.56 % - 4.69 % |
| Company | : | Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326 |
| Emergency health information | : | 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US) |
| Issuing date | : | 01/04/2023 |

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

| Product | AS | SOLD |
|---------|----|------|

| Acute toxicity (Oral) | : Category 4 |
|-----------------------------|---------------|
| Acute toxicity (Inhalation) | : Category 4 |
| Acute toxicity (Dermal) | : Category 4 |
| Skin corrosion | : Category 1A |
| Serious eye damage | : Category 1 |
| | |

Product AT USE DILUTION

| Acute toxicity (Oral) | : Category 4 |
|-----------------------------|--------------|
| Acute toxicity (Inhalation) | : Category 4 |
| Acute toxicity (Dermal) | : Category 4 |

GHS label elements

Product AS SOLD

| Hazard pictograms | : | |
|--------------------------|---|--|
| Signal Word | : | Danger |
| Hazard Statements | : | Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. |
| Precautionary Statements | : | Prevention: Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. |

| | vomiting. IF ON clothing. Rinse s to fresh air and k POISON CENTE for several minur Continue rinsing contaminated clo Storage: Store locked up. Disposal: | SKIN (or hair): Take of skin with water/ showe keep comfortable for b ER/ doctor. IF IN EYE tes. Remove contact l . Immediately call a P othing before reuse. | e mouth. Do NOT induce off immediately all contaminated er. IF INHALED: Remove person preathing. Immediately call a S: Rinse cautiously with water enses, if present and easy to do. OISON CENTER/ doctor. Wash |
|---|---|---|--|
| Product AT USE DILUTION Hazard pictograms | | | |
| Signal Word | : Warning | | |
| Hazard Statements | : Harmful if swallo | wed, in contact with s | kin or if inhaled. |
| Precautionary Statements | Do not eat, drink or in a well-venti clothing. Response: IF SWALLOWEI Rinse mouth. IF CENTER/ docto fresh air and kee CENTER/ docto before reuse. Disposal: | or smoke when using lated area. Wear prot D: Call a POISON CE ON SKIN: Wash with r if you feel unwell. IF p comfortable for bre r if you feel unwell. W | skin thoroughly after handling. g this product. Use only outdoors ective gloves/ protective NTER/ doctor if you feel unwell. plenty of water.Call a POISON INHALED: Remove person to athing. Call a POISON ash contaminated clothing pproved waste disposal plant. |
| Product AS SOLD Other hazards SECTION 3. COMPOSITION/IN | : None known. | NGREDIENTS | |
| Product AS SOLD Pure substance/mixture | : Mixture | | |
| Chemical name 2-(2-butoxyethoxy)ethanol Quaternary ammonium compou alkyldimethyl, chlorides 2-methylpentane-2,4-diol benzalkonium chloride | unds, di-C8-10- | CAS-No. 112-34-5 68424-95-3 107-41-5 68424-85-1 | Concentration (%) 1 - 5 1 - 5 1 - 5 1.63 |
| Octyl decyl dimethyl ammonium Didecyl Dimethyl Ammonium C Dioctyl dimethyl ammonium chl | hloride | 32426-11-2 7173-51-5 5538-94-3 | 1.22 0.74 0.49 |
| Product AT USE DILUTION Chemical name benzalkonium chloride | a chlorida | CAS-No. 68424-85-1 32426-11-2 | Concentration (%) 0.051 0.0382 |

Octyl decyl dimethyl ammonium chloride

32426-11-2

0.0382

| Didecyl Dimethyl Ammonium Chloride Dioctyl dimethyl ammonium chloride | | 7173-51-5 5538-94-3 | 0.0232 0.0153 | | |
|--|--------|--|---------------------|--|--|
| SECTION 4. FIRST AID MEAS | SURE | S | | | |
| Product AS SOLD In case of eye contact | | | | | |
| In case of skin contact | V | Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. | | | |
| If swallowed | а | Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately. | | | |
| If inhaled | : F | Remove to fresh a | air. Treat symptom | atically. Get medical attention. | |
| Protection of first-aiders | | f potential for exp protective equipm | | to Section 8 for specific personal | |
| Notes to physician | : Т | reat symptomatio | cally. | | |
| Most important symptoms and effects, both acute and delayed | | See Section 11 for more detailed information on health effects and symptoms. | | | |
| Product AT USE DILUTION | | | | | |
| In case of eye contact | : F | Rinse with plenty | of water. | | |
| In case of skin contact | a s | a mild soap if avai | ilable. Wash clothi | water for at least 15 minutes. Use ng before reuse. Thoroughly clean ention if irritation develops and | |
| If swallowed | : F | Rinse mouth. Get | medical attention | if symptoms occur. | |
| If inhaled | : F | Remove to fresh a | air. Treat symptom | atically. Get medical attention. | |

SECTION 5. FIRE-FIGHTING MEASURES

| Product AS SOLD Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|--|---|---|
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Not flammable or combustible. |
| Hazardous combustion products | : | Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) |
| Special protective equipment | : | Use personal protective equipment. |

for fire-fighters

| Specific extinguishing methods | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local |
|--------------------------------|---|---|
| | | regulations. In the event of fire and/or explosion do not breathe fumes. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Product AS SOLD Personal precautions, protective equipment and emergency procedures | : | Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. |
|---|---|---|
| Environmental precautions | : | Do not allow contact with soil, surface or ground water. |
| Methods and materials for containment and cleaning up | : | Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |
| Product AT USE DILUTION Personal precautions, protective equipment and emergency procedures | : | Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : | Do not allow contact with soil, surface or ground water. |
| Methods and materials for containment and cleaning up | : | Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

SECTION 7. HANDLING AND STORAGE

| Product AS SOLD Advice on safe handling | : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). |
|---|---|
| Conditions for safe storage | : Keep out of reach of children. Store in suitable labeled containers. |
| Storage temperature | : 0 °C to 50 °C |
| Product AT USE DILUTION Advice on safe handling | : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). |
| Conditions for safe storage | : Keep out of reach of children. Store in suitable labeled containers. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|---------------------------|----------|--|---------------------------|-----------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | TWA (Inhalable fraction and vapor) | 10 ppm | ACGIH |
| 2-methylpentane-2,4-diol | 107-41-5 | C | 25 ppm 125 mg/m3 | NIOSH REL |
| | | TWA (Vapour.) | 25 ppm | ACGIH |
| | | STEL (Vapour.) | 50 ppm | ACGIH |
| | | STEL (Inhalable fraction, Aerosol only) | 10 mg/m3 | ACGIH |
| | | С | 25 ppm 125 mg/m3 | OSHA P0 |
| | | С | 25 ppm 125 mg/m3 | |
| ethanol | 64-17-5 | TWA | 1,000 ppm 1,900 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 1,900 mg/m3 | OSHA Z-1 |

| Engineering measures | Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards. | |
|---|--|--|
| Personal protective equipment | | |
| Eye protection | : Wear eye protection and/or face protection. | |
| Hand protection | Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. | |
| Skin protection | Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing | |
| Respiratory protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. | |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. | |
| Product AT USE DILUTION Engineering measures | Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards. | |

| Personal protective equipme | nt |
|-----------------------------|--|
| Eye protection | : No special protective equipment required. |
| Hand protection | : No special protective equipment required. |
| Skin protection | : No special protective equipment required. |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | Product AS SOLD Product | t AT USE DILUTION | |
|--|--|-------------------|--|
| Appearance | liquid liquid | | |
| Color | clear, pink pink | | |
| Odor | fruity fruity | | |
| рН | 9.5 - 10.5, (100 %) 10.3 - 1 | 0.7 | |
| Flash point | Not applicable, Does not sustain combustio | n. | |
| Odor Threshold | No data available | | |
| Melting point/freezing point | No data available | | |
| Initial boiling point and boiling range | > 100 °C | | |
| Evaporation rate | No data available | | |
| Flammability (solid, gas) | Not applicable | | |
| Upper explosion limit | No data available | | |
| Lower explosion limit | No data available | | |
| Vapor pressure | No data available | | |
| Relative vapor density | No data available | | |
| Relative density | 1.052 - 1.072 | | |
| Water solubility | soluble | | |
| Solubility in other solvents | No data available | | |
| Partition coefficient: n- octanol/water | No data available | | |
| Autoignition temperature | No data available | | |
| Thermal decomposition | No data available | | |
| Viscosity, kinematic | No data available | | |
| Explosive properties | No data available | | |
| Oxidizing properties | The substance or mixture is not classified a | s oxidizing. | |
| Molecular weight | No data available | | |
| VOC | No data available | | |

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity

: No dangerous reaction known under conditions of normal use.

| Chemical stability | Stable under normal conditions. | | |
|--|---|--|--|
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. | | |
| Conditions to avoid | None known. | | |
| Incompatible materials | Chlorine-based bleaching agents Acids | | |
| Hazardous decomposition products | Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) | | |
| SECTION 11. TOXICOLOGICA | INFORMATION | | |
| Information on likely routes of exposure | Inhalation, Eye contact, Skin contact | | |
| Potential Health Effects | | | |
| Product AS SOLD Eyes | Causes serious eye damage. | | |
| Skin | Causes severe skin burns. Harmful if absorbed through skin. | | |
| Ingestion | Harmful if swallowed. Causes digestive tract burns. | | |
| Inhalation | Harmful if inhaled. May cause nose, throat, and lung irritation. | | |
| Chronic Exposure | Health injuries are not known or expected under normal use. | | |
| Product AT USE DILUTION Eyes | Health injuries are not known or expected under normal use. | | |
| Skin | Harmful if absorbed through skin. | | |
| Ingestion | Harmful if swallowed. | | |
| Inhalation | Harmful if inhaled. | | |
| Chronic Exposure | : Health injuries are not known or expected under normal use. | | |
| Experience with human expo | re | | |
| Product AS SOLD Eye contact | Redness, Pain, Corrosion | | |
| Skin contact | Redness, Pain, Corrosion | | |
| Ingestion | Corrosion, Abdominal pain | | |
| Inhalation | Respiratory irritation, Cough | | |
| Product AT USE DILUTION Eye contact | No information available. | | |
| Skin contact | No information available. | | |
| | | | |

| Ingestion | : No information available. |
|---|--|
| Inhalation | : No information available. |
| Toxicity | |
| Product AS SOLD | |
| Product Skin corrosion/irritation | : No data available |
| Serious eye damage/eye | : No data available |
| irritation | |
| Respiratory or skin sensitization | : No data available |
| Carcinogenicity | : No data available |
| Reproductive effects | : No data available |
| Germ cell mutagenicity | : No data available |
| Teratogenicity | : No data available |
| STOT-single exposure | : No data available |
| STOT-repeated exposure | : No data available |
| Aspiration toxicity | : No data available |
| | |
| SECTION 12. ECOLOGICAL | NFORMATION |
| Ecotoxicity | |
| Product AS SOLD | Verstevicto envetic life. Lleventul to equatic life with lever lection |
| Environmental Effects | : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects. |
| Product AT USE DILUTION | |
| Environmental Effects | : Harmful to aquatic life. |
| Product AS SOLD Product | |
| Toxicity to fish | : No data available |
| Toxicity to daphnia and other aquatic invertebrates | : No data available |
| Toxicity to algae | : No data available |
| Components | |
| Toxicity to fish | |
| | : 2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l |
| | |
| | 96 h LC50 Fish: 1,300 mg/l Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides |
| | 96 h LC50 Fish: 1,300 mg/l Quaternary ammonium compounds, di-C8-10-alkyldimethyl, chlorides 96 h LC50 Fish: 1 mg/l 2-methylpentane-2,4-diol |

| | Didecyl Dimethyl Ammonium Chloride 96 h LC50 Fish: > 1 mg/l |
|---|--|
| | Dioctyl dimethyl ammonium chloride 96 h LC50 Oncorhynchus mykiss (rainbow trout): 0.35 mg/l |
| Components | |
| Toxicity to daphnia and other : aquatic invertebrates | 2-methylpentane-2,4-diol 48 h EC50 Daphnia magna (Water flea): 2,800 mg/l |
| | benzalkonium chloride 48 h EC50 Daphnia magna (Water flea): 0.016 mg/l |
| | Didecyl Dimethyl Ammonium Chloride 48 h EC50 Daphnia magna (Water flea): 0.029 mg/l |
| | Dioctyl dimethyl ammonium chloride 96 h LC50: 0.073 mg/l |
| Components | |
| - | 2-methylpentane-2,4-diol 72 h EC50 Pseudokirchneriella subcapitata (green algae): > 490 mg/l |
| | Didecyl Dimethyl Ammonium Chloride 72 h EC50 Pseudokirchneriella subcapitata (algae): 0.062 mg/l |
| | Dioctyl dimethyl ammonium chloride 72 h EC50 Pseudokirchneriella subcapitata (algae): 0.122 mg/l |
| Persistence and degradability | |
| Product AT USE DILUTION Poorly biodegradable | |
| Bioaccumulative potential | |
| No data available | |
| Mobility in soil | |
| No data available | |
| Other adverse effects | |
| No data available | |
| SECTION 13. DISPOSAL CONS | IDERATIONS |
| Product AS SOLD Disposal methods : | Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. |
| Disposal considerations : | Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations. |

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous waste

| Product AT USE DILUTION Disposal methods | : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. |
|---|--|
| Disposal considerations | : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations. |

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

| UN number Proper shipping name | - | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (quaternary ammonium compound) |
|-----------------------------------|---|---|
| Class | : | 9 |
| Packing group | : | |
| Marine pollutant | : | yes |

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPA Registration number : 1677-256

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : | Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation |
|----------------------|---|--|
| SARA 302 | : | This material does not contain any components with a section 302 EHS TPQ. |

SARA 313

 The following components are subject to reporting levels established by SARA Title III, Section 313: 2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

| This regulation applies to this produ | | | |
|---|-------------|----------------|----------------|
| Chemical Name | CAS-No. | Function | List(s) |
| water | 7732-18-5 | Diluent | Not Applicable |
| alanine, n,n-bis(carboxymethyl)-, trisodium salt | 164462-16-2 | Cleaning Agent | Not Applicable |
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | Solvent | Not Applicable |
| 2-methylpentane-2,4-diol | 107-41-5 | Solvent | Not Applicable |
| Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride | 68424-85-1 | Biocide | Not Applicable |
| amines, coco alkyldimethyl, n- oxides | 61788-90-7 | Biocide | Not Applicable |
| Octyl decyl dimethyl ammonium chloride | 32426-11-2 | Biocide | Not Applicable |
| Quaternary ammonium compound | Withheld | Cleaning Agent | Not Applicable |
| Colorant | Withheld | Dye | Not Applicable |
| Isothiazolinones | Withheld | Dye | Not Applicable |
| *refer to peolob com/ado for algotropic links to designated lists | | | |

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

All components are listed or exempted.

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) : not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

not determined


Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined

Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.