

***WON'T HARM LAWN,  
GUARANTEED***

LB5304



# SPOT Weed Control

FOR LAWNS CONTROL LOCALIZADO DE MALEZAS PARA CÉSPED



**TARGETS WEEDS**  
**LEAVES THE LAWN UNHARMED**

*Kills Weeds Down To The Root*

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel booklet for additional precautionary statements.

THIS PRODUCT CONTAINS:  
Quinclorac Acid 0.1% (+/-) (R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.18%; 2,4-Dichlorophenoxyacetic acid equivalent 0.10%; 3,6-dichloro-o-anisic acid equivalent 0.04% Isomer Specific by AOAC Methods. Contains the single isomer form of Mecoprop-p.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**  
**PRECAUCIÓN**

Consulte el folleto en el panel posterior para conocer los avisos de precaución adicionales.

**ACTIVE INGREDIENTS:**  
Quinclorac ..... 0.10%  
Mecoprop-p, dimethylamine salt ..... 0.22%  
2,4-D, dimethylamine salt ..... 0.12%  
Dicamba, dimethylamine salt ..... 0.05%  
**OTHER INGREDIENTS** ..... 99.51%  
**TOTAL** ..... 100.00%



LB5306

**NET CONTENTS/  
CONTENIDO NETO**  
24 fl oz (710ml)






# SPOT Weed Control

FOR LAWNS

CONTROL LOCALIZADO DE MALEZAS PARA CÉSPED

**OPEN**  
Resealable Label  
for Directions &  
Precautions  
Para español,  
vea la página 5

**KILLS BROADLEAF AND GRASSY WEEDS IN YOUR LAWN**

		
Dandelions	Clover	Crabgrass

**Rainproof In 1 Hour**

**Where To Use:**  
On lawns—Bermudagrass\*\*, Buffalograss, Fescue, Kentucky bluegrass, Perennial Ryegrass and Zoysiagrass without harming lawn grasses.  
\*\*Temporary discoloration may occur on Bermudagrass.



**Questions, Comments or Medical Information**  
Preguntas, comentarios o información médica  
Call 1-800-543-TURF (8873) [www.scotts.com](http://www.scotts.com)



Manufactured for The Scotts Company  
14111 Scottslawn Rd., Marysville, OH 43041  
EPA Reg. No. 239-2689-538  
EPA Est. 239-1A-3I, 239-MS-1M,  
085652-OH-1W  
Superscript is first letter of lot number.



LB6305

# FPO

0 32247 54105 3  
1001

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## HOW TO APPLY

- Turn sprayer nozzle to open.
- Adjust sprayer nozzle as desired.
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

## WHEN TO APPLY

- Spray when weeds are actively growing.
- For best results—spray when daytime temperatures are above 45°F and below 90°F.
- Rain or watering 1 hour after application will not wash away effectiveness.
- For best results—if turf is drought stressed, water lawn and spray weeds 3 days later when the weeds are not drought stressed.
- Bare spots in lawns can be reseeded 4 weeks after application.

## RESTRICTIONS

- Keep people and pets out of the area during application.
- Spray only the weed, not the entire lawn. This product is for spot treatment only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants.
- Do not use on or around fruits, vegetables or flowers.
- Do not use this product on or near desirable plants, including within the dripline of roots of desirable trees and shrubs, as injury may result.
- Do not use clippings as mulch or compost.
- Do not apply as a fine mist because of potential injury to desirable plants.

### WHERE TO USE

On lawns—Bermudagrass\*\*, buffalograss, Fescue, Kentucky bluegrass, Perennial Ryegrass, and Zoysiagrass without harming lawn grasses.

\*\*Temporary discoloration may occur on Bermudagrass.

### KILLS WEEDS INCLUDING:

Barnyardgrass, Broadleaf Signalgrass, Bur Clover, Carpetweed, Chickweeds, Creeping Charlie, Cudweeds, Curly Dock, Dandelions, English Daisy, False Dandelion, Field Bindweed, Filaree, Florida Pusley, Giant Foxtail, Green Foxtail, Henbit, Junglerice, Kikuyugrass\*, Large Crabgrass, Oxalis, Pennywort, Plantains, Purslane, Red Sorrel, Sheep Sorrel, Smooth Crabgrass, Speedwells, Spurges, Spurweed, Thistles, Torpedograss\*, White Clover, Wild Carrot, Wild Geranium, Wild Onion, Yellow Foxtail

\*Make 2 sequential applications at 14 to 21 day intervals to control Kikuyugrass and Torpedograss.

### STORAGE AND DISPOSAL

<b>PESTICIDE STORAGE:</b>	Rotate nozzle to closed position. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.
<b>PESTICIDE DISPOSAL AND CONTAINER HANDLING:</b>	Non-refillable container. Do not reuse or refill this container. <b>If empty:</b> Place in trash or offer for recycling if available. <b>If partly filled:</b> Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. When using this product, wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and protective eyewear.

**FIRST AID**

<b>IF IN EYES:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.
--------------------	---

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may adversely affect nontarget plants. To protect the environment, do not apply directly to or allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, or oceans. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinse applicator over lawn or garden area only.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

**The Scotts® Guarantee**

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

### **INSTRUCCIONES DE USO**

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

### **CÓMO APLICAR**

- Gire la boquilla del rociador hasta la posición de "open" (abierto).
- Ajuste la boquilla del rociador a su gusto.
- Apunte al centro de las malezas y rocíe hasta cubrir ligeramente.
- Para evitar que el viento arrastre el rocío, sostenga la boquilla del rociador a 61 centímetros de distancia de las malezas a eliminar o menos.

### **CUÁNDO APLICAR**

- Rocíe cuando las malezas estén creciendo de manera activa.
- Para obtener los mejores resultados, rocíe cuando la temperatura diurna oscile entre los 7 y los 32 grados centígrados.
- Si llueve o riega 1 hora después de la aplicación, el producto no perderá su eficacia.
- Para obtener los mejores resultados, si el césped está estresado por la sequía, riegue el césped y rocíe las malezas 3 días más tarde, cuando ya no estén estresadas por la falta de agua.
- Pueden sembrarse semillas de nuevo en las áreas descubiertas 4 semanas después de la aplicación.

### RESTRICCIONES

- Durante la aplicación, mantenga alejadas del área a las personas y las mascotas.
- Rocíe únicamente las malezas, no todo el césped. Este producto es de tratamiento localizado, exclusivamente.
- No aplique este producto de forma que entre en contacto con las personas o las mascotas, ya sea directamente o al ser arrastrado por el viento.
- No permita que las personas ni las mascotas ingresen al área tratada sino hasta que se haya secado el rocío.
- No utilice este producto para controlar malezas en huertos, macizos de flores ni alrededor de arbustos o plantas ornamentales.
- No utilice en ni alrededor de frutas, hortalizas o flores.
- No utilice este producto en ni cerca de plantas que no desee eliminar, incluyendo dentro de la tubería de goteo de las raíces de árboles y arbustos, pues puede dañarlos.
- No utilice la hierba cortada como mantillo o composta.
- No aplique como un rocío ligero porque es posible que dañe a las plantas que no desea eliminar.

### DÓNDE USARLO

En céspedes: Bermuda\*\*, búfalo, festuca, hierba azul del Kentucky, raigrás perenne y zoysia, sin dañar el césped del jardín.

\*\*Puede ocurrir cierta decoloración temporal en el césped Bermuda.

### ELIMINA MALEZAS, INCLUYENDO:

Acederilla, alfilerillo, anicillo, arrocillo, braquiaria de hoja ancha, campanilla, capín arroz, cardo, carretilla, cebolla silvestre, centella asiática o hidrocótula, diente de león, digitaria lisa, estalaria, falso diente de león, geranio silvestre, hiedra de tierra, kikuyo\*, lantén, margarita inglesa, ortiga mansa, romaza, rosella, sangradera ancha, siempreviva, tártago, torpedo\*, trébol blanco, verdolaga, verdolaga del caballo, verónica, vinagrillo u oca, yerba de pollo, zacate cola de zorra amarilla, zacate cola de zorra gigante, zacate cola de zorra verde, zanahoria silvestre

\*Realice 2 aplicaciones en secuencia, a intervalos de entre 14 y 21 días, para controlar el kikuyo y el torpedo.



## ALMACENAMIENTO Y ELIMINACIÓN

<b>ALMACENAMIENTO DEL PESTICIDA:</b>	Gire la boquilla hasta la posición de "closed" (cerrado). No permita que se congele. Mantenga el pesticida en su envase original. No lo guarde en envases de alimentos o bebidas. No contamine los comestibles o alimentos para animales. Guárdelo en un lugar fresco y seco, de preferencia en un área de almacenamiento cerrada bajo llave.
<b>ELIMINACIÓN Y MANEJO DEL ENVASE DEL PESTICIDA:</b>	Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase. <b>Si está vacío:</b> Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje. <b>Si está parcialmente lleno:</b> Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

## MANTENER FUERA DEL ALCANCE DE LOS NIÑOS PRECAUCIÓN

### AVISOS DE PRECAUCIÓN

#### RIESGOS PARA LAS PERSONAS Y LOS ANIMALES DOMÉSTICOS

**PRECAUCIÓN:** Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle o consumir tabaco. Use camisa de manga larga, pantalones largos, medias o calcetines, zapatos, guantes de hule y anteojos protectores.

## PRIMEROS AUXILIOS

### SI ENTRA EN LOS OJOS:

Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento.

**RIESGOS AMBIENTALES:** Este pesticida es tóxico para los peces y los invertebrados acuáticos. La dispersión y los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Este producto puede afectar de manera adversa a las plantas que no se pretende eliminar. Para proteger el medio ambiente, no aplique directamente ni permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de desagüe, cunetas o aguas superficiales. No aplique a menos de 7,6 metros de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías u océanos. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Enjuague el aplicador sobre el área del césped o jardín, únicamente.

Este producto tiene propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

**Aviso:** En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones de la etiqueta.

### La garantía Scotts®

Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.



# SPOT Weed Control

FOR LAWNS

CONTROL LOCALIZADO DE MALEZAS PARA CÉSPED

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. When using this product, wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and protective eyewear.

## FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may adversely affect nontarget plants. To protect the environment, do not apply directly to or allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, or oceans. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinse applicator over lawn or garden area only.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

### The Scott's® Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.



**Questions, Comments or Medical Information**  
Preguntas, comentarios o información médica  
Call 1-800-543-TURF (8873) [www.scotts.com](http://www.scotts.com)



©2014 The Scott's Company  
World rights reserved.  
Manufactured for The Scott's Company  
14111 Scottslawn Rd., Marysville, OH 43041

LB5305

EPA Reg. No. 239-2689-538  
EPA Est. 239-1A-3I, 239-MS-1M,  
085652-OH-1W

Superscript is first letter of lot number

PRESS TO RESEAL PRESIONE PARA VOLVER A CERRAR