



## PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, sion or obtining. Weal roung seeved shirt and long parts, stoses, socks, and chemical resistant gloves. Wish thoroughly with seap and water after handing and before realing, dirinking, chewing unu, using tobacc or using the toiler. Remove and wesh contaminated clothing before reuse.

ENVIRONMENTAL MALABOS: This pestidise is extremely toxic to fish and aquatic inverterbates. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pestidied to enter or run off iron sorum drains, fadinage disches, guiters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pestidied off of the treatment raae. Almsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Care should be used when spaying to avoid fish and regitiple sets in/around onamental ponds. This product is highly toxic to be see exposed to direct treatment of residues on blooming crops if see are foranging the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handing of this product not in accordance with directions.

The ORTHO® Guarantee

The ORTHO® Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof
of purchase to obtain a full refund of your purchase price.

©2021 The ORTHO Group. World rights reserved. Sold by **The ORTHO Group**, PO Box 190, Marysvi**l**e, OH 43040 EPA Reg. No. 239-2728 EPA Est. No. 239-IA-3 PRESS TO RESEAL

LB14782



ONE PINT COVERAGE:
Termites: Makes 5 gallons; Listed Broadcast Insects: Makes 32 treats up to 37.5 linear feet gallons; treats up to 5,300 square feet

## ORTHO® AND YOUR ENVIRONMENT

Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to pest problems. For best results and a healthy environment, please follow instructions for appropriate use, storage and disposal.

## **DIRECTIONS FOR USE**

It is a violation of Federal Buv to use this product in a manner inconsistent with its labeling.

Do not water the treated area to the point of run-off. Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

treatments only, except for the following permitted uses:

1. Treatment of soil or vegetation around structures;

2. Applications to lawns, furf, and other vegetation;

3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to hard surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Applications The Proferantal Hard Surfaces.

Applications to Horizontal Hard Surfaces
To help prevent product from running off into sewers, storm drains and curbside gutters do not treat hard flat surfaces (e.g., driveways, sidewalks) unless the surface is protected from rainfall and spray from sprinklers.

# DIRECTIONS FOR USE (cont'd)

Applications to Vertical Hard Surfaces
Applications to hard vertical surfaces outdoors (e.g.,
foundations) are permitted to a maximum height of 3 feet
above ground. Sections or hard vertical surfaces that join to
hard flat surfaces outdoors can only be treated if either 1) these
sections are protected from rainfall and spray from sprinklers or 2)
the hard flat surfaces they touch do not drain into a sewer, storm drain
or curbside gutter.



Keep people and pets out of treated areas until spray has dried.

## USE RESTRICTIONS

USE RESTRICTIONS

DO NOT treat structures that contain cisterns, wells, French drains or sump systems. Soil in the vicinity of wells, cisterns or ponds must not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT reat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

SHAKE WELL BEFORE USE

4.

# TO CREATE A BARRIER AGAINST SUBTERRANEAN TERMITES (OUTDOORS\*)

Kills and controls subterranean termites. Chemicals used for soil treatments are used to establish a barrier against termites. This product must be adequatedly dispersed in the soil to provide a barrier between the wood in the structure and the termite colonies in the soil. Barriers may be established in the soil on the outside of the perimeter of the house by trenching using a rate of 4 gallons of the product per 10 linear feet per foot of depth.

or deptn. This product helps prevent subterranean termite infestations. If evidence of termite activity is found, contact a licensed pest control operator for treatment. For outdoor residential post-construction use only. DO NOT use under slabs, in crawl spaces or indoors.

\*Not in MA, NY & RI. 5

## **HOW TO APPLY**

SITE PREPARATION Remove all wood debris and wood forms.



Jebris and wood rurins.

MIX PRODUCT
USE A SPRINKLING CAN.
Add 3.2 fl oz (6 ½ Tbs) to 1 gallon of water for each
2½ linear feet.\*

\* 1 pint of totho® Home Defense® Termite &
Destructive Bug Killer will make 5 gallons of
diluted solution and covers 12.5 linear feet.



DIG TRENCH
Poured Concrete
Foundations: Dig a trench
next to foundations: Dig a trench
next to foundation 6 inches wide
and 4 inches deep or down to the top
of the footing, whichever is less.
Brick and Block Foundations: Dig a trench 6
inches wide and 12 inches deep, If the footing is
more than 12 inches deep, make holes with a crowbar,
pipe or steel rod about 1 foot apart that extend from the
bottom of the trench to the top of the footing. Make holes
doser in hard packed day soils.
To avoid shifting your house foundation, never dig below
the top of the footing.



POUR HALF IN TRENCH
Apply half volume of diluted product with a sprinkling can in the trench at a rate of 4 gallons per 10 linear feet per foot of depth.



**POUR REMAINING HALF TO BACKFILL**Apply other half to the backfill as the trench is refilled.

## WHEN TO REAPPLY

Reapplication for subterranean termites must only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, Indexaging, etc. Reapplication must be made as a spot treatment to those areas. Do not retreat entire premises.

# TO CONTROL LISTED HOME-INVADING PESTS LIKE TERMITES, CARPENTER ANTS, CARPENTER BEES, AND WOOD DESTROYING BEETLES (OUTDOORS)

This product can be used to control listed Home Invading Insect Pests induding Termites (excluding subterranean), Ants (including Carpenter, red harvester, pawement, dorous pyramid, Argentine and pharaoh), carpenter bees, beetles, boxelder bugs, centipedes, chiggers, crickets, earwigs, firebrats, fleas, roaches, house flies, homets, millipedes, coropions, silverfish, sowbugs, spiders (including black widow and brown recluse), springtails, ticks, wasps, wood destroying beetles and yellow jackets – OUTDOORS.

For Home Perimeter Treatment Application:

• Spray a 3 to 10 foot band of soil around the house next to the foundation.

• Also spray the foundation of the house to a height of 2 to 3 feet.

• House siding may be treated if pests including gypsy moth adults and caterpillars, boxelder bugs, elm leaf beetles, earwigs or silverfish are present.

For Use Against Hornets, Wasps and Yellow Jackets:

Application should be made in the late evening when insects are at rest. Aim spray at nest openings in ground, bushes and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

## **HOW TO APPLY**

Mixing Instructions

When using a tank sprayer Use 0.5 fl oz (1 Tbs) per gallon of water to be sprayed over 167 sq ft (1 gallon treats 167 sq ft).

HOW TO APPLY (cont'd)

Mixing Instructions

Set:
- Turn dial to 0.5 fl oz Fill:
- Pour 3.2 fl oz of concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.
- Spray:
- Connect hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray evenly over 1,000 sft until jar is empty.
- Finish:
- Pour unused concentrate back into its original container.
- To dean, refer to the Ortho® Dial N Spray® cleaning instructions.

10

## Treatment For Wood Destroying Pests (Outdoors)

Localized Areas Outdoors: For the control of insects including termites, carpenter ants, and wood-infesting beetles (including Old House Borer and Powder Post) in localized areas of infested wood around structures, Apply the product to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable.

## **HOW TO APPLY**

# Wood Treatment Application

- Fences and Outdoor Wood Surfaces of Buildings:

   Use a Dial 'N Spray® or tank sprayer.

   Apply evenly on wood surfaces.

   Allow to dry and repeat to ensure the insecticide soaks into the wood.

   Wood Piles and Stored Lumber:

   Use a Dial 'N Spray® or tank sprayer.

   Deliver a coarse drenching spray.

   Treated wood can be burned or used for building one month after treatment.

PESTICIDE STORAGE

PESTIGLE STORAGE AND DISPOSAL

PESTIGLE STORAGE STORAGE

Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or diluted material into drink containers.

PESTICIDE CONTAINER HANDLING

If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

12

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or dothing. Wear long sleeved shirt and long pants, shoes, socks, and chemical resistant gloves. Wash thoroughly with soap and water after handing and before eating, drinking, chewing gum, using tobacco or using the tollet. Remove and wash contaminated clothing before reuse.

## FIRST AID

## SWALLOWED

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water flable to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN
OR CLOTHING

Take off contaminated dothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for Emergency Assistance.

Note to Physician: This product is a pyrethroid. If large amounts have been ingested, the stomach and instelline should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils or alcohol may increase absorption and should be avoided.

For information regarding the use of this product call 1-877-465-5161.

## USER SAFETY RECOMMENDATIONS:

USER SAFETY

RECOMMENDATIONS:

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove dothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product.
Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates, Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters, Applying this product in calim weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off of the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product in to water bodies to be see sposed to direct treatment of residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are foraging the treatment area.

NOTICE: To the exert consistent with applicable be, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO® Guarantee

If or any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

THIS PAGE INTENTIONALLY LEFT BLANK

16