

# compact utility tractors Implements & Attachments



# So many attachments, so little time to put them on.

The hardest working tractor you can find is also the easiest to work with. Over 200 hard-working attachments and accessories are available for your John Deere Compact Utility Tractor. From backhoes to wheel rakes, beacon lights to vertical exhausts, these commercial-grade attachments are ready to take on the dozens of jobs your property demands. And thanks to John Deere iMatch<sup>™</sup> AutoHitch<sup>™</sup>, Quick-Park<sup>™</sup> loaders and drive-over AutoConnect<sup>™</sup> decks, putting on attachments is as easy as putting on a pair of your favorite gloves.

To find out which implements are compatible with your tractor, look in the charts throughout these pages. You'll find your tractor model number in the left-hand column and your implement model number in the right-hand column. Also, all horsepower requirements are PTO.

If you want to know if the implement you're looking at is compatible with iMatch Quick-Hitch, just look for this symbol next to the implement chart. The order code for the iMatch Quick-Hitch is LVB25976.

**PRONTIER**. Frontier Equipment offers a select line of reliable farm, commercial, and consumer equipment, complementary to John Deere products, sold exclusively by John Deere dealers to provide customers one-stop shopping for all their equipment, parts, and service needs. Explore the full line of Frontier Products at your John Deere dealership today.





# Contents

IMPLEMENT/ACCESSORY	
Attachments	28–31
AutoHitch <sup>™</sup>	
Backhoes	
Bale Spears	24
Bale Unrollers	
Box Blades	
Core Aerators	
Disc Mowers	
Disk Harrows	
Flail Mowers	
Food Plot Seeders	
Front Blades	
Loader Attachments	
Loaders	
Manure Spreaders	
Material Collection Systems	
Overseeders	
Posthole Diggers	
Power Rakes	
Pulverizers	
Rakes	
Rear Blades	19
Rotary Brooms	19
Rotary Cutters	15
Rotary Mid-Mount Mowers	13
Rotary Rakes	
Sicklebar Mowers	
Skid Steer Attachments	10–11
Snow Blowers	
Snow Pushes	
Spreaders	
Tedders	
Tillers	
Wheel Rakes	
Wileer Nakes	ZD

# iMatch<sup>™</sup> Quick-Hitch



To quickly change implements with the iMatch Quick-Hitch, you simply back in ...



#### 2 Hydraulically lift the unit ...



**3** Secure the latches, and then drive off. It's that simple.



\* Only models shown in chart are AutoHitch compatible. \*\* Requires iMatch conversion kit 14005, 4105, 1023E and 1026R models not AutoHitch compatible.



# We make it easy right from the start.

The tools of a tractor are the implements designed especially for it. And for a John Deere Compact Utility Tractor, putting on an implement is as easy as putting on a tool belt. With John Deere iMatch Quick-Hitch system, you simply back in, hydraulically lift the unit and secure the latches. All from the comfort of your seat.

And if the unit is PTO-driven, we've got good news: it gets even easier to get attached, thanks to the iMatch AutoHitch. To hook up the drive shaft to the secure unit, just pull the Auto-Hitch lever towards you and turn down. You are now connected to a power source.

Finally, there is the AutoConnect Deck with optional AutoPTO. First, you drive on it. Then, you drive over it. Lastly, you drive off. That's it. Now with AutoPTO the PTO is fully engaged and ready to mow without leaving the seat of your tractor.



2 Drive over the deck ramps.

Listen for a click as the deck attaches, and you are done. PTO shaft and mower deck are connected without leaving the seat.

3

### Loaders

# Let us do the heavy lifting.

You've got a pile to move. Or maybe, a small mountain. Either way, you'll get it down to size. Superior breakout forces, fast cycle times, and efficient installation and removal means you're working at breakneck speed.



#### WHAT TO LOOK FOR IN A LOADER

Lift capacities, pivot pin vs. 500 mm ahead: The lift capacity at pivot pin is a	Lift capacity at pivot pin (max. ht.)	825 lb. (375 kg)	836 lb. (380 kg)	1023 lb. (465 kg)	1027 lb. (467 kg)	1,186 lb. (539 kg)	1,360 lb. (617 kg)	1,598 lb. (725 kg)	1,393 lb. (633 kg)	2,486 lb. (1,130 kg)	2,477 lb. (1,126 kg)	2,391 lb. (1087 kg)	2,213 lb. (1006 kg)	2,539 lb. (1154 kg)
gross measure of loader lifting ability. The lift capacity 500 mm ahead of pivot point	Lift capacity at 500 mm ahead of pivot pin	570 lb. (259 kg)	576 lb. (262 kg)	715 lb. (325 kg)	717 lb. (467 kg)	845 lb. (389 kg)	999 lb. (453 kg)	1,122 lb. (509 kg)	1,005 lb. (457 kg)	1,846 lb. (839 kg)	2,178 lb. (990 kg)	1,760 lb. (800 kg)	2,222 lb. (1010 kg.)	1,885 lb. (857 kg)
is often the better measure of working	Lift capacity to 59 in. at pivot pin	944 lb. (429 kg)	955 lb. (434 kg)	1247 lb. (567 kg)	1245 lb. (566 kg)	1,294 lb. (588 kg)	1,700 lb. (771 kg)	2,125 lb. (964 kg)	2,109 lb. (959 kg)	2,957 lb. (1344 kg)	2,944 lb. (1338 kg)	2,875 lb. (1307 kg)	2,779 lb. (1263 kg)	3,023 lb. (1374 kg)
lift capacity.	Lift capacity to 59 in. at 500 mm ahead	680 lb. (309 kg)	686 lb. (312 kg)	915 lb. (416 kg)	915 lb. (416 kg)	977 lb. (444 kg)	1,312 lb. (595 kg)	1,649 lb. (748 kg)	1,639 lb. (745 kg)	2,022 lb. (919 kg)	2,825 lb. (1284 kg)	2.295 lb. (1043 kg)	2,642 lb. (1201 kg)	2,413 lb. (1097 kg)
Lift and reach: Consider how high and far you need a loader to reach. Do you need 🗕	Max. lift height at pivot pin	71.2 in. (1809 mm)	71.2 in. (1809 mm)	78.9 in. (1999 mm)	78.5 in. (1993 mm)	84 in. (2140 mm)	86 in. (2289 mm)	102 in. (2593 mm)	109 in. (2767 mm)	109 in. (2767 mm)	109 in. (2767 mm)	112.1 in. (2850 kg)	110 in. (2796 mm)	110 in. (2799 mm)
to load a truck, for instance?	Reach at max. height	22.5 in. (571 mm)	22.5 in. (571 mm)	24.6 in. (625 mm)	25.8 in. (656 mm)	24 in. (605 mm)	30.4 in. (773 mm)	22.1 in. (562 mm)	30.1 in. (766 mm)	109 in. (2767 mm)	109 in. (2767 mm)	28 in. (705 mm)	30 in. (755 mm)	30 in. (753 mm)
Breakout force: The higher the breakout force, the easier it is to fill	Breakout force at pivot pin	1,808 lb. (820 kg)	1,819 lb. (825 kg)	2,508 lb. (1140 kg)	2,363 lb. (1074 kg)	1,704 lb. (760 kg)	2,855 lb. (1295 kg)	3,327 lb. (1509 kg)	3,769 lb. (1710 kg)	3,925 lb. (1784 kg)	3,907 lb. (1776 kg)	3,853 lb. (1743 kg) 2,902 lb.	3,835 lb. (1743 kg) 3,337 lb.	4017 lb. (1826 kg) 3029 lb.
and lift the bucket.	Breakout force at 500mm	1,238 lb. (562 kg)	1,245 lb. (564 kg)	1,615 lb. (734 kg)	1,604 lb. (729 kg)	1,204 lb. (537 kg)	2,032 lb. (922 kg)	2,418 lb. (1097 kg)	2,665 lb. (1209 kg)	2,972 lb. (1351 kg)	3,575 lb. (1625 kg)	(1315 kg)	(1517 kg)	(1377 kg)
Fast cycle times: Loaders do repetitive tasks, and saving a second or two each	Dump angle	40.1 deg.	40.1 deg.	38 deg.	38 deg.	43.8 deg.	43 deg.	41.4 deg.	49.3 deg.	47.4 deg.	47.4 deg.	42 deg.	46.60 deg.	47 deg.
cycle can really add up. Besides fast	Rollback angle	31.2 deg.	31.2 deg.	24.5 deg.	25 deg.	31.4 deg.	25 deg.	31 deg.	23.8 deg.	44.11 deg.	42.23 deg.	28.6 deg.	38.40 deg.	33.42 deg.
raising, lowering and dump times, steep dump and rollback angles also contribute	Loader raising/ lowering time	4.0/2.5 sec.	4.0/2.5 sec.	4.73/2.88 sec.	3.19/1.95 sec.	3.31/2.75 sec.	2.76/1.69 sec.	3.57/2.1 sec.	3.6/2.1 sec.	2.42/1.63 sec.	2.42/1.63 sec.	4.26/3.13 sec.	2.41/1.62 sec.	2.6/1.75 sec.
to faster cycle times.	Bucket dump time/ regen	5.7/2.2 sec.	5.7/2.2 sec.	4.73/1.85 sec.	3.19/1.25 sec.	1.75/1.00 sec.	2.81/1.17 sec.	2.96/1.24 sec.	3/1.16 sec.	1.82/.90 sec.	2.29/.90 sec.	3.14 sec.	2.46 sec.	1.96 sec.
) 	Bucket rollback time	3.5 sec.	3.5 sec.	2.88 sec.	1.95 sec.	1.88 sec.	1.78 sec.	1.75 sec.	1.8 sec.	1.08 sec.	1.54 sec.	2.42 sec.	1.65 sec.	1.16 sec.

#### Loaders



Meet your match. We've paired up the John Deere Quik-Park and parkable loader's fast cycle times to impressive lift capacities for total, superior loading performance and unparalleled efficiency. Not only will you save time loading but you'll save time putting them on and taking them offa mere three minutes, or less.

1023E, 1026R, 1025R	488 lb. (221 kg) ldr. weight	Parkable	D120 Loader
1023E, 1026R, 1025R	541 lb. (245 kg) ldr. weight	Quik-Park	H120 Loader
2320, 2520, 2720, 2025R, 2032R	592 lb. (268 kg) ldr. weight	Parkable	H130 Loader
2320, 2520, 2720, 2025R,2032R	647 lb. (293 kg) ldr. weight	Quik-Park	H130 Loader
3032E, 3038E	425 lb. (192 kg) ldr. weight	Parkable	D160 Loader
3320, 3520, 3720, 3033R, 3039R, 3046R	779 lb. (353 kg) ldr. weight	Quik-Park	H160 Loader
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105,	856 lb. (388 kg) ldr. weight	Quik-Park	H165 Loader
4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	927 lb. (420 kg) ldr. weight	Quik-Park	H180NSL Loader
<sup>፟</sup> ፟ ຊົ¶ຂຽງ, ¥3፶፬, 45፶፬, 4፶20, 4044M/R, 4052M/R, 4066M/R	1,100 lb. (498 kg) ldr. weight	Quik-Park, Self Levelling	H180MSL Loader
4044M/R*, 4052M/R*, 4066M/R*		Parkable	D170 Loader



> Hood Guards – Protect your grill from brush, debris and those unexpected "bumps" that happen when getting too close while dumping your load.

1023E, 1026R, 1025R	Hood guard
2320, 2025R	Hood guard
2520, 2720, 2032R	Hood guard
3032E, 3038E	Hood guard
3320, 3520, 3720, 3033R, 3039R, 3046R	Hood guard
4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R,	Hood guard
4105	Hood guard



> Deluxe Hood Guards – Enjoy increased protection to the front and side of your grill. The hood guard's wrap-around design combined with mesh front provides superior protection from debris and brush.

1023R, 1026R, 1025R	Open units	Deluxe Hood guard
3320, 3520, 3720, 3033R, 3039R, 3046R	Open and cab units	Deluxe hood guard
4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	Open and cab units	Deluxe hood guard

**Rear Wheel Weights** – Properly ballast your tractor while providing superior traction for jobs on slippery terrain, a plus when loading or blowing snow.

1023E, 1026R, 1025R, 2305	Open units	Rear wheel weight (50 lb.)
2025R, 2032R, 2000 TWENTY, 3025E, 33032E, 3038E	Open units	Rear wheel weight (60 lb.)
3005, 3320, 3520, 3720, 3025E, 3032E, 3038E, 3033R, 3039R, 3046R, 4005, 4120, 4320, 4520, 4720, 4044M, 4052M, 4066M, 4044R, 4052R, 4066R	Open and cab units	Rear wheel weight (55 lb.)
3320, 3520, 3720, 3033R, 3039R, 3046R, 4005, 4120,	Open and cab units	Rear wheel weight



(110 lb.) +320, 4520, 4720, 4105, 4044M, 4052M, 4066M, 4044R, 4052R, 4066R \*Requires attaching hardware, part #BM17987

- > Ballast Boxes Enhance loader performance in all conditions with correct ballasting. Order a ballast box extension to add even more ballasting to the rear.
- > iMatch Bushing Kits Lets you use a ballast box while keeping your iMatch hitch on.

1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, iMatch bushing kit for ballast box 2032R, 3025E, 3032E, 3038E, 3033R, 3039R, 3046R, 3320, 3520, 3720, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R

> 3rd Function Hydraulic Line Kits – Provide hydraulic power to loader attachments that have increased versatility such as a 4-in-1 Bucket.

H165	3rd function hydraulic line kit
H180NSL, H180MSL	3rd function hydraulic line kit

> Fourth and Fifth SCV-kits – Provides two additional pair of rear SCVs. The kit can be field installed with or without a loader. The functions are completely separate from the loader.

3320, 3520, 3720, 3033R, 3039R, 3046R	Open station	4th and 5th SCV kit
4120, 4320, 4520, 4720	Open station	4th and 5th SCV kit
4320, 4520, 4720,	Cab units	4th and 5th SCV kit
4044M/R, 4052M/R, 4066M/R	Open station	4th and 5th SCV kit
4044R, 4052R, 4066R	Cab units	4th and 5th SCV kit





### Loader Attachments

# When a loader is more than just a loader.

From grabbing tree limbs and debris, to carrying bales or loading gravel, there's a tool that can easily attach to your loader with the help of a John Deere Carrier or Skid Steer Carrier.





Bale Spears – Move it. Easily and cost efficiently carry hard-to-handle round bales. High-strength steel tines penetrate bale for secure handling.

H165, D170, H180NSL, H180MSL	3, 49-in. spears	JD Carrier
H165, D170, H180NSL, H180MSL	1, 49-in. spear	JD Carrier



➤ Pallet Forks – Quickly move bulky pallets, boxes and crates. Forks with floating tines can be spaced to match load dimensions. A fixed load support frame provides reliable load handling on fixed-tine models.\*

D120, H120, H130, H165, D160, H160, D170, H180NSL, H180MSL	42- or 48-in. fixed forks	JD Carrier
D120, H120, H130, H165, D160, H160, D170, H180NSL, H180MSL	42- or 48-in. floating forks	JD Carrier

\*Requires D120 outfitted with Quik Change

+4-in-1 Buckets – Multi-tasker. Easily load, scrape, blade and even clamp material with this do-it-all bucket. Center opens for clamping action.

H165, D170, H180NSL, H180MSL	60-in. wide	JD Carrier
H165, D170, H180NSL, H180MSL	72-in. wide	JD Carrier
Requires Third-Function Hydraulics		

Debris Grapple Buckets – Get a grip with the clamping action of this bucket. Easily carry hard-to-handle items like tree limbs and stumps.

H165, D170, H180NSL, H180MSL	60-in. wide	JD Carrier	
H165, D170, H180NSL, H180MSL	72-in. wide	JD Carrier	
Requires Third-Function Hydraulics			







Snow Pushes/Snow Pushes With Trip Edges – Increase snow removal capability with the snow push while protecting your driveway with the addition of solid Trip Edges.

H160, H165, D160, D170, H180NSL, H180MSL	72-in. wide	JD Carrier
H160, H165, D170, H180NSL, H180MSL	84-in. wide	JD Carrier
H165, D170, H180NSL, H180MSL	96-in. wide	JD Carrier
H165, D170, H180NSL, H180MSL	8-ft. wide	JD Carrier
H165, D170, H180NSL, H180MSL	9-ft. wide	JD Carrier
H165, D170, H180NSL, H180MSL	10-ft. wide	JD Carrier





Manure Forks and Grapples – The clean and efficient system for tackling those dirty jobs in a hurry. Featuring a grapple opening of 37 inches, this attachment enables larger payloads that result in less trips, time and effort.

 H165, D170, H180NSL, H180MSL
 60-in. wide
 JD Carrier

 H165, D170, H180NSL, H180MSL
 72-in. wide
 JD Carrier

 Requires Third-Function Hydraulics
 Image: Construction Hydraulics
 Image: Construction Hydraulics



Rock Buckets – When you have the need to sort rocks from soil, or clean up debris, the rock bucket will be ready to work. Available with 2- or 3-in. spacing tines to match your job.

D160, H160, H165, D170, H180NSL, H180MSL	55-in. wide	JD Carrier
H160, H165, D160, D170, H180NSL, H180MSL (opt. Grapple)	66-in. wide	JD Carrier
H160, H165, D160, D170, H180NSL, H180MSL (opt. Grapple)	75-in. wide	JD Carrier

Requires Third-Function Hydraulics



#### Loader-mounted Front Blades – Level and spread your load without taking off your loader. Easily, angle blade 30 degrees, right or left, for superior blading.

D160, H160, H165, D170, H180NSL, H180MSL	72-in. wide	JD Carrier
H160, H165, D170, H180NSL, H180MSL	84-in. wide	JD Carrier



Materials Buckets – Load dirt, gravel and feed. Round-back bucket design provides superior material filling and dumping.

D120, H120, H130	49-in. wide	JD Carrier	
D120, H120, H130, H160, D160	53-in. wide	JD Carrier	
D120, H120, H130, H160, H165, D160, D170, H180NSL, H180MSL	61-in. wide	JD Carrier	
H160, H165, D160, D170, H180NSL, H180MSL	73-in. wide	JD Carrier	

Heavy-duty Buckets – Designed for heavier applications, this bucket features additional wear bars, bucket end plate supports and pre-drilled holes for replacing the cutting edges. (Bucket loop option on 73" heavy-duty Bucket)



High-volume Buckets – The perfect match for moving a large capacity of light material such as snow, sawdust, mulch and feed.

H165, D170, H180NSL, H180MSL	73-in. wide	JD Carrier
H165, D170, H180NSL, H180MSL	85-in. wide	JD Carrier

Free Stall Scrapers – An attachment that makes cleaning out free stall barns quick and easy. An optional back drag makes getting in corners and tight areas a snap.



areas a snap.		
H160, H165, D160, D170, H180NSL, H180MSL	60-in. wide	JD Carrier
H160, H165, D160, D170, H180NSL, H180MSL	72-in. wide	JD Carrier
H160, H165, D170, H180NSL, H180MSL	84-in. wide	JD Carrier
H165, D170, H180NSL, H180MSL	96-in. wide	JD Carrier

Tooth Bars – Easily penetrate hard-packed material. Slide tooth bar over cutting edge to attach.

Heavy-duty bucket	61-in. wide	JD Carrier
Heavy-duty bucket	73-in. wide	JD Carrier

Root Grapples – The root grapple is the perfect tool for your storm clean-up, heavy debris removal, or brush removal needs.

H160, H165, H180NSL, H180MSL	60-in. wide	JD Carrier	
D170, H180MSL	62-in. wide	JD Carrier	
Deputies Third Exection Undeputies			



Replaceable Cutting Edges – Recommended for "heavier use" applications, such as commercial operations and rental customers. Additional strength is added to the cutting edge and the replaceable cutting edge is reversible for longer wear life. Not compatible with tooth bars.



H160, H165, H180NSL, H180MSL	61-in. wide
H160, H165, H180NSL, H180MSL	73-in. wide



9

### Skid Steer Attachments

# When the going gets tough, get tougher.

With more than 100 John Deere Worksite Pro<sup>®</sup> attachments, you're sure to find the right tool for the real heavy jobs. And each is backed by legendary John Deere parts, service and warranty coverage.



#### Skid Steer Loader Attachment Carrier

Use your skid steer loader attachments on your John Deere Tractor with this optional convenient attaching device.

Skid Steer Carrier

Bale Spears – Move it. Easily and cost efficiently carry hard-to-handle round bales. High-strength steel tines penetrate bale for secure handling.

H165, H180NSL, H180MSL

H165, H180NSL, H180MSL

1, 40-in. spear Skid Steer Carrier

#### Tooth Bars – Easily penetrate hard-packed material. Slide tooth bar over cutting edge to attach.

5 5		
Construction bucket	56-in. wide	Skid Steer Carrier
Construction bucket	60-in. wide	Skid Steer Carrier
Construction bucket	66-in. wide	Skid Steer Carrier
Construction bucket	72-in. wide	Skid Steer Carrier





Multipurpose Buckets – Multi-tasker. Easily load, scrape, blade and even clamp material with this do-it-all bucket. Center opens for clamping action.

H180NSL, H180MSL	66-in. wide	Skid Steer Carrier
H180NSL, H180MSL	72-in. wide	Skid Steer Carrier



F heavy-uity buckets – Designed for neaver applications, this bucket	
features additional wear bars, bucket end-plate supports and pre-drilled holes	
for replacing the cutting edges.	

Hanny duty Puckate Designed for banyier applications, this bucket

High-volume Buckets – The perfect match for moving a large capacity of light material such as snow, sawdust, mulch and feed.

H180NSL, H180MSL	84-in. wide	Skid Steer Carrier



Rock Bucket – When you have the need to sort rocks from soil, or clean up debris, the rock bucket will be ready to work. Available with 2- or 3-in. spacing tines to match your job.

H160, H165, H180NSL, H180MSL (opt. Grapple)	66-in. wide	Skid Steer Carrier
H160, H165, H180NSL, H180MSL (opt. Grapple)	75-in. wide	Skid Steer Carrier

Rail Pallet Forks – Easily move large loads. Forks slide back and forth to accommodate varying sizes of pallets.

H165, H180NSL, H180MSL	42-in. Fixed Forks	Skid Steer Carrier
H165, H180NSL, H180MSL	48-in. Fixed Forks	Skid Steer Carrier



Ag Grapple Buckets – Easily pick up hay and manure with the one-piece grapple. Standard 4.5-in. tine spacing makes for easier handling of material.

H165, H180NSL, H180MSL	60-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL	66-in. wide	Skid Steer Carrier
H180NSL, H180MSL	72-in. wide	Skid Steer Carrier



Landplanes – These heavy-duty multipurpose workers do everything from levelling gravel driveways to aerating soil and clearing weeds.
 H165, H180NSL, H180NSL, 110TLB
 72-in. wide
 Skid Steer Carrier

H165, H180NSL, H180MSL, 110TLB 78-in. wide Skid Steer Carrier

Snow Blades – Perfectly designed for snow to roll right off, these heavy-duty blades can clear the longest driveways with ease.

H165, H180NSL, H180MSL	84-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL	96-in. wide	Skid Steer Carrier

Snow Pushes – The heaviest snow falls don't stand a chance with this heavy-duty push. Clear long winding paths quickly.

H165, H180NSL, H180MSL

96-in. wide

Skid Steer Carrier

Manure Scrapers – Clear out free stall barns quickly and effortlessly with this heavy-duty scraper. Makes quick work of dirty jobs.

H165, H180NSL, H180MSL, 110TLB	60-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL, 110TLB	72-in. wide	Skid Steer Carrier

Scrap Grapples – Pick up two, different-sized objects with independent-action grapples. Grapple opening is an impressive 39.3-in. for larger payloads.

H165, H180NSL, H180MSL	60-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL	66-in. wide	Skid Steer Carrier
H180NSL, H180MSL	72-in. wide	Skid Steer Carrier

Tine Grapple – Grab about anything with two independent grapples. A larger 38.2-in. opening is wide enough for picking up big limbs and other objects.

72-in. wide

66-in. wide

Skid Steer Carrier

Skid Steer Carrier



Light Materials Buckets – This bucket is recommended for efficient movement of light or high-volume materials. At 84-in., it is 1-ft. wider than the standard buckets. It also has a slightly higher and longer profile. It does not include a bolt-on replaceable cutting edge.

H180NSL, H180MSL	84-in. wide	Skid Steer Carrier

Foundry Bucket – Shorter from bucket heel to cutting edge to provide maximum breakout force for tough digging conditions. This durable bucket comes standard with pre-drilled holes for tooth bar and bolt-on cutting edge.



Construction Buckets – Designed for heavier applications with its 66-in. width and offers a "low" back plate for better operator visibility of the cutting edge, and a rounded interior for improved fill and dump performance.

H165, H180NSL, H180MSL	56-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL	66-in. wide	Skid Steer Carrier

Utility Buckets – These units are designed for moving light, high-volume material such as feed or snow. Buckets are pre-drilled for bolt-on cutting edges.

H165, H180NSL, H180MSL	66-in. wide	Skid Steer Carrier
H165, H180NSL, H180MSL	72-in. wide	Skid Steer Carrier

Replaceable Cutting Edges – Extend the life of your bucket in heavier applications. Edge is also reversible for longer life.

Construction bucket	56-in. wide
Construction bucket	60-in. wide
Construction bucket	66-in. wide
Construction bucket	72-in. wide



H180NSL, H180MSL

H165, H180NSL, H180MSL



Rotary Mid-Mount Mowers, Material Collection Systems, and Grooming Mowers

# Minimize your mowing time.

Turn back the clock and get a better quality of cut with these fine mowing attachments. From tow-behind mowers to mid-mounts, these units make quick work with professional results in large areas.



See page 5

#### AutoConnect™ The AutoConnect mi use and attachment be installed without

12

#### The AutoConnect mid-mount mower decks are the next generation in ease-ofuse and attachment technology. These next-generation decks are designed to be installed without leaving the tractor seat. You are able to drive over the top of the mower as the mower deck automatically connects to the tractor and

the PTO shaft automatically hooks up. 1023E, 1026R, 1025R 54-in. cutting width 197 lb. (197 kg) 54D AutoConnect 1023E, 1026R, 1025R 60-in. cutting width 258 lb. (117 kg) 60D AutoConnect 3320, 3520, 3720, 3033R, 3039R, 3046R 60-in. cutting width 324 lb. (147 ka) 60D AutoConnect 3320, 3520, 3720, 72-in. cutting width 345 lb. (156 kg) 72D AutoConnect 3033R. 3039R. 3046R

#### **Rotary Mid-Mount Mowers**

Enjoy the highest cut quality and more maneuverability in smaller areas. For effortless installation and removal, try the driveover OnRamp<sup>®</sup> mowers. Or the 7-Iron<sup>®</sup> mowers if you need higher durability with your high-quality cut.

2320, 2025R	54-in. cutting width	369 lb. (167 kg)	54D OnRamp
2320, 2520, 2720, 2025R, 2032R	62-in. cutting width	422 lb. (191 kg)	62D OnRamp
1023E, 1026R, 1025R,	54-in. cutting width	369 lb. (167 kg)	54D-in mid-mount
2520, 2720, 2032R	72-in. cutting width	448 lb. (203 kg)	72-in. mid-mount
1023E, 1026R, 1025R	60-in. cutting width	325 lb. (147 kg)	60D 7-Iron
3320, 3520, 3720, 3033R, 3039R, 3046R	72-in. cutting width	448 lb. (203 kg)	72-in. 7-Iron





#### Material Collection Systems

Collect and carry on while leaving a flawless finish.

1023E, 1026R, 1025R, 2025R, 2032R 14-bushel capacity 114 lb. (51 kg) 3-Bag Power Flow MCS



#### Independent Mower Lift Kits

Independent lift kit allows the deck to lift independent to the 3-point hitch, allowing you to keep mower decks on when using rear-mounted implements.

2032R, 2520, 2720

**Grooming Mowers** 

while still fitting within your budget.



\*conversion kit required

1023E, 1026R, 1025R, 2025R

Choose from a full line up of mowers that will give you the cut you need

finish in larger areas, these Category 1 hitch mowers feature medium-duty 11-gauge steel reinforced decks. 1025R\*, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 48-in. cutting width 16–30 hp 3033R, 3039R, 3046R 18–30 hp 1025R\*, 3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R 60-in. cutting width

Economy – The perfect solution for those on a tight budget who need a finer

3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R 72-in. cutting width 22–30 hp

\*1025R requires iMatch hitch for compatibility.



Rear Discharge – Cut down mowing time with these Category 1 hitch-8 mounted mowers. Extra-wide cutting widths and the ability to mow on both sides reduces cutting time without sacrificing much cut quality, compared to mid-mount mowers.

3032E, 3038E, 3320,3033R, 3039R, 3046R	54-in. cutting width	15–25 hp
3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R, 4105, 4120, 4044M/R*	60-in. cutting width	25–35 hp
3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R, 4105, 4120, 4044M/R*	72-in. cutting width	25–35 hp
2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R*, 4052M/R*	60-in. cutting width	15–40 hp
2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105*, 4120*, 4320*, 4044M/R*, 4052M/R*	72-in. cutting width	20–40 hp
3320, 3520, 3720, 3032E, 3038E, 3033R, 3039R, 3046R, 4105*, 4120*, 4320*, 4044M/R*, 4052M/R*	84-in. cutting width	25–40 hp
4105*, 4120*, 4320*, 4520*, 4720*, 4044M/R*, 4052M/R*, 4066M/R*	90-in. cutting width	25–50 hp
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105*, 4120*, 4320*, 4520*, 4720*	60-in. cutting width	20–50 hp

\*iMatch kit required for 4000 series compatibility \*\*iMatch conversion kit required

2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105*, 4120*, 43208, 4520*, 4720*, 4044M/R*, 4052M/R*, 4066M/R*	72-in. cutting width	20–50 hp
3005, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105*, 4120*, 4320*, 4520*, 4720*, 4044M/R*, 4052M/R*, 4066M/R*	84-in. cutting width	20–50 hp
3520, 3720, 3038E,3033R, 3039R, 3046R, 4105*, 4120*, 4320*, 4520*, 4720*, 4044M/R*, 4052M/R*, 4066M/R*	90-in. cutting width	30–70 hp
3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R*, 4052M/R*, 4066M/R*	110-in. cutting width	30–70 hp

\*iMatch kit required for 4000 series compatibility \*\*iMatch conversion kit required

> 3rd SCV Hydraulics – Expand the functionality of your tractor. Whether you're trying to control your rear hydraulic implement or lift and lower mid mowers, this kit can make it happen.



1023E, 1026R, 105R	Open units	3rd SCV Hydraulics kit
2025R, 2032R	Open units	3rd SCV Hydraulics kit
3320, 3520, 3720	Open units	3rd SCV Hydraulics kit
3320, 3520, 3720,	Cab units	3rd SCV Hydraulics kit
4120, 4320, 4520, 4720	Open units	3rd SCV Hydraulics kit
4320, 4520, 4720	Cab units	3rd SCV Hydraulics kit
3033R, 3039R, 3046R	Cab units	3rd SCV Hydraulics kit
3033R, 3039R, 3046R	Open units	3rd SCV Hydraulics kit
4044M, 4052M, 4066M	Open units	3rd SCV Hydraulics kit
4044R, 4052R, 4066R	Cab/Open units	3rd SCV Hydraulics kit

#### Mid PTO and Mid PTO Controls – Properly equip your tractor to operate your mid-mount mower or 3000 TWENTY Series front implements.

-	-	
3320, 3520, 3720, 3033R, 3039R, 3046R	Cab units	Mid PTO
3320, 3520, 3720, 3033R, 3039R, 3046R	Cab units	Mid PTO Controls
4120, 4320, 4520, 4720	Open and cab units	Mid PTO
4320, 4520, 4720	Cab units	Mid PTO Controls



Mid Mower-Loader Diverter (KIT) – No more switching hoses back and forth, this kit provides another mid SCV coupler. The operator simply moves a lever and diverts the hydraulic fluid to the implement that they choose to use. A real convenience when switching from mower to loader work.



2025R 2032R

1

Rotary Cutters, Sicklebar, and Flail Mowers

FRONTIER

R62060

# Cut almost anything down to size.

Give us your wide areas and tall weeds and grasses. These rear-mounted units fear nothing and cut practically anywhere. Weedy ditches and tall thick grass don't stand a chance.







#### **Rotary-Cutters**

8

Make the cut on property perimeters and pastures. For light-duty rotary cutting like grass and weeds, try the RC models. Or take up to 2-in. diameter brush with the medium-duty MX Series.

1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 4105*, 4120, 4320, 4520	48-in. cutting width
2032R, 3032E, 3038E, 3720, 3033R, 3039R, 3046R, 4105*, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	60-in. cutting width
3320, 3520, 3720, 3038E, 3033R, 3039R, 3046R, 4105*, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	72-in. cutting width
4044M/R, 4052M/R, 4066M/R	84-in. cutting width
3320, 3520, 3720, 3033R, 3039R, 3046R, 4005*, 4105*, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	60-in. cutting width
1026R 1025R 2320 2520 2720 require iMatch bitch for compatibility	



#### Sicklebar Mowers

1 Rough cuts made easy. Double-action cutting bar makes quick work of ditches, hay fields and varying terrain. These Category 1 hitch-compatible mowers include hydraulic-lift cylinders for the cutting bar.

3320, 3520, 3720, 3032E, 3038E, 4005, 4105, 4120, 4320, 4520, 4720, 4044M/R	69-in. cutting width	25–50 hp
3320, 3520, 3720, 3032E, 3038E, 4005, 4105, 4120, 4320, 4520, 472, 4044M/R	81-in. cutting width	25–50 hp
3320, 3520, 3720, 3032E, 3038E, 4005, 4105, 4120, 4320, 4520, 4720, 4044M/R	92.5-in. cutting width	25–50 hp



\*iMatch conversion kit and clear font

chain shield required for tractors with

R3/R4 Titires

and 4R

#### Flail Mowers



On the road again, tackle heavy weeds, grass and light brush with these durable, high-performing mowers. Designed for field edges, roadsides and other demanding environments where minimal debris is important.

3520, 3720, 4005, 4105, 4120, 4320,       78-in. cutting width       30–75 hp       25A         4520, 4720       58-in. cutting width       30–75 hp       360         3520, 3720, 4005, 4105, 4120, 4320,       58-in. cutting width       30–75 hp       360         3520, 3720, 4005, 4105, 4120, 4320,       71-in. cutting width       30–75 hp       370         4320, 4520, 4720       90-in. cutting width       40–75 hp       390*         4320, 4520, 4720       90-in. cutting width       40–75 hp       390 offset*         4320, 4520, 4720       90-in. cutting width       40–75 hp       390 offset*         4320, 4520, 4720       90-in. cutting width       40–75 hp       390 offset*				
4520, 4720       3520, 3720, 4005, 4105, 4120, 4320, 71-in. cutting width 30–75 hp       370         4320, 4520, 4720       90-in. cutting width 40–75 hp       390*         4320, 4520, 4720       90-in. cutting width (12-in. offset)       40–75 hp       390 offset*         4320, 4520, 4720       90-in. cutting width (12-in. offset)       40–75 hp       390 offset*		78-in. cutting width	30–75 hp	25A
4520, 4720         90-in. cutting width         40–75 hp         390*           4320, 4520, 4720         90-in. cutting width         40–75 hp         390 offset*           4320, 4520, 4720         90-in. cutting width         40–75 hp         390 offset*           4320, 4520, 4720         90-in. cutting width         40–75 hp         390 offset*           4320, 4520, 4720         90-in. cutting width         40–75 hp         390 offset*		58-in. cutting width	30–75 hp	360
4320, 4520, 4720         90-in. cutting width (12-in. offset)         40-75 hp         390 offset*           4320, 4520, 4720         90-in. cutting width 40-75 hp         40-75 hp         390 offset*		71-in. cutting width	30–75 hp	370
4320, 4520, 4720         (12-in. offset)           4320, 4520, 4720         90-in. cutting width         40–75 hp         390 offset*	4320, 4520, 4720	90-in. cutting width	40–75 hp	390*
	4320, 4520, 4720		40–75 hp	390 offset*
	4320, 4520, 4720		40–75 hp	390 offset*

#### Cruise Control – Stay on the move with cruise control.\*\*

3320, 3520, 37204120, 4320, 4520, 4720	Open and cab units	Automotive Cruise/ Motion Match Upgrade Kit*
3025E, 3032E, 3038E	Open units	Cruise Control
4105	Open units	Cruise Control
4044M, 4052M, 4066M	Open units	Cruise Control

**Front Quik-Tatch Weights Kits** – Properly ballast your tractor to get the most efficiency out of your implements. Attach this pin and rod to hold weights.

1023E, 1026R, 1025R, 2025R	Open units	Holds 5 Quik-Tatch Weights
2520, 2720, 2032R	Open units	Holds 3 Quik-Tatch Weights
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105	Open and cab units	Holds 5 Quik-Tatch Weights
3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	Open and cab units	Holds 6 Quik-Tatch Weights

> Front Weight Bracket Extensions - Hold even more weights than your standard Quik-Tatch kit with this extension.

1023E, 1026R, 1025R, 2320, 2520, 2720	Open units	Holds 7 Quik-Tatch Weights
3032E, 3038E	Open units	Holds 10 Quik-Tatch Weights
3320, 3520, 3720, 4105	Open and cab units	Holds 12 Quik-Tatch Weights
4120, 4320, 4520, 4720	Open and cab units	Holds 12 Quik-Tatch Weights

#### > Quik-Tatch Weights – Ballast is made easy with these individual weights. Molded-in handles makes installation and removal a cinch.

1023E, 1026R, 1025R, 2320, 2520, 2720, 3025E, Open and cab units 42-lb. Quik-Tatch, 3032E, 3038E, 3033R, 3039R, 3046R, 3320, 3520, front weight 3720, 4044M/R, 4052M/R, 4066M/R, 4105,4120, 4320, 4520, 4720 2305, 2320, 2520, 2720, 3025E, 3032E, 3038E, 3033R, 3039R, 3046R, 3320, 3520, 3720, 4044M/R, 4052M/R, Open and cab units 70-lb. Quik-Tatch,



front weight 4066M/R, 4105, 4120, 4320, 4520, 4720

ROPS Brush Guards – Protect the lights on your ROPS from getting knocked off or scratched with these convenient guards.

1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3025E, 3032E, 3038E, 3320, 3520, 3720, 4044M, 4052M, 4066M	Open units	Warning light brush guard kit
3033R, 3039R, 3046R, 4044R, 4052R, 4066R	Open units	Premium warning

light brush guard kit





chanical cruise \*\* Cruise control standard on 3R

### **Box Blades**

# Making the grade, pass after pass.

There are seed beds that must be ready for planting. And gravel roads that need to be level. We understand that. That's why we offer standard, medium, and construction-grade box blades. All can make your work a lot smoother.

FRONTIER



#### **Box Blades**

4066M/R

LP1160

Standard Duty – A great match with precision grading, these Category 1 hitch-compatible blades include fixed tailgates, capacities up to 19 cu. ft. and up to 6 replaceable scarifiers.

1023E, 1025R, 2320, 2520, 2025R	48-in. wide	18 hp max.
2032R, 3025E, 3032E, 3038E, 3033R, 3039R, 3046R, 3320, 3520, 3720, 4105, 4120, 4320, 4520	48-in. wide	45 hp max.
1023E, 1026R, 1025R, 2520, 2720, 2025R, 2032R, 3025E, 3032E, 3320, 3033R	48-in. wide	25 hp max.
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3025E, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R.	60-in. wide	56 hp max.

f

60-in. wide 3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 50 hp max. 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R 65-in. wide 50 hp max. 72-in. wide 50 hp max. 3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R 72-in. wide 50 hp max. 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520. 84-in. wide 50 hp max. 4720, 4044M/R, 4052M/R, 4066M/R 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 96-in. wide 50 hp max. 4720, 4044M/R, 4052M/R, 4066M/R



#### Medium Duty – Pair up these heavier blades with fine grading jobs and an optional Category 1 hitch tractor. Floating tailgates, capacities up to 22 cu. ft and up to 6 replaceable scarifiers beef up these box blades.



20, 72-in. wide 56 hp max. 146R, , 4720, 56M/R

56 hp max.

3320, 3520, 3720, 3033R, 3039R, 84-in. wide 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R



Construction Grade – Take on heavy grading conditions with these Category 1 and 2 hitch-compatible units. Hinged tailgates, extra-large capacities up to 36 cu. ft. and up to 8 replaceable scarifiers make these units professional grade.

4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	72-in. wide	80 hp max.
4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	84-in. wide	80 hp max.
4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	96-in. wide	80 hp max.



\*except BB2272, BB2284

Hydraulic Scarifier – Take on aggressive, heavy-duty grade work with these professional-grade units. Scarifiers are hydraulically actuated for deep grading action with these Category 1 hitch-compatible models.

	5 5	•
3320, 3520, 3720, 3032E, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R,4052M/R	60-in. wide	50 hp max.
3320, 3520, 3720, 3032E, 3038E, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R,4052M/R	66-in. wide	50 hp max.
3320, 3520, 3720, 3032E, 3038E, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R,4052M/R	72-in. wide	50 hp max.
4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	78-in. wide	90 hp max.
4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	78-in. wide	90 hp max.



#### Drawn Box Scrapers\* – Drawn box scrapers are a simple and rugged solution for scraping and smoothing roads, yards and fields. Move dirt or accomplish tough leveling and grading jobs.

4120, 4320, 4520, 4720, 4044M/R,	72-in. wide 35–100 h	
4052M/R, 4066M/R	84-in. wide	35–125 hp
	96-in. wide	35–125 hp

\*Hydraulic outlet required

Land Planes – Land planes are multi-purpose tools to help level gravel driveways, clear weeds from around buildings and fences, filling potholes, or recondition gravel roads.

1023E, 1025R, 2320, 2520	48-in. wide	20 hp max.
1025R, 2320, 2025R, 2032R, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720	60-in. wide	30 hp max.
1023E, 1025R, 2320, 2025R, 2032R, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	60-in. wide	18–50 hp
3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	72-in. wide	18–50 hp
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	84-in. wide	22–75 hp
4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	96-in. wide	22–75 hp



Hydraulic Diverters – Divert power to the rear of your tractor with this con-
venient toggle switch. Engage to hydraulically operate rear implements with
your loader joystick. Disengage to transfer power back to front implements.



3320, 3520, 3720Open unitsHydraulics diverter3320, 3520, 3720Cab unitsHydraulics diverter3033R, 3039R, 3046ROpen unitsHydraulics diverter3033R, 3039R, 3046RCab unitsHydraulics diverter4120, 4320, 4520, 4720Open unitsHydraulics diverter4320, 4520, 4720Cab unitsHydraulics diverter4044R, 4052R, 4066ROpen/Cab unitsHydraulics diverter			
3033R, 3039R, 3046R         Open units         Hydraulics diverter           3033R, 3039R, 3046R         Cab units         Hydraulics diverter           4120, 4320, 4520, 4720         Open units         Hydraulics diverter           4320, 4520, 4720         Cab units         Hydraulics diverter           4320, 4520, 4720         Cab units         Hydraulics diverter	3320, 3520, 3720	Open units	Hydraulics diverter
3033R, 3039R, 3046R         Cab units         Hydraulics diverter           4120, 4320, 4520, 4720         Open units         Hydraulics diverter           4320, 4520, 4720         Cab units         Hydraulics diverter	3320, 3520, 3720	Cab units	Hydraulics diverter
4120, 4320, 4520, 4720         Open units         Hydraulics diverter           4320, 4520, 4720         Cab units         Hydraulics diverter	3033R, 3039R, 3046R	Open units	Hydraulics diverter
4320, 4520, 4720 Cab units Hydraulics diverter	3033R, 3039R, 3046R	Cab units	Hydraulics diverter
	4120, 4320, 4520, 4720	Open units	Hydraulics diverter
4044R, 4052R, 4066R Open/Cab units Hydraulics diverter	4320, 4520, 4720	Cab units	Hydraulics diverter
	4044R, 4052R, 4066R	Open/Cab units	Hydraulics diverter

 Hydraulic Rear Couplers – Quickly and effortlessly remove your hydraulic hook-ups with these couplers; routes dual mid remotes to rear.

1023E, 1026R, 1025R	Open units	Hydraulic rear couplers
2320, 2520, , 2025R, 2032R	Open units	Hydraulic rear couplers

Top and Tilt – Effortlessly move your implements side-to-side or fore-andafter with this convenient kit. A real plus when box blading.

3320, 3520, 3720	Open/Cab units	Top and tilt
3033R, 3039R, 3046R	Open/Cab units	Top and tilt
4120, 4320, 4520, 4720	Open/Cab units	Top and tilt
4044M/R, 4052M/R, 4066M/R	Open units	Top and tilt
4044R, 4052R, 4066R	Cab units	Top and tilt





### Snow Blowers, Front Blades, Rear Blades, and Rotary Brooms

# Push back this winter.

Whatever winter throws at you, you can handle. From blowers to brooms, we have the implements you need to take on the heaviest of snowfalls.



#### **Snow Blowers**

8

Blowers allow you to move large amounts of snow quickly and efficiently	
away from your yards, driveways, roadways, runways or sidewalks.	

1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R	47-in. clearing width	Front Quik-Tatch hitch	47 Snow Blower
1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R	54-in. clearing width	Front Quik-Tatch hitch	54 Snow Blower
3320, 3520, 3720, 3033R, 3039R, 3046R	59-in. clearing width	Front 3-point hitch	59 Snow Blower
3320, 3520,3720, 3033R, 3039R, 3046R	64-in. clearing width	Loader mounted	SB2164*
4120, 4320, 4520, 4720, 4044R, 4052R, 4066R	76-in. clearing width	Loader mounted	SB2176**

1025R, 2320, 2520, 2720, 2025R, 2032R , 3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R, 4105, 4120, 4044M/R, 4052M/R, 4066M/R	48 in.	Rear Mount	16-35 hp
1025R, 2320, 2025R, 2032R , 3032E, 3038E, 3320, 3520, 3033R, 3039R, 3046R, 4105, 4120, 4044M/R, 4052M/R, 4066M/R	54 in.	Rear Mount	16-35 hp
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	64 in.	Rear Mount	20-50 hp
3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	74 in.	Rear Mount	30-50 hp
3720, 3033R, 3046R, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R,	84 in.	Rear Mount	35-90 hp
4066M/R	94 in.	Rear Mount	35-90 hp
3520, 3720, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R,	74 in.	Rear Mount	30-80 hp
4052M/R. 4066M/R	80 in.	Rear Mount	30-80 hp

\*Needs HP2025 Hydraulic PowerPack \*\*Needs HP2134 Hydraulic PowerPack



#### **Front Blades**

From moving dirt and gravel, to clearing snow, these versatile front blades can angle right or left to make your job easier.

1023E, 1026R, 1025R, 2320, 2520, 2720. 2025R, 2032R	54-in. clearing width	180 lb.	54 Front Blade
3320, 3520, 3720, 3033R, 3039R,	66-in. clearing	604 lb.	366 A-Frame
3046R	width		Front Blade



#### ► Rear Blades



Standard Duty – Designed for fine, precision leveling and grading, these Category 1 hitch-compatible blades feature moldboards ranging from 10- up to 14-in. tall. Frame and pivots are made from tubular steel.

023E, 1025R, 2320, 2025R	60-in. wide	18 hp max.
023E, 1025R, 2320, 2520, 2025R	60-in. wide	25 hp max.
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3720, 3033R, 3039R, 3046R, ±105, 4120, 4320, 4520, 4720, ±044M/R, 4052M/R, 4066M/R	60-in. wide	20–56 hp
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R	60-in. wide	19–45 hp
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	72-in. wide	20–56 hp
2720, 2520, 2025R, 2032R, 3032E, 1038E, 3320, 3520, 3720, 3033R, 1039R, 3046R, 4005, 4105, 1120, 4320, 4520, 4720, 4044M/R, 4052M/R	72-in. wide	23–55 hp
320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	84-in. wide	20–56 hp
3520, 3720, 3033R, 3039R, 3046R, 105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	84-in. wide	27–55 hp
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	96-in. wide	20–56 hp



Medium Duty – Precision work made easy. All blades are Category 1 hitch compatible, some are Category 2. Heavier-duty moldboards are up to 18-in. tall while frames vary from tubular-steel to formedchannel construction.

 3032E, 3038E, 3320, 3520, 3720,
 60-in. wide

 3033R, 3039R, 3046R, 4105, 4120,
 72-in. wide

 4320, 4520, 4720, 4044M/R,
 84-in. wide

ou-iii. wide	os np max.
72-in. wide	65 hp max.
84-in. wide	65 hp max.
96-in. wide	65 hp max.

CE ha may

#### Hydraulic – Enjoy fingertip control on-the-go with hydraulic blades. Angle the blade without leaving the seat.

3039Ŕ, 3046Ŕ, 4105, 4120, 4320, 4520, 4720, 4044M/R,4052M/R, 4066M/R	60-in. wide	45 hp max.	
	72-in. wide	45 hp max.	
	84-in. wide	45 hp max.	
		96-in. wide	45 hp max.



#### **Rotary Brooms**

#### Quickly make a clean sweep of leaves, grass or snow-covered sidewalks.

1023E, 1026R, 1025R, 2320, 2520, 2720,2025R, 2032R	52-in. width	Front Quik-Tatch hitch	52 Broom
	60-in. width	Front Quik-Tatch hitch	60HD Broom
3320, 3520, 3720, 3033R, 3039R, 3046R	60-in. width	Front 3-point hitch	60HD Broom
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044R, 4052R, 4066R	64-in. width	Loader mount	SW2160 Broom*
	72-in width	Loader mount	SW2172 Broom*
	84-in width	Loader mount	SW2184 Broom**



#### **Tire Chains**

Front and rear chains easily slip over tractor tires to provide essential traction in slippery conditions like snow and ice.

1023E, 1026R,1025R	Rear chains	26x12-12, R3 & R4
2320, 2025R	Rear chains	8.3-24, R4
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720	Front chains (open station)	7.0-14, R1
2520, 2720, 2032R, 3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R	Rear chains (open station)	15-19.5, R4/11.2- 24, R1
3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R	Rear chains	41x14.00-20, R3
3025E, 3032E, 3038E, 3203, 3320, 3520, 3720, 3033R, 3039R, 3046R	Front chains	25x18.50-14, R4
4120, 4320, 4520, 4720, 4044M/R, 4052M/R,	Rear chains	13.6-28, R1
4066M/R	Rear chains	44x18.00-20, R3
	Front chains	10-16.5, R4
4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	Rear chains	17.5x24, R4



#### **Front Hitches**

Make changes as easily as you change your mind. Simply drive in, pick up attachments, secure with pins and hydraulics and you're done.

1023E, 1026R, 1025R	Open units	Front Quik-Tatch hitch
2320, 2520, 2720, 2025R, 2032R	Open units	Front Quik-Tatch hitch
3320, 3520, 3720	Open and cab units	Front 3-pt. hitch with A-frame
3320, 3520, 3720, 3033R, 3039R, 3046R	Open and cab units	Front 3-pt. hitch with A-frame
4044R, 4052R, 4066R	Open and cab units	Front 3-pt. hitch with A-frame



### Rotary Tillers and Disks

# Breaking up isn't hard to do.

A new season means turning the soil over. And nothing takes on this work better than our aggressive tillers and hard-working disks. They're designed to help you break through even the toughest terrain.



\*1023E, 1026R, 1025R, 4105, and 4M/R not AutoHitch compatible.

#### **Rotary Tillers**

Take on tall tilling tasks with these commercial-duty models. Large, replaceable tines and a heavy-duty tubular tine shaft provide excellent performance and durability when biting into dried-out, packed down soil conditions.

8

1023E*, 1026R*, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R	48-in. tilling width	647 Tiller
3025E, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 4105*	55-in. tilling width	655 Tiller
3038E, 3520, 3039R, 3046R, 3720, 4120, 4320, 4105*, 4044M/R, 4052M/R	65-in. tilling width	665 Tiller
3025E, 3038E, 3520, 3720, 3039R, 3046R, 4105*, 4120, 4320, 4044M/R,4052M/R	73-in. tilling width	673 Tiller
3720, 4120, 4320, 4520, 4720, 4052M/R, 4066M/R	81-in. tilling width	681 Tiller

#### Standard Duty – Category 1 hitch compatible, these convenient units feature "C" helicoidal shape for extra mixing action and are beefier in weight for better, more consistent ground contact on uneven terrain.

JOHN DEERE

1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3320	42-in. tilling width	15–25 hp
2520, 2720, , 2025R, 3032E, 3320	49-in. tilling width	20–25 hp
3032E, 3038E, 3320, 3520, 3720, 4105, 4120, 4320, 4044M/R, 4052M/R	57-in. tilling width	25–40 hp
3320, 3520, 3720, 4105, 4120, 4320, 4044M/R, 4052M/R	65-in. tilling width	30–40 hp
4520, 4720, 4066M/R	73-in. tilling width	45–60 hp
4720. 4066M/R	81-in. tilling width	50–60 hp



345



>Medium Duty – This heavy-duty task master is designed to break through the toughest, compacted soil.



6

#### Disks

Break ground with these aggressive models. Available in a pull-type or drawn, these units feature notched and smooth blade types for digging in and breaking up compacted soil.

1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3320, 3033R	48-in. width	14–28 hp
2320, 2520, 2720, 2025R, 2032R, 3032E, 3320, 3033R	66-in. width	14—28 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	66-in. width	22–45 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	76-in. width	22–45 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	80-in. width	22–45 hp
3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	76-in. width	30–55 hp
3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	80-in. width	30–55 hp
3038E, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	96-in. width	30–55 hp
4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	76-in. width	40–75 hp
4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	80-in. width	40—75 hp
4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	96-in. width	40–75 hp
4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	8-ft. width (drawn)	35–55 hp
4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	9-ft. 6-in. width (drawn)	40–65 hp
4520, 4720, 4052M/R, 4066M/R	10-ft. 6-in. width (drawn)	45–75 hp



#### **Mulch Finisher**



Disk, cultivate and bury residue with this minimal-pass tillage tool. Heavy-gauge steel tubing provides long-term durability.

3032E, 3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	4-ft. wide	30–50 hp
4520, 4720, 4044M/R, 4052M/R, 4066M/R	6-ft. wide	45–75 hp

#### **One-Row Cultivator**

The One-Row Cultivator helps control weeds between crop rows. Adjustable row widths are perfect for gardeners and small farm operations.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 30 in.–60 in. 25–45 hp 4120, 4320, 4044M/R, 4052M/R row width



1

đ

8

#### Field Cultivator

The Field Cultivator preps seedbeds, mixes crop residue into soil, and blends the soil to help provide water and nutrients to your crops.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R, 4052M/R 72-in. working 25–45 hp depth



#### Subsoiler

The Subsoiler rips through hard ground to remove compaction, loosen soil, and improve water drainage. Features a 1-ft. x 6-ft. steel shank with reversible hitch point.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R, 4052M/R up to 24-in. 25–45 hp working depth



#### Middle Buster

Equipped with a 19-in. double-wing cutting blade, the Middle Buster is perfect for preparing beds for gardens.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R, 4052M/R up to 12-in. 25–45 hp working depth



#### Plows

Plows completely turn over sod – the first step to preparing a perfect garden spot. Chose from One-Bottom or Two-Bottom models.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	14-in. width	25–50 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R,	40-in. width	25–50 hp

4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R



21

## Backhoes, Posthole Diggers, Rakes, and Power Rakes

# Ground attack.

The time has come for serious work. Whether you're digging a trench or putting in a new fence, you need the specialized tools to do it right. Transform your property with these powerful backhoes, posthole diggers and rakes.





#### Backhoes

Powerful digging and backfilling action along with excellent visibility to the trench makes quick work in tough conditions. A full 180-degree rotation on most models lets you work in tight quarters. Unique RockShaft Assist (RSA) mounting system lets one person attach unit to tractor in less than five minutes.

1023E, 1026R, 1025R	6-ft. 0-in. digging depth (2-ft. flat bottom)	2,036-lb. bucket digging force	260 Backhoe	
2320, 2520, 2720, 2032R	6-ft. 6-in. digging depth (2-ft. flat bottom)	2,840-lb. bucket digging force	46 Backhoe	
2320, 2025R	7-ft. depth (2-ft. flat bottom	2,472 lb. bucket digging force	270A Backhoe	

3320, 3520, 3720, 4105	7-ft. 5-in. depth	2,840-lb. bucket	375 Backhoe
open stations and cab	(2-ft. flat bottom)	digging force	
3320, 3520, 3720	8-ft. 5-in. depth	3,730-lb. bucket	485 Backhoe
(open stations only)	(2-ft. flat bottom)	digging force	
3033R, 3039R, 3046R	7-ft. 10-in. depth (2-ft. flat bottom)	3,631-lb. bucket digging force	375A Backhoe
4120, 4320, 4520 (open and cab)	8-ft. 5-in. depth	3,730-lb. bucket	485 Backhoe
4720	(2-ft. flat bottom)	digging force	
3033R, 3039R, 3046R	8-ft. 7-in. depth	3,752-lb bucket	385A Backhoe
(open stations only)	(2-ft. flat bottom)	digging force	
4044M/R, 4052M/R, 4066M/R open stations and cab	8-ft. 6-in. depth (2-ft. flat bottom)	3,752-lb bucket digging force	485A Backhoe



#### Posthole Diggers by Rotomec<sup>™</sup>

Whether digging for posts or trees, these heavy-duty models feature rugged gearboxes and wide augers for tackling large projects in tough ground.

1025R, 2320, 2520,2720, 2025R, 2032R, 3032E, 3320	18–25 hp
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R	18–40 hp
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R	18–50 hp
4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	40–90 hp



#### Rakes

8

Standard Duty - Perform fine and precision grading with these Category 1 hitch-compatible models. Tine boom angles for more aggressive action.

55		
1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R	60-in. width	18 hp max.
1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R	60-in. width	25 hp max.
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320,	72-in. width	20–38 hp
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R	72-in. width	19—40 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R, 4052M/R, 4066M/R	84-in. width	19–40 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4044M/R, 4052M/R	84-in. width	20–50 hp
	96-in. width	20–50 hp



Medium Duty – Heavier tube construction on these units designed for fine and precision grading provide increased durability for tougher conditions.

1

3120, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	72-in. width	23–55 hp
	84-in. width	23–55 hp
3520, 3720, 3038E, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	96-in. width	27–55 hp

#### **Power Rakes**

Quickly clear a seedbed of surface rock, brush and debris. Independent adjustable gauge wheels control depth, while the unit's hydraulic angling and roll-back barrier lets you control how precise of a finish you need.

1023E,1025R, 2520, 2025R, 2032R	48-in. width	15-22 hp
2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4120, 4044M/R	60-in. width	18–35 hp
3038E, 3520, 3720, 4105, 4120, 4320, 4044M/R, 4052M/R	72-in. width	30–40 hp
4520, 4720, 4044M/R, 4052M/R, 4066M/R	84-in. width	42–80 hp

#### Hydraulics, Power Beyond

Get power to the rear of your tractor in order to operate attachments that contain a control valve such as a backhoe, logsplitter, or snowblower.

1023E, 1026R, 1025R	Open units	Power beyond
2320, 2520, 2720, 2025R, 2032R	Open units	Power beyond
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105	Open units	Power beyond
3320, 3520, 3720	Cab units	Power beyond
3033R, 3039R, 3046R	Cab/Open units	Power beyond
4120, 4320, 4520, 4720	Open units	Power beyond
4120, 4320, 4520, 4750	Cab units	Power beyond
4044M/R, 4052M/R, 4066M/R	Cab/Open units	Power beyond



1

#### Woodchippers

Wood Chippers quickly chew up logs and tree branches, turning them into wood chips or wood-chip mulch.

1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E**, 3038E**, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	3-in. x 5.5-in. feed opening	18–40 hp
3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	5.5-in. x 8-in. feed opening	25–85 hp
3720, 4005, 4120, 4320, 4520, 4720	5.5-in. x 8-in. feed opening	35–95 hp



#### **3-Point Trencher**

Prep your ground properly for small drainage projects with the aggressive 3-Point Trencher. It provides a clean, even trenching to help you improve water management around your land.



2320, 2520, 2720, 2025R, 2032R 3032E, 3038E, 3320, 3520, 6-in. x 36-in, deep maximum trench 15–30 hp

\*Requires continuous hydraulic flow.

\*\* Tractor PTO cannot be operated without operator in the seat.



Manure Spreaders, Bale Spears, Bale Unroller, Wheel Rakes, Tedders, Rotary Rakes, Disc Mowers, and Food Plot Seeders

# Keepers of the crop.

Tending to a crop requires plenty of proper tools. Turn to these attachments to help you cut, windrow and fluff your crop. It's everything you need to protect your crops' nutritional and monetary value.





#### Manure Spreaders

Easy-to-use controls help you ensure a consistent spread while corrosionresistant, galvanized steel sides and bonded poly overlaying with galvanized sub-floor provides superior reliability.

	1023E, 1026R, 1025R, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 4005, 4105, 4120, 4044M/R, 4052M/R, 4066M/R	25-bu. capacity	961-lb. min. tractor weight
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R,	50-bu. capacity	2,178-lb. min. tractor weight
	80-bu. capacity	2,851-lb. min. tractor weight	
	4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	80-bu. capacity	3,282-lb. min. tractor weight



#### **3-Point Bale Spears**

Easily handle a large round bale with this Category 1 and 2 hitch-compatible model. Two, 15-in. bottom spears prevent bale spinning during transport.

3720, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 49-in., Single tine 4066M/R

3720, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 49-in., Double tine 4066M/R

#### **Food Plot Seeder**

Save time and fuel with a single piece of equipment that can disc, plow, furrow, deposit seed, pack soil, cover seed and smooth soil in one pass. Custom-designed electronic drop seeder plants virtually any seed.



3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4-ft. wide 30–50 hp 4520, 4720, 4044M/R, 4052M/R, 4066M/R

#### **3-Point Bale Unroller**

Conveniently unroll a large, round bale from the comfort of your seat. Hydraulic arms are activated from the operator's station.



3720, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R



#### **Carted Wheel Rakes**



Make perfect, fluffy windrows with these carted rakes. All units include easily adjustable windrow widths and adjustable ground pressure for optimum performance on contoured and uneven terrain.

3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	750 lb min. tractor weight	19-ft. width
3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	850 lb min. tractor weight	22-ft. width
3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	960 lb min. tractor weight	24-ft. width
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R		19-ft. width
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R		22-ft. width
3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R		24-ft. width



#### Tedders

Handle material lightly while speeding up drying in humid conditions with these standard, medium- and heavy-duty models. All units feature

convenient rotor angle adjustment and balloon tires for smooth operation over irregular ground.

2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 15 hp min. 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R

2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 20 hp min. 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R

3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 30 hp min. 4044M/R, 4052M/R, 4066M/R



#### **Rotary Rakes**

Fast and efficient, this unit helps you quickly windrow while preventing leaf loss. Front crank adjustment screw regulates rotor tilt while rear screw adjusts tine height to allow for varying conditions.

#### **Disc Mowers**

No matter crop conditions, you can count on a flat, top-quality cut. Oval discs maximize knife overlap to prevent plugging while alternating springs allow varying down pressure to compensate for uneven terrain.



1

4520, 4720, 4066M/R	Cab units	35 hp min.
4520, 4720, 4066M/R	Cab units	42 hp min.

#### Receiver Hitch and Bushing Kits

Turn your tractor into a towing machine. Heavy-duty hitch includes a twoinch receiver to accept various ball mounts. It's compatible with a 3-point hitch or iMatch Quik-Hitch when bushing kit is ordered.

1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	Open and cab units	Receiver hitch	
1023E, 1026R, 2320, 2520, 2720, 3005, 3032E, 3038E,	Open and cab units	Bushing kit	

1023E, 1026R, 2320, 2520, 2720, 3009, 3032E, 3038E, Upen and cab units Bushing kit 3320, 3520, 3720, 3038, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R

#### **Clevis & Ball Hitch**

Combination clevis and ball mount hitch fits a 2-in. receiver. Package includes the combo hitch, bent pin and clip.

#### Hitch Ball

2-in. Hitch Ball for use on the combination Clevis & Ball Mount Hitch.



\*iMatch not included

## Core Aerators, Spreaders, Overseeders, and Pulverizers

# Making sure the grass is always greener.

Everything you need to prepare seedbeds, fertilize and seed. Use these tools and your turf will thank you.





#### **Core Aerators**

Economy Duty – Reduce compaction and increase soil vitality by taking cores up to 4.5-inches deep. These cost-efficient units feature bronze bushings in each rotor.

8

2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3029R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	48-in. width	20–50 hp	
	60-in. width	20–50 hp	
2520, 2720, 2032R, 3032E, 3038E,	72-in. width	20–50 hp	

2520, 2720, 2032R, 3032E, 3038E, 72-in. width 3320, 3520, 3720, 3033R, 3029R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R Standard Duty – Upgrade your coring efforts. These models feature heavier frames to allow up to 25% more weighting capacity, providing deeper, more consistent cores in heavily compacted soil.

3032E, 3038E, 3320, 3520, 3720, 3033R, 3029R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	60-in. width	25–70 hp
3032E, 3038E, 3320, 3520, 3720, 3033R, 3029R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	72-in. width	25–70 hp





#### **Spreaders**

Broadcast Spreader – Lay down fertilizer, seed and herbicide in large areas with these wide 20- to 46-ft. full-circle swaths. Choose from PTO-driven or pull-type units.

1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E,	226-lb. (102 kg)	16–30 hp
3038E, 3320, 3520, 3033R, 3039R, 3046R	capacity	16–30 hp
1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3220, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	362-lb. (164 kg) capacity	16–45 hp
1023E, 1025R, 2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	362-lb. (164 kg) capacity	16–45 hp
2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	678-lb. (307 kg) capacity	16–55 hp
1023E, 1025R, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R	362-lb. (164 kg) capacity	16–45 hp
2320, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	678-lb. (307 kg) capacity	16–55 hp
2520, 2720, 2025R, 2032R, 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R * requires kit for iMatch compatibility	860-lb. (390 kg) capacity	20–60 hp



• Pendular – Enjoy extra versatility with these PTO-driven spreaders. Use a full 47-ft. spread pattern or when up close to landscaped areas, limit unit to just a left or right discharge with attachment.

2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 4105, 4120, 4320, 4520, 4720	1,079-lb. (439 kg) max. capacity	20–60 hp
2520, 2720, 2032R, 3032E, 3038E, 3320, 3520, 3720, 4105, 4120, 4320, 4520, 4720	1,168-lb. (529 kg) max. capacity	20–60 hp
3032E, 3038E, 3320, 3520, 3720, 4105, 4120, 4320, 4520, 4720	1,808-lb. (820 kg) max. capacity	20–60 hp



#### Turf Renovators (Overseeder)

These 3-pt. hitch-compatible units quickly lay down new seed with aggressive aerating action, precision-metered seed cups and large hopper capacities.

3032E, 3038E, 3320, 3520, 3720, 4005, 4	105, 4120, 4320,	58-in. width	25–50 hp
4520, 4720			

#### **Pulverizers**

8

**Standard Duty** – Break up soil to help prepare your seedbed.

3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R, 4066M/R	48-in. width	30–45 hp
	60-in. width	30–45 hp
3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4044M/R, 4052M/R, 4066M/R	72-in. width	30–45 hp

#### Heavy Duty – Step up to a heavier-duty pulverizer featuring a beefier frame H-Beam for increased strength when working in dense soil conditions.

3038E, 3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320,	72-in. width	30–75 hp
4520, 4720, 4044M/R, 4052M/R, 4066M/R	84-in. width	30–75 hp



			Sec.
3R, 3039R, 3046R, 4105, 4120, 4320, 052M/R, 4066M/R	72-in. width	30–75 hp	
	84-in. width	30–75 hp	



> Telescoping Draft Links kit – Reduce the amount of effort needed to attach 3-pt. hitch implements. This kit lets you make small adjustments when trying to line up the implements, without having to move the tractor.

3320, 3520, 3720, 3032R, 3039R, 3046R, 4105	Open and cab units	Telescoping draft links
4120, 4320, 4520, 4720	Open and cab units	Telescoping draft links
4044M/R, 4052M/R, 4066M/R	Open and cab units	Telescoping draft links

#### **Conservation Seeders\***

Conservation seeders prepare seedbeds and seed with full-width coverage and no row effect. These seeders are perfect for pasture renovations or roadside reclaimation. Plant legumes and other types of seeds.



3520, 3720, 3033R, 3039R, 3046R, 4105, 4120, 4320, 5 ft. 4520, 4720, 4044M/R, 4052M/R, 4066M/R 1480 lb. 30 hp min.

\* Open Station only. Not available for cab units

#### **Sprayers**

This Category 1, 3-Pt. Hitch Sprayer is designed for residential or commercial property care. These 40, 55, 110, or 150\*-gallon sprayers provide an excellent way to apply spray materials such as liquid fertilizer, weed killer, tree spray and de-icer. Complete large spraying jobs quickly with folding booms or boomless that spray an adjustable 5-ft. up to 30-ft. swath. Ask about our complete line of sprayer accessories.



1023E, 1026R, 1025R, 2520, 2720, 3032E, 3038E, 3320, 3520, 3720, 5-ft. up to 30-ft. boom width 3033R, 3039R, 3046R, 4105, 4120, 4320, 4520, 4720, 4044M/R, 5-ft. up to 30-ft. coverage, 4052M/R. 4066M/R boomless

\* 150-gallon capacity only for use on 4120,4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R





# Maximize your tractor's potential

With thousands of attachments to choose from, it's never been easier to add more productivity, more convenience and more value to your operation.

6

400X

Ť
•

#### Beacon Light – Illuminate the night for added safety with this ambercolored, rotating high-intensity light.

	3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520,	4720	Cab un	its Bea	acon light
	<b>Canopies</b> – Beat the sun and inclement ROPS, providing extra environmental pro				l to the
	1023E, 1026R, 1025R, 2320, 2520, 2720, 2025R, 2032	2R	Op	en units	Canopy
	3320, 3520, 3720, 3032E, 3038E, 3033R, 3039R, 3046 4320, 4520, 4720, 4044M. 4052M, 4066M	5R, 4105, 4120		en units es mounting	Canopy kit LVB25332
•	External Mirror – Get the full picture by field behind you. Kit includes a left side an	5 5			
	3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520, 4044R, 4052R, 4066R	4720, Ca	b units	External m	iirror
	External Tool Boxes – Enjoy a convenier heavy-duty steel box can easily be instal				
	3320, 3520, 3720, 3033R, 3039R, 3046R	Cab units		External	tool box
	4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	Cab or op	en units	External	tool box
	dark conditions. Two lights mount to bro (Forward lighting kit standard on cab un 1023E, 1026R, 1025R, 2520, 2720, 2025R, 2032R, 332 3520, 3720, 3025E, 3032E, 3038E, 3033R, 3039R, 304 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	its.)	en units		ghting kit
-	Rear Work Light Kits – Shed some light implements.	, especially	when w	orking w	vith rear
1	1023E, 1026R, 1025R, 2520, 2720, 2025R, 2032R, 302 3032E, 3038E, 3320, 3520, 3720, 3033R, 3039R, 3046 4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R	25E, Op 5R,	en units	Rear work	light kit
	3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520, 4044R, 4052R, 4066R	4720, Cal	units	Rear work	light kit
		ie rear in ii	nclement	weathe	r. Kit
	4044R, 4052R, 4066R Rear Wiper – Ensure clear visibility to th	ie rear in ii es fluid to	nclement clean the	: weathe e windov	r. Kit
	4044R, 4052R, 4066R Rear Wiper – Ensure clear visibility to the includes a wiper and nozzle that dispers 3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520,	ne rear in in es fluid to 4720, 4044R, the elemen	clement clean the <sup>Cab n</sup>	weathe e windov units R	r. Kit v. ear wiper

dedicated cab door key that is different from the standard ignition key.

Door lock kit

AL71345

3320, 3520, 3720, 4320, 4520, 4720 Cab units

**ROPS Organizer** – This handy organizer guickly attaches to your compact utility tractor's ROPS with Velcro<sup>®</sup> panels and adjustable straps. The heavyduty fabric is coated for maximum water resistance and repellency. There is a center foam-lined compartment with an interior tool pouch and small tool holders. And a zippered cargo pocket and beverage pocket as well.



Fits Compact Utility Tractors: 3X20, 4X20, 3203, 3033R, 3039R, 3046R, 4044M/R, 4052M/R, 4066M/R, 4105, 990, and 4005 Series. (Not approved for 2305, 2X20, and 790/3005 Series Tractors.)

Seat Covers - Make your compact utility tractor the best seat on the property with these large and medium seat covers. Cushioned for extra comfort, both covers feature a fabric coating for maximum water resistance and repellency. An elastic cord in the bottom hem makes for a custom fit. And a handy zippered storage case for keeping items close at hand.



Medium fits: 3203, 2320, 2520, 2720 Series Tractors, Item # LP 95223

Large fits: 3120, 3320, 3520, 3720, 4120, 4320, 4520, and 4720 Series Tractors.

6 Vertical Exhausts – Direct exhaust up and over the operator's head. The perfect choice for exhaust-sensitive applications such as certain vegetation.

3033R, 3039R, 3046R, 3320, 3520, 3720, 4105, Open and cab units Vertical exhaust 4044M/R, 4052M/R, 4066M/R, 4120, 4320, 4520, 4720



#### Rear Fender Extension – Keep it clean by protecting yourself, the tractor and the implements from debris flying off of the rear tractor tires.

2320, 2520, 2720	Open units	Rear fender extension
3320, 3520, 3720	Open units	Rear fender extension
4120, 4320, 4520, 4720	Open units	Rear fender extension
3320, 3520, 3720, 4320, 4520, 4720	Cab units	Rear fender extension



#### Front Fenders – Guard against unwanted dirt and mud on cab glass or operator station with these sporty-looking front fenders.

Locking Fuel Cap - A sure way to guard against theft or vandalism.



Locking fuel cap

Cab units



**Engine Coolant Heaters** – Engine coolant heaters allow for easier starts during the cold months, which translates into saved time, money and less engine wear.

5		
1023E, 1026R, 2320, 2520, 2720	Open units	Engine coolant heater
4120, 4320, 4520, 4720	Open and cab units	Engine coolant heater

Transmission Heater - Don't let the winter months rob you of time. With warm transmission fluid from a John Deere transmission heater, your tractor will get up and go.

2320, 2520, 3203, 4105, 4020

3320, 3520, 3720

4120, 4320, 4520, 4720

3320, 3520, 3720, 4320, 4520, 4720

Open and cab units Transmission heater

\* See dealer regarding serial number.





# ATTACHMENTS

2

3





1

19999 99999 89999 9999 99999 9999



#### Air Suspension Seats – Enjoy unparalleled comfort on even the roughest roads and terrain with both vertical and horizontal seat suspension.

3320, 3520, 3720,3033R, 3039R, 3046R, 4120, 4320, 4520, 4720, 4044R, 4052R, 4066R	Open units	Air suspension seat
3320, 3520, 3720, 3033R, 3039R, 3046R,4320, 4520, 4720, 4044R, 4052R, 4066R	Cab units	Air suspension seat
4044R, 4052R, 4066R	Cab units	Air suspension seat



Armrest Kit – Armrests provide additional support and comfort for long days in the seat. Pivot armrest up and out of the way when exiting tractor. (Armrest kit standard on seat with cab units.)

Armrest kit

4120, 4320, 4520, 4720, Open units

**Alternators** – Get the extra electrical capacity you need to run additional lighting and other accessories. (3000 TWENTY cab models come standard with 55-amp alternator.)

1023E, 1026R, 1025R, 2320, 2520, 2720, 3005	Open units	Alternator (35 amp)
3320, 3520, 3720, 4105	Open units	Alternator (55 amp)



#### 2 Cab Stereos – AM/FM Jensen radio lets you get access to the latest music or weather reports. You can even equip with CD or auxiliary port.

3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520, 4720, 4044R, 4052R, 4066R	Cab units	Jensen AM/FM stereo with weatherband radio
3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520, 4720, 4044R, 4052R, 4066R	Cab units	Jensen AM/FM stereo with weatherband radio, auxiliary iPod compatable
3320, 3520, 3720, 3033R, 3039R, 3046R, 4320, 4520, 4720, 4044R, 4052R, 4066R	Cab units	Jensen AM/FMstereo with weatherband radio, CD Player, auviliant iPod compatible



 Back-up Alarm Kit – Alert nearby bystanders when you are backing up with this audible alarm that sounds off when tractor is in reverse.

 3320, 3520, 3720, 3033R, 3039R,
 Open and cab HST
 Back-up alarm kit

3220, 3220, 3720, 3033K, 3039K, Upen and Cabins i Back-up 3046R,4320, 4520, 4720 units only 4R cabs and open stations come standard with back-up alarm



#### B Horn – Get bystanders' attention with this audible horn.

3320, 3520, 3720, 3033R, 3039R, 3046R,4320, 4520, 4720, 4044R, Cab units Horn 4052R, 4066R



Filter Paks – Almost every filter you need to maintain your tractor in one convenient package. Keep your tractor running at its peak, kit contains: two oil filters, one air filter, one fuel filter and one hydraulic filter.

1023E, 1026R, 1025R	Open and cab units	Filter Pak
2520, 2720, 2025R, 2032R	Open and cab units	Filter Pak
3320, 3520, 3720, 3033R, 3039R, 3046R	Open and cab units	Filter Pak
4120, 4320, 4520, 4720, 4044R, 4052M/R. 4066M/R	Open and cab units	Filter Pak

# **12-Volt Cordless Grease Gun** – Grease all of your fittings in just minutes. Fully rechargeable 12-volt battery delivers up to six cartridges of grease. Get hard-to-reach areas with included flexible hose and industrial grease coupler.

1023E, 1026R, 1025R, 2520, 2720, 2025R, 2032R, 3032E, 3038E, 3032B, 320, 3520, 3720, 3033R, 3039R, 3046R,4105, 4120, 4320, 4520, 4720, 4044M/R, 4052M/R, 4066M/R

Automatic 1.5A Battery Charger and Maintainer – This fully automatic 6and 12-Volt 1.5-amp battery charger and maintainer provides quick engine starts for compact utility tractors that have been stored during the off-season.



All compact utility tractors

#### Seven-Pin Connectors – The perfect solution when auxiliary power is needed for turn lights, work lights and tail lights.

3320, 3520, 3720, 3033R, 3039R, 3046R, 4120, 4320, 4520, 4720	Cab units	7-pin connector
3320, 3520, 3720, 3033R, 3039R, 3046, 4120, 4320, 4520, 4720	Open station units	7-pin connector
4044R, 4052R, 4066R	Cab units	7-pin connector
4044M/R, 4052M/R, 4066M/R	Open station units	7-pin connector

#### **Cell Phone Bracket Kit** – Ball joint allows for variable positioning and holds firm in rugged terrain or uneven applications

RAM Tablet Mount Kit – secures tablet without restricting access to
existing audio jacks. USB, power, and other ports

3033R, 3039R, 3046R, 4044R, 4052R, 4066R



Cab units

Cab units

 Dual USB Charger – Charge two tablets or other USB devices simultaneously

 3033R, 3039R, 3046R, 4044R, 4052R, 4066R
 Cab units

Accessory Mounting Bracket

3033R, 3039R, 3046R, 4044R, 4052R, 4066R

Cab units





From landscaping to loader work, tillage to snow removal, there isn't a project our equipment can't handle. For the attachments and accessories you need, see your local John Deere dealer. Or visit us online.

www.JohnDeere.com www.JohnDeere.ca

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of the products described in this literature without notice. John Deere's green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company.

